

All Patient Records

Discharge Qtr	Hospital ID	Hospital Name	Health System	City	Diocese	Sex	Diagnostic Codes										Principle Proc Code	
							Admitting DxCode	Principle DxCode	Other Dx1	Other Dx2	Other Dx3	Other Dx4	Other Dx5	Other Dx6	Other Dx7	Other Dx8		
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>618</u>	<u>618</u>	<u>V25.2</u>									<u>70.52</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>287.5</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>648.61</u>	<u>427.89</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>660.11</u>	<u>660.11</u>	<u>653.41</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>642.71</u>	<u>642.71</u>	<u>659.71</u>	<u>666.12</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>660.01</u>	<u>660.01</u>	<u>653.51</u>	<u>648.81</u>	<u>660.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.4</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>661.01</u>	<u>647.81</u>	<u>54.9</u>	<u>647.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>642.01</u>							<u>74.1</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>644.21</u>	<u>644.21</u>	<u>658.11</u>	<u>661.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>654.21</u>					<u>74.1</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>642.01</u>	<u>642.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>664.11</u>						
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>664.11</u>	<u>664.11</u>	<u>620.2</u>	<u>674.32</u>	<u>V25.2</u>	<u>V27.0</u>						<u>75.69</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>648.61</u>	<u>648.61</u>	<u>646.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>664.21</u>	<u>664.21</u>	<u>648.23</u>	<u>647.81</u>	<u>41.02</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.6</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>661.31</u>	<u>661.31</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>								<u>75.69</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>669.01</u>	<u>669.01</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.6</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>663.31</u>	<u>663.31</u>	<u>658.11</u>	<u>661.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.6</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>645.01</u>	<u>645.01</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.6</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>664.01</u>	<u>664.01</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>							<u>75.69</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>665.51</u>	<u>665.51</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.6</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>659.61</u>	<u>659.61</u>	<u>305.1</u>	<u>659.71</u>	<u>V27.0</u>							<u>73.6</u>
2000Q1	001000	Baptist St. Anthony's Health System-Bapt.Cn	Christus	Amarillo	Amarillo	F	<u>664.01</u>	<u>664.01</u>	<u>647.81</u>	<u>41.02</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>

2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>							<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>998.11</u>	<u>648.22</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V30.01</u>	<u>644.21</u>	<u>998.2</u>	<u>668.81</u>	<u>658.11</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>349</u>				<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>648.22</u>	<u>998.2</u>	<u>V27.0</u>	<u>V25.2</u>	<u>665.72</u>						<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>660.01</u>	<u>641.31</u>	<u>652.51</u>	<u>656.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>654.21</u>	<u>648.01</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>658.11</u>	<u>648.22</u>	<u>285.1</u>	<u>651.01</u>	<u>644.21</u>	<u>648.81</u>	<u>V27.2</u>	<u>652.21</u>	<u>V25.2</u>			<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>642.01</u>	<u>V27.0</u>	<u>654.21</u>	<u>655.71</u>	<u>V25.2</u>							<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>642.31</u>	<u>654.21</u>	<u>652.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V02.51</u>						<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>654.21</u>	<u>879.2</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>652.21</u>	<u>652.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.53</u>	<u>654.51</u>	<u>654.21</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>216.7</u>						<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>653.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>451.84</u>							<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>654.21</u>	<u>648.91</u>	<u>553.1</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>652.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>553.1</u>	<u>553.21</u>						<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>	<u>660.31</u>	<u>656.61</u>							<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>652.21</u>	<u>663.31</u>	<u>V27.0</u>									<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>645.11</u>	<u>V22.1</u>	<u>659.61</u>	<u>660.61</u>	<u>648.91</u>	<u>493.9</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.81</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>674.32</u>								<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>654.21</u>	<u>666.12</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>656.71</u>	<u>654.21</u>	<u>658.41</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q2	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>657.03</u>	<u>657.01</u>	<u>648.21</u>	<u>280.9</u>	<u>664.01</u>	<u>647.81</u>	<u>41.02</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V64.1</u>			<u>73.59</u>

2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>642.91</u>	<u>658.11</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>651.01</u>	<u>651.01</u>	<u>V27.2</u>	<u>654.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>671.82</u>		<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>642.33</u>	<u>642.31</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>648.81</u>	<u>659.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>652.23</u>	<u>652.21</u>	<u>658.11</u>	<u>651.01</u>	<u>V25.2</u>	<u>V27.2</u>			<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.81</u>	<u>658.01</u>	<u>V25.2</u>	<u>568</u>		<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.81</u>	<u>658.01</u>	<u>V25.2</u>	<u>568</u>		<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>652.23</u>	<u>652.21</u>	<u>654.21</u>	<u>656.51</u>	<u>656.71</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>642.73</u>	<u>642.71</u>	<u>275.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.21</u>	<u>644.21</u>	<u>652.21</u>	<u>651.01</u>	<u>V27.2</u>				<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>664.11</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>664.01</u>	<u>663.31</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>648.22</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>				<u>73.59</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>642.31</u>	<u>648.22</u>	<u>666.22</u>	<u>285.9</u>	<u>648.11</u>	<u>656.61</u>	<u>V27.0</u>	<u>73.59</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>645.13</u>	<u>645.11</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>665.81</u>			<u>73.4</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>664.01</u>	<u>V27.0</u>						<u>75.69</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>642.33</u>	<u>642.31</u>	<u>V27.0</u>	<u>663.11</u>	<u>V25.2</u>				<u>73.4</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>658.11</u>	<u>648.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.6</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>664.11</u>	<u>661.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>658.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>664.01</u>	<u>780.39</u>	<u>780.2</u>	<u>V27.0</u>	<u>V25.2</u>			<u>75.69</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.71</u>	<u>646.11</u>	<u>V02.51</u>	<u>V25.2</u>	<u>465.9</u>	<u>V27.0</u>		<u>73.59</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>656.63</u>	<u>663.31</u>	<u>656.61</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>
2001Q3	001000	Baptist St. Anthony's Health System-Baptist	Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>664.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>			<u>75.69</u>

2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>664.11</u>	<u>656.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>	<u>66.32</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.39</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.31</u>	<u>665.51</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>	<u>75.61</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>657.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>653.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>658.11</u>	<u>V25.2</u>	<u>V06.4</u>	<u>V27.0</u>			<u>73.6</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.39</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>664.01</u>	<u>661.31</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>	<u>75.69</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>645.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.39</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>664.01</u>	<u>661.31</u>	<u>648.41</u>	<u>311</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.39</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.11</u>	<u>647.61</u>	<u>79.89</u>	<u>657.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>75.69</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.6</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>648.81</u>	<u>648.81</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>			<u>72.9</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>663.31</u>	<u>663.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>656.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>311</u>	<u>648.41</u>	<u>305.1</u>	<u>66.32</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V06.4</u>			<u>66.32</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.11</u>	<u>661.31</u>	<u>V27.0</u>	<u>V25.2</u>			<u>75.69</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.01</u>	<u>644.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>		<u>75.69</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.39</u>		
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>645.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>664.01</u>	<u>V25.2</u>	<u>648.41</u>	<u>305.1</u>	<u>73.09</u>
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>664.01</u>	<u>657.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>	
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>	
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>663.31</u>	<u>663.31</u>	<u>V27.2</u>	<u>V25.2</u>					<u>73.59</u>	
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>665.31</u>	<u>665.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>	
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>	
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>644.13</u>	<u>656.81</u>	<u>648.91</u>	<u>382.9</u>	<u>V02.51</u>	<u>490</u>	<u>V27.0</u>	<u>V25.2</u>	<u>73.59</u>	
2002Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V06.4</u>	<u>V27.0</u>				<u>73.59</u>	

2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>644.21</u>	<u>658.41</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>647.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>							<u>74.1</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>658.11</u>	<u>654.21</u>	<u>V25.2</u>						<u>74.1</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>652.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>656.11</u>	<u>V25.2</u>							<u>74.1</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>645.11</u>	<u>645.11</u>	<u>654.21</u>	<u>663.31</u>	<u>664.01</u>	<u>V27.0</u>	<u>652.81</u>	<u>V25.2</u>				<u>66.32</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>663.31</u>	<u>663.31</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>661.31</u>	<u>648.62</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.6</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V04.3</u>							<u>66.32</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.21</u>	<u>648.41</u>	<u>661.21</u>	<u>657.01</u>	<u>665.41</u>	<u>654.12</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>648.91</u>	<u>648.91</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.11</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>645.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>660.41</u>	<u>V25.2</u>	<u>V04.3</u>						<u>66.92</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>648.91</u>	<u>648.91</u>	<u>664.11</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>645.21</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>648.41</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>522.5</u>	<u>221.2</u>	<u>V25.2</u>	<u>285.9</u>				<u>66.32</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>645.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>663.11</u>	<u>663.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>661.31</u>	<u>661.31</u>	<u>V27.0</u>	<u>664.01</u>	<u>V25.2</u>	<u>311</u>	<u>645.11</u>					<u>66.39</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.11</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>656.11</u>	<u>656.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>648.81</u>	<u>658.01</u>	<u>663.31</u>	<u>664.01</u>	<u>V25.2</u>				<u>66.32</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.81</u>	<u>658.11</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>75.69</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>663.11</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>646.81</u>	<u>996.31</u>	<u>V27.0</u>								<u>73.59</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>665.51</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>V02.51</u>	<u>792.3</u>	<u>660.41</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>648.41</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>665.41</u>	<u>V25.2</u>						<u>66.32</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V04.3</u>							<u>66.32</u>
2002Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>646.61</u>						<u>66.32</u>

2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>663.31</u>	<u>V25.2</u>				<u>66.32</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>645.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>664.21</u>	<u>663.21</u>	<u>349</u>		<u>66.32</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>345.1</u>	<u>V27.0</u>					<u>73.6</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.61</u>	<u>V45.02</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>648.91</u>	<u>664.01</u>	<u>648.41</u>	<u>663.31</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>		<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>661.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>656.61</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>662.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.6</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.6</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>656.61</u>	<u>V06.4</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>645.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>V02.51</u>	<u>664.01</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>		<u>75.61</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>493.9</u>	<u>V25.2</u>				<u>66.39</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.6</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>786.2</u>				<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>645.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.39</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>788.3</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>664.01</u>				<u>75.69</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>645.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>493.9</u>	<u>V25.2</u>	<u>664.01</u>			<u>66.32</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>658.11</u>	<u>648.22</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>			<u>75.69</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.6</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>648.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2002Q4	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V06.4</u>			<u>75.69</u>
2003Q1	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>659.61</u>	<u>659.61</u>	<u>340</u>	<u>V27.0</u>	<u>652.51</u>	<u>V25.2</u>			<u>74.1</u>
2003Q1	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>648.81</u>	<u>642.61</u>	<u>644.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.49</u>	<u>74.1</u>

2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>657.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>642.91</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.11</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>656.81</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>663.11</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>644.21</u>	<u>644.21</u>	<u>659.71</u>	<u>654.21</u>	<u>648.91</u>	<u>490</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>666.12</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>641.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>614.6</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>661.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>					<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>654.21</u>	<u>V25.2</u>	<u>787.3</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>654.21</u>	<u>654.42</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>651.01</u>	<u>652.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.2</u>			<u>74.1</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.11</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>664.11</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.09</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>645.11</u>	<u>645.11</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>656.11</u>	<u>782</u>			<u>66.32</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>647.61</u>	<u>79.4</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.6</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>							<u>66.29</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>996.76</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>671.02</u>			<u>66.32</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.31</u>	<u>665.51</u>	<u>V25.2</u>	<u>674.32</u>	<u>V27.0</u>				<u>75.61</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.31</u>	<u>665.51</u>	<u>V25.2</u>	<u>661.31</u>	<u>V27.0</u>				<u>73.59</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.31</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.22</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>493.9</u>	<u>656.81</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.6</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>648.41</u>	<u>648.41</u>	<u>305.1</u>	<u>656.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.39</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.6</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>651.01</u>	<u>663.31</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.2</u>				<u>72.54</u>
2003Q2	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>660.41</u>	<u>663.31</u>				<u>66.39</u>

2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>660.41</u>	<u>660.41</u>	<u>656.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>669.81</u>	<u>785.2</u>							<u>3.91</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.11</u>	<u>664.01</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>669.51</u>	<u>659.71</u>							<u>66.32</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>669.51</u>	<u>659.71</u>							<u>66.32</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>										<u>73.59</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>648.41</u>	<u>V25.2</u>	<u>663.11</u>	<u>665.41</u>	<u>V27.0</u>							<u>75.69</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>										<u>73.59</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>218.1</u>									<u>73.59</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>659.61</u>	<u>659.61</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.92</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>651.01</u>	<u>651.01</u>	<u>659.61</u>	<u>V27.2</u>	<u>V25.2</u>	<u>664.11</u>								<u>66.32</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>666.12</u>	<u>340</u>	<u>669.81</u>	<u>665.41</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>648.41</u>	<u>648.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>305.1</u>									<u>66.32</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.6</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>										<u>73.59</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>V02.51</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>75.69</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.6</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>664.01</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>										<u>66.32</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2003Q3	001000	Baptist St Antonys Health System-Baptist C Christus	Amarillo	Amarillo	F	<u>650</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>										<u>73.59</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	M	<u>608.86</u>	<u>604.9</u>	<u>788.2</u>	<u>427.31</u>	<u>596.54</u>	<u>250.6</u>	<u>600.9</u>	<u>401.9</u>	<u>V12.59</u>	<u>443.9</u>			<u>60.29</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>625.6</u>	<u>625.6</u>	<u>V25.2</u>	<u>401.9</u>									<u>66.32</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.01</u>	<u>710</u>	<u>642.71</u>	<u>659.51</u>	<u>V12.59</u>	<u>656.51</u>	<u>644.21</u>	<u>658.01</u>	<u>795.79</u>			<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>651.01</u>	<u>648.01</u>	<u>351</u>	<u>642.91</u>	<u>V27.2</u>							<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>646.81</u>	<u>646.81</u>	<u>286.3</u>	<u>646.31</u>	<u>V45.4</u>	<u>V27.0</u>	<u>V25.2</u>	<u>620.2</u>	<u>648.41</u>	<u>305.1</u>			<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>659.61</u>	<u>659.61</u>	<u>665.01</u>	<u>424</u>	<u>654.21</u>	<u>V27.0</u>	<u>729.1</u>	<u>493.9</u>	<u>V25.2</u>	<u>663.31</u>			<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>654.01</u>	<u>V25.2</u>	<u>663.31</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>648.81</u>	<u>654.21</u>	<u>646.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>648.91</u>	<u>648.91</u>	<u>661.21</u>	<u>V02.51</u>	<u>660.11</u>	<u>653.41</u>	<u>659.21</u>	<u>785</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>642.01</u>	<u>651.01</u>	<u>654.21</u>	<u>278</u>	<u>V25.2</u>	<u>V27.2</u>						<u>74.1</u>

2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>648.81</u>	<u>648.81</u>	<u>V27.0</u>	<u>642.91</u>	<u>654.21</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>642.01</u>	<u>642.01</u>	<u>654.21</u>	<u>V25.2</u>	<u>653.41</u>	<u>663.31</u>	<u>V27.0</u>						<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>648.41</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>660.31</u>	<u>660.31</u>	<u>659.71</u>	<u>660.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>216.5</u>	<u>656.61</u>	<u>221.2</u>				<u>66.32</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>654.21</u>	<u>654.21</u>	<u>665.51</u>	<u>648.41</u>	<u>311</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>				<u>66.39</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>									<u>75.69</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>659.71</u>	<u>656.81</u>	<u>663.31</u>	<u>V27.0</u>	<u>V06.4</u>				<u>73.6</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>656.81</u>	<u>V27.0</u>						<u>73.59</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>654.51</u>	<u>664.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>216.5</u>							<u>75.69</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>648.41</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>	<u>664.01</u>							<u>66.39</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>663.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>								<u>75.69</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>658.01</u>	<u>669.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.6</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>642.01</u>	<u>663.11</u>	<u>648.81</u>	<u>648.91</u>	<u>664.01</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V49.75</u>	<u>V27.0</u>			<u>73.59</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>645.11</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>75.69</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>664.11</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>75.69</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.6</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>659.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>V12.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>664.21</u>	<u>664.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>648.91</u>	<u>710</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>							<u>75.69</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>663.31</u>	<u>642.31</u>	<u>V25.2</u>							<u>66.32</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>642.41</u>	<u>648.31</u>	<u>648.41</u>	<u>663.11</u>	<u>644.21</u>	<u>305.1</u>	<u>305.2</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>558.9</u>	<u>558.9</u>											<u>74.1</u>
2003Q4	001000	BAPTIST ST ANTHONYS	Christus	Amarillo	Amarillo	F	<u>625.9</u>	<u>574.1</u>	<u>614.2</u>										<u>51.23</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>74.1</u>

2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>648.22</u>	<u>285.1</u>	<u>V27.0</u>	<u>642.01</u>	<u>401.9</u>	<u>659.41</u>	<u>V25.2</u>	<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>780.39</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>642.01</u>	<u>642.01</u>	<u>648.21</u>	<u>401.9</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>654.21</u>	<u>282.5</u>	<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>			<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>659.11</u>	<u>659.11</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>285.9</u>	<u>V25.2</u>				<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>285.1</u>	<u>V02.51</u>	<u>784</u>	<u>661.01</u>	<u>V27.0</u>	<u>648.22</u>	<u>V61.5</u>	<u>V25.2</u>	<u>74.1</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>V27.0</u>	<u>654.61</u>	<u>V25.2</u>	<u>V61.5</u>		<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>652.31</u>	<u>652.31</u>	<u>641.01</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.1</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>642.61</u>	<u>642.61</u>	<u>668.81</u>	<u>644.21</u>	<u>659.71</u>	<u>641.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>592</u>	<u>493.9</u>	<u>74.1</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>280</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>648.21</u>	<u>285.1</u>	<u>280.9</u>	<u>V27.0</u>	<u>663.31</u>	<u>V25.2</u>		<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>614.6</u>	<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>					<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>660.61</u>	<u>642.91</u>	<u>661.01</u>	<u>659.71</u>	<u>V25.2</u>	<u>663.31</u>	<u>74.1</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>					<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>					<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>641.01</u>	<u>641.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>					<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>646.81</u>	<u>574.2</u>				<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>661.01</u>	<u>V27.0</u>	<u>659.71</u>	<u>660.31</u>	<u>V61.5</u>	<u>V25.2</u>		<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>					<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>642.51</u>	<u>661.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.11</u>	<u>244.9</u>	<u>V61.5</u>				<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>654.41</u>	<u>620.2</u>	<u>659.61</u>	<u>V25.2</u>			<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>					<u>74.1</u>	
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>					<u>74.1</u>	

2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>645.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>							<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>648.21</u>	<u>V27.0</u>	<u>285.9</u>	<u>648.91</u>	<u>V02.51</u>	<u>305.1</u>	<u>V61.5</u>	<u>665.51</u>		<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>648.21</u>	<u>659.61</u>	<u>285.9</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V04.3</u>			<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V61.5</u>	<u>645.01</u>	<u>V27.0</u>	<u>664.01</u>				<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>							<u>66.39</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>642.51</u>	<u>V27.0</u>	<u>V61.5</u>							<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>658.11</u>	<u>658.11</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>						<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>659.41</u>	<u>V27.0</u>	<u>V02.51</u>	<u>663.31</u>	<u>659.61</u>					<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>70.51</u>	<u>647.61</u>	<u>V27.0</u>	<u>54.1</u>	<u>663.21</u>	<u>V61.5</u>	<u>654.11</u>	<u>218.9</u>		<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>665.41</u>	<u>V61.5</u>							<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>	<u>305.1</u>	<u>V61.5</u>	<u>523.1</u>					<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>							<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>669.51</u>	<u>669.51</u>	<u>660.41</u>	<u>648.81</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>663.31</u>				<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>669.51</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>							<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>665.51</u>							<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.51</u>	<u>654.51</u>	<u>V27.0</u>	<u>642.31</u>	<u>659.71</u>	<u>V61.5</u>						<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>647.61</u>	<u>647.61</u>	<u>V12.09</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>645.01</u>	<u>645.01</u>	<u>659.41</u>	<u>V27.0</u>	<u>669.51</u>	<u>660.41</u>	<u>664.01</u>					<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V61.5</u>								<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>664.81</u>	<u>664.81</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>651.01</u>	<u>651.01</u>	<u>642.31</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.2</u>						<u>66.32</u>
2000Q1	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>668.81</u>	<u>349</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>					<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>648.22</u>	<u>285.1</u>	<u>V27.0</u>	<u>220</u>	<u>V61.5</u>					<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250</u>	<u>V27.0</u>	<u>657.01</u>	<u>659.71</u>	<u>V25.2</u>	<u>V61.5</u>			<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>668.82</u>	<u>349</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>661.01</u>	<u>661.01</u>	<u>276.5</u>	<u>V61.5</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>652.61</u>	<u>652.61</u>	<u>648.21</u>	<u>285.1</u>	<u>V27.2</u>	<u>642.31</u>	<u>280.9</u>	<u>V61.5</u>	<u>V25.2</u>			<u>74.1</u>

2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>661.11</u>	<u>661.11</u>	<u>648.81</u>	<u>646.11</u>	<u>V27.0</u>	<u>V23.5</u>	<u>648.91</u>	<u>795.79</u>	<u>V61.5</u>	<u>V25.2</u>	<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>672.02</u>						<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>672.02</u>						<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>							<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.41</u>	<u>V27.0</u>	<u>661.21</u>	<u>642.31</u>	<u>660.61</u>	<u>V25.2</u>			<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>							<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>651.31</u>	<u>651.31</u>	<u>V27.0</u>	<u>654.21</u>	<u>V61.5</u>						<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>653.11</u>	<u>653.11</u>	<u>659.81</u>	<u>656.61</u>	<u>652.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>237.7</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>656.61</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>								<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>666.12</u>	<u>666.12</u>	<u>647.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>664.01</u>					<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>643.21</u>	<u>643.21</u>	<u>276.5</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>666.12</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.01</u>	<u>648.01</u>	<u>250.01</u>	<u>648.21</u>	<u>V27.0</u>	<u>285.9</u>	<u>V61.5</u>	<u>V25.2</u>	<u>661.31</u>		<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>645.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>663.31</u>					<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>664.01</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>				<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>66.32</u>
2000Q2	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>672.02</u>	<u>672.02</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>66.32</u>

2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>642.41</u>	<u>648.21</u>	<u>280.9</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>645.01</u>	<u>645.01</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>				<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>656.51</u>	<u>656.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>669.51</u>			<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>645.01</u>	<u>645.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>				<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>648.22</u>	<u>V27.0</u>	<u>V25.2</u>	<u>285.9</u>	<u>V61.5</u>		<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.22</u>	<u>648.22</u>	<u>285.1</u>	<u>V61.5</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>				<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>				<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>642.41</u>	<u>642.41</u>	<u>656.51</u>	<u>664.01</u>	<u>V27.0</u>	<u>788.3</u>	<u>V25.2</u>		<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>645.01</u>	<u>645.01</u>	<u>648.21</u>	<u>285.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>669.51</u>	<u>669.51</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V61.5</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>		
2000Q3	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin		<u>648.44</u>	<u>648.44</u>	<u>305.6</u>	<u>V61.5</u>	<u>V25.2</u>	<u>664.14</u>	<u>296.7</u>	<u>665.54</u>	<u>66.32</u>		
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>V61.5</u>	<u>V61.5</u>	<u>401.9</u>	<u>278</u>	<u>568</u>				<u>66.32</u>		
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>653.41</u>	<u>653.41</u>	<u>648.62</u>	<u>425.4</u>	<u>428</u>	<u>424</u>	<u>276.5</u>	<u>424.3</u>	<u>654.21</u>	<u>659.11</u>	<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.21</u>	<u>285.1</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>648.81</u>	<u>280.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>			<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>661.21</u>	<u>661.21</u>	<u>648.22</u>	<u>285.1</u>	<u>660.31</u>	<u>663.31</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.11</u>	<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>642.51</u>	<u>642.51</u>	<u>648.01</u>	<u>250.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>654.21</u>	<u>614.6</u>	<u>658.41</u>	<u>648.91</u>	<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>646.61</u>	<u>652.21</u>	<u>280.9</u>	<u>281.1</u>	<u>654.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>648.21</u>	<u>280.9</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>646.61</u>	<u>616</u>	<u>79.88</u>	<u>648.21</u>	<u>285.1</u>	<u>280.9</u>	<u>654.61</u>	<u>233.1</u>	<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>674.82</u>	<u>729.5</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>				<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>						<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>653.11</u>	<u>653.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>305.1</u>	<u>669.5</u>					<u>74.1</u>
2000Q4	002001	St Joseph Reg Health Ctr	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74.1</u>

2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>663.31</u>	<u>656.61</u>	<u>V27.0</u>							<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>							<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>642.01</u>	<u>644.21</u>	<u>648.41</u>	<u>656.51</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>							<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>651.01</u>	<u>651.01</u>	<u>654.21</u>	<u>652.21</u>	<u>V27.2</u>							<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>648.71</u>	<u>721.3</u>	<u>722.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>218.9</u>	<u>659.61</u>						<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>659.41</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>658.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>659.61</u>						<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>652.21</u>	<u>V27.0</u>								<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V04.3</u>							<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>642.31</u>	<u>659.41</u>	<u>V25.2</u>	<u>667.02</u>					<u>74.1</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>646.61</u>	<u>614.1</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>663.31</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>66.32</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.39</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>659.41</u>	<u>553.1</u>	<u>V25.2</u>						<u>66.39</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>648.22</u>	<u>648.91</u>	<u>280.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>				<u>66.32</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>647.61</u>	<u>647.61</u>	<u>54.1</u>	<u>664.11</u>	<u>V27.0</u>							<u>66.32</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>									<u>66.32</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>280.9</u>							<u>66.32</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>								<u>66.32</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>642.92</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V61.5</u>	<u>V25.2</u>	<u>79.98</u>	<u>785.2</u>			<u>66.32</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>660.41</u>	<u>V61.5</u>	<u>V25.2</u>						<u>66.22</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>648.91</u>	<u>663.31</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>					<u>66.32</u>
2001Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>642.41</u>	<u>659.41</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>

2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>656.61</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>648.21</u>	<u>280.9</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>663.31</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>665.51</u>	<u>665.51</u>	<u>674.82</u>	<u>530.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>								<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>647.61</u>	<u>54.1</u>						<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>666.02</u>	<u>666.02</u>	<u>V25.2</u>	<u>V27.0</u>									<u>69.02</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>666.12</u>	<u>666.12</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>664.11</u>							<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>648.22</u>	<u>285.1</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>				<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>280</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>660.41</u>	<u>660.41</u>	<u>V27.0</u>	<u>372.72</u>	<u>V61.5</u>	<u>V25.2</u>							<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>658.41</u>	<u>658.41</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.51</u>	<u>648.51</u>	<u>746.9</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>663.31</u>						<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>648.21</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>669.51</u>	<u>669.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>								<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V61.5</u>	<u>V25.2</u>								<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>278</u>							<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>V27.0</u>										<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>646.81</u>	<u>646.81</u>	<u>660.41</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>276.8</u>	<u>V61.5</u>	<u>V25.2</u>	<u>642.31</u>	<u>661.31</u>					<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.61</u>	<u>648.61</u>	<u>424</u>	<u>V27.0</u>	<u>660.41</u>	<u>664.11</u>	<u>V25.2</u>	<u>V61.5</u>					<u>66.32</u>
2001Q2	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>617.1</u>	<u>617.1</u>	<u>620.1</u>	<u>218.9</u>	<u>620.2</u>	<u>626.2</u>	<u>285.9</u>	<u>614.6</u>	<u>616</u>	<u>617</u>			<u>65.89</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>285.1</u>	<u>648.22</u>	<u>651.01</u>	<u>644.21</u>	<u>652.61</u>	<u>493.9</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.1</u>	<u>280.9</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>651.01</u>	<u>651.01</u>	<u>648.91</u>	<u>493.91</u>	<u>644.21</u>	<u>652.61</u>	<u>659.41</u>	<u>648.81</u>	<u>V15.81</u>	<u>V25.2</u>			<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>V23.7</u>	<u>668.02</u>	<u>486</u>	<u>518</u>	<u>654.21</u>	<u>V27.0</u>	<u>553.2</u>	<u>V25.2</u>			<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>285.9</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>997.3</u>	<u>518</u>	<u>998.89</u>	<u>V25.2</u>	<u>V27.0</u>	<u>780.6</u>					<u>74.1</u>

2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>668.82</u>	<u>V27.0</u>	<u>349</u>	<u>V61.5</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>670.02</u>	<u>648.22</u>	<u>285.1</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>615.9</u>	<u>661.01</u>	<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>560.1</u>	<u>646.61</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>	<u>614.6</u>			<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>280.9</u>					<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>646.71</u>	<u>70.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V15.81</u>		<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.1</u>	<u>V25.2</u>	<u>V61.5</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>669.71</u>	<u>669.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>642.01</u>	<u>V27.0</u>	<u>401.9</u>	<u>V61.5</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V61.5</u>	<u>V25.2</u>							<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>V61.5</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>651.01</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.2</u>	<u>669.81</u>	<u>621.8</u>	<u>698.9</u>		<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.01</u>	<u>648.01</u>	<u>659.61</u>	<u>646.11</u>	<u>663.31</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>					<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>654.41</u>	<u>654.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>651.01</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.2</u>				<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.01</u>	<u>654.01</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>305.1</u>				<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>642.31</u>	<u>V61.5</u>	<u>V25.2</u>					<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.11</u>	<u>244.9</u>	<u>296.99</u>				<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>666.12</u>	<u>V61.5</u>					<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>658.01</u>	<u>658.01</u>	<u>654.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>

2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>646.81</u>	<u>574.2</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>645.11</u>	<u>648.91</u>	<u>V61.5</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>642.41</u>	<u>642.41</u>	<u>645.21</u>	<u>661.11</u>	<u>659.71</u>	<u>656.81</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>661.11</u>	<u>V25.2</u>	<u>V61.5</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>652.21</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin		<u>647.61</u>	<u>647.61</u>	<u>042</u>	<u>647.62</u>	<u>465.9</u>	<u>664.01</u>	<u>V25.2</u>	<u>V64.1</u>	<u>V27.0</u>			<u>73.59</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>647.01</u>	<u>647.01</u>	<u>97.1</u>	<u>V25.2</u>	<u>V64.2</u>	<u>V27.0</u>						<u>73.59</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>651.01</u>	<u>651.01</u>	<u>644.21</u>	<u>664.11</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.2</u>					<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>							<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>656.11</u>	<u>656.11</u>	<u>659.71</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin		<u>648.41</u>	<u>648.41</u>	<u>305.6</u>	<u>647.81</u>	<u>131.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>658.41</u>				<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>665.51</u>	<u>665.51</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>							<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>661.31</u>	<u>665.51</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>661.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>664.11</u>	<u>663.31</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>642.41</u>	<u>642.41</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>						<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>660.41</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>664.91</u>	<u>V61.5</u>	<u>V25.2</u>						<u>66.39</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>663.31</u>	<u>V25.2</u>	<u>V61.5</u>						<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.11</u>	<u>648.11</u>	<u>244.9</u>	<u>656.11</u>	<u>659.61</u>	<u>663.31</u>	<u>663.21</u>	<u>664.01</u>	<u>V02.51</u>	<u>V25.2</u>		<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>658.11</u>	<u>658.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>							<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>663.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>656.11</u>	<u>V61.5</u>	<u>V25.2</u>	<u>661.31</u>	<u>663.31</u>				<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>V22.1</u>	<u>659.61</u>	<u>648.91</u>	<u>780.39</u>	<u>652.31</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2001Q3	002001	St Joseph Reg Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>659.41</u>	<u>493.9</u>	<u>663.31</u>						<u>66.32</u>

2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>674.32</u>	<u>V25.2</u>	<u>V61.5</u>			<u>74.1</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.81</u>	<u>659.81</u>	<u>666.22</u>	<u>660.41</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>73.59</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>663.11</u>	<u>V25.2</u>	<u>V64.3</u>	<u>V27.0</u>			<u>73.59</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>642.01</u>	<u>401.9</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V61.5</u>	<u>V25.2</u>				<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>				<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.81</u>	<u>659.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.41</u>	<u>654.41</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>				<u>66.39</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>647.81</u>	<u>647.81</u>	<u>663.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>41.02</u>		<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>648.21</u>	<u>285.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>656.61</u>	<u>658.01</u>	<u>653.41</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.11</u>	<u>648.11</u>	<u>244.9</u>	<u>648.41</u>	<u>300</u>	<u>648.91</u>	<u>346.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>66.32</u>	
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>				<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>666.12</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>		<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.22</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>661.31</u>	<u>663.11</u>	<u>648.91</u>	<u>490</u>	<u>493.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>66.32</u>	
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>V27.0</u>	<u>305.1</u>					<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.22</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>666.12</u>				<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.41</u>	<u>648.41</u>	<u>648.21</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>250.91</u>	<u>648.01</u>	<u>V02.51</u>	<u>669.51</u>	<u>V27.0</u>	<u>665.51</u>	<u>V61.5</u>	<u>V25.2</u>	<u>66.32</u>
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.41</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>	
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>	
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin		<u>648.41</u>	<u>648.41</u>	<u>305.2</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.22</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.61</u>	<u>652.61</u>	<u>V27.2</u>	<u>V61.5</u>	<u>V25.2</u>	<u>664.01</u>	<u>V27.0</u>		<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>648.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>669.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>641.21</u>	<u>669.51</u>		<u>66.32</u>		

2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>V27.0</u>	<u>664.01</u>							<u>66.32</u>
2001Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>664.11</u>	<u>V27.0</u>	<u>V61.5</u>	<u>648.21</u>	<u>285.9</u>	<u>311</u>	<u>654.41</u>	<u>66.32</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	M	<u>608.4</u>	<u>608.4</u>	<u>250.02</u>	<u>41.11</u>							<u>62.3</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>642.31</u>				<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>780.39</u>	<u>V02.51</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>654.21</u>	<u>648.42</u>	<u>311</u>	<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>280.9</u>	<u>V61.5</u>	<u>674.82</u>	<u>698.9</u>		<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>657.01</u>	<u>657.01</u>	<u>648.21</u>	<u>642.71</u>	<u>661.11</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>305.1</u>	<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>614.1</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>				<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>780.39</u>	<u>648.91</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>659.61</u>	<u>614.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>647.61</u>	<u>647.61</u>	<u>668.82</u>	<u>54.9</u>	<u>641.21</u>	<u>652.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>349</u>	<u>644.21</u>	<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>641.11</u>	<u>648.21</u>	<u>280</u>	<u>665.71</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>285.9</u>	<u>656.11</u>	<u>V61.5</u>	<u>V25.2</u>	<u>305.1</u>		<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>780.39</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.91</u>	<u>278</u>	<u>V61.5</u>			<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>V25.2</u>	<u>654.21</u>	<u>V27.0</u>	<u>V12.3</u>					<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.11</u>	<u>661.11</u>	<u>642.01</u>	<u>648.11</u>	<u>244.1</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>654.11</u>	<u>218.9</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>795.79</u>	<u>648.11</u>	<u>244.9</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>658.41</u>		<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>654.21</u>	<u>654.11</u>	<u>218.2</u>	<u>661.11</u>			<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.61</u>	<u>652.61</u>	<u>V27.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>V61.5</u>	<u>V25.2</u>				<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>659.61</u>	<u>V25.2</u>	<u>656.11</u>					<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>654.21</u>	<u>648.11</u>	<u>244.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>647.61</u>	<u>54.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>653.41</u>					<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>693</u>	<u>653.31</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>665.51</u>	<u>V26.51</u>						<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.82</u>	<u>698.8</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>654.01</u>	<u>663.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>			<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>647.61</u>	<u>647.61</u>	<u>54.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>					<u>74.1</u>

2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>620.5</u>	<u>620.5</u>	<u>625.8</u>	<u>614.6</u>	<u>614.2</u>	<u>620.2</u>							<u>65.49</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>701.4</u>						<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>659.61</u>	<u>285.9</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>654.11</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>285.1</u>	<u>648.22</u>	<u>280</u>	<u>659.61</u>	<u>655.11</u>	<u>661.01</u>	<u>674.32</u>	<u>V25.2</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>674.32</u>	<u>V25.2</u>	<u>V27.0</u>	<u>674.82</u>	<u>614.6</u>	<u>V61.5</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>648.21</u>	<u>280</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V04.3</u>	<u>305.1</u>				<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>646.61</u>	<u>648.22</u>	<u>658.11</u>	<u>659.61</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>614.6</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>658.11</u>	<u>658.11</u>	<u>V23.82</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>							<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>670.02</u>	<u>V27.0</u>	<u>648.81</u>	<u>V61.5</u>	<u>V25.2</u>	<u>615.9</u>	<u>648.91</u>	<u>465.9</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>425.4</u>	<u>674.82</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>642.92</u>					<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>280</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>648.91</u>	<u>305.1</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>648.21</u>	<u>661.01</u>	<u>280.9</u>	<u>659.61</u>	<u>648.81</u>	<u>652.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.81</u>	<u>652.81</u>	<u>642.41</u>	<u>V23.7</u>	<u>654.21</u>	<u>659.71</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>674.82</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.01</u>	<u>661.01</u>	<u>669.81</u>	<u>659.71</u>	<u>648.91</u>	<u>663.31</u>	<u>V27.0</u>	<u>V02.51</u>	<u>661.41</u>	<u>V61.5</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>648.91</u>	<u>278</u>	<u>V61.5</u>	<u>V25.2</u>	<u>V27.0</u>	<u>654.21</u>	<u>614.6</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>642.32</u>	<u>V61.5</u>	<u>V25.2</u>	<u>674.82</u>	<u>785</u>				<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>656.61</u>	<u>656.61</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>648.41</u>	<u>311</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>655.81</u>	<u>655.81</u>	<u>V25.2</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>300</u>	<u>648.41</u>	<u>296.7</u>	<u>305.2</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>656.11</u>	<u>218.9</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>661.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>							<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>646.61</u>	<u>646.61</u>	<u>614.1</u>	<u>V25.2</u>	<u>648.91</u>	<u>305.1</u>	<u>654.21</u>	<u>V61.5</u>	<u>V27.0</u>				<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.21</u>	<u>661.21</u>	<u>658.11</u>	<u>645.11</u>	<u>658.41</u>	<u>656.61</u>	<u>659.21</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>656.61</u>	<u>656.61</u>	<u>648.81</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V61.5</u>					<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>654.21</u>	<u>645.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>674.82</u>	<u>564</u>	<u>789</u>			<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>553.1</u>	<u>654.11</u>	<u>218.2</u>	<u>V25.2</u>	<u>V61.5</u>	<u>654.21</u>	<u>V27.0</u>				<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>659.61</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>663.31</u>	<u>647.61</u>	<u>54.1</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>654.21</u>	<u>V04.3</u>			<u>74.1</u>

2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>346.9</u>	<u>787.02</u>	<u>E84.97</u>	<u>V27.0</u>	<u>V25.42</u>	<u>V45.51</u>	<u>V61.5</u>	<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>658.11</u>	<u>658.11</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>				<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>				<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>648.21</u>	<u>282.5</u>	<u>656.71</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>		<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>646.61</u>	<u>646.61</u>	<u>599</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V61.5</u>	<u>305.1</u>	<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>648.91</u>	<u>645.11</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>		<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>656.11</u>	<u>656.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>					<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>674.82</u>	<u>674.82</u>	<u>996.76</u>	<u>648.91</u>	<u>V02.51</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>665.41</u>	<u>665.41</u>	<u>648.21</u>	<u>285.9</u>	<u>663.31</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>					<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>280.9</u>	<u>648.91</u>	<u>282.5</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>493.9</u>	<u>V12.79</u>	<u>66.32</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>664.01</u>	<u>663.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>V23.3</u>	<u>V27.0</u>	<u>V25.2</u>	<u>614.1</u>	<u>66.32</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>658.11</u>	<u>658.11</u>	<u>996.76</u>	<u>648.91</u>	<u>V02.51</u>	<u>V61.5</u>	<u>530.81</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>66.32</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>							<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>663.31</u>	<u>648.11</u>	<u>244.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>		<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.41</u>	<u>642.41</u>	<u>V23.7</u>	<u>648.21</u>	<u>305.9</u>	<u>656.51</u>	<u>654.21</u>	<u>285.9</u>	<u>659.61</u>	<u>V27.0</u>	<u>66.32</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>665.51</u>	<u>665.51</u>	<u>644.21</u>	<u>648.91</u>	<u>278.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>661.31</u>	<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>660.41</u>	<u>660.41</u>	<u>664.01</u>	<u>645.11</u>	<u>659.61</u>	<u>663.01</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>66.39</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.01</u>	<u>642.01</u>	<u>401.9</u>	<u>V27.0</u>	<u>669.51</u>	<u>V25.2</u>	<u>659.41</u>			<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>656.61</u>	<u>658.41</u>	<u>659.41</u>	<u>V27.0</u>			<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>669.51</u>	<u>669.51</u>	<u>660.41</u>	<u>663.31</u>	<u>666.12</u>	<u>V27.0</u>				<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.41</u>	<u>642.41</u>	<u>648.22</u>	<u>280</u>	<u>641.81</u>	<u>659.71</u>	<u>644.21</u>	<u>V27.0</u>	<u>V04.3</u>	<u>648.41</u>	<u>66.32</u>
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>792.3</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>305.1</u>			<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>664.11</u>	<u>663.31</u>	<u>659.71</u>	<u>V27.0</u>	<u>648.91</u>	<u>796.2</u>	<u>V61.5</u>	<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>664.01</u>	<u>656.11</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V61.5</u>	<u>795.5</u>	<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>	
2002Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>633.1</u>	<u>633.1</u>	<u>620.1</u>	<u>614.1</u>	<u>614.6</u>	<u>305.1</u>				<u>66.02</u>	
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>648.91</u>	<u>647.61</u>	<u>724.2</u>	<u>54.9</u>	<u>282.5</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.01</u>	<u>661.01</u>	<u>670.02</u>	<u>615</u>	<u>648.92</u>	<u>693</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>560.1</u>	<u>V23.7</u>	<u>657.01</u>	<u>285.9</u>	<u>669.42</u>	<u>648.91</u>	<u>305.1</u>	<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.41</u>	<u>652.41</u>	<u>648.21</u>	<u>V23.7</u>	<u>659.71</u>	<u>661.01</u>	<u>663.21</u>	<u>305.1</u>	<u>285.9</u>	<u>V27.0</u>	<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.22</u>	<u>648.22</u>	<u>285.1</u>	<u>V08</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	

2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>642.71</u>	<u>654.41</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>648.01</u>	<u>250.91</u>	<u>285.1</u>	<u>661.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>652.51</u>	<u>648.11</u>	<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.71</u>	<u>70.51</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>305.1</u>		<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>611.72</u>	<u>659.61</u>	<u>648.41</u>	<u>305.1</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>651.01</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.2</u>			<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>656.61</u>	<u>656.61</u>	<u>V23.7</u>	<u>655.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.01</u>	<u>648.01</u>	<u>250.91</u>	<u>648.21</u>	<u>654.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>280.9</u>			<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>646.61</u>	<u>599</u>	<u>648.21</u>	<u>659.71</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>663.31</u>	<u>654.11</u>	<u>218.9</u>	<u>671.81</u>	<u>455.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>278.01</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>647.61</u>	<u>54.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>278</u>	<u>648.91</u>			<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>V22.1</u>	<u>642.31</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>645.11</u>	<u>659.11</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>654.11</u>	<u>648.91</u>	<u>278.01</u>	<u>794.5</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>278</u>	<u>221</u>				<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>659.61</u>	<u>V61.5</u>					<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>647.61</u>	<u>54.12</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.11</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>				<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>648.91</u>	<u>305.1</u>	<u>278</u>	<u>654.11</u>	<u>218.9</u>	<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>661.21</u>	<u>648.91</u>	<u>656.61</u>	<u>648.41</u>	<u>311</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.11</u>	<u>654.41</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>657.01</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>				<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>659.61</u>						<u>74.1</u>

2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>						<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.21</u>	<u>661.21</u>	<u>659.71</u>	<u>658.11</u>	<u>656.51</u>	<u>642.31</u>	<u>654.11</u>	<u>218.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>					<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>656.81</u>	<u>V27.0</u>							<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>656.71</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V61.5</u>	<u>V25.2</u>				<u>66.39</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>665.51</u>	<u>665.51</u>	<u>658.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>	<u>787.91</u>	<u>674.82</u>	<u>V61.5</u>	<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.51</u>	<u>664.51</u>	<u>369.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V13.8</u>					<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>648.91</u>	<u>661.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V61.5</u>	<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.51</u>	<u>642.51</u>	<u>648.91</u>	<u>656.61</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>674.82</u>	<u>620.8</u>	<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>648.91</u>	<u>663.21</u>	<u>493.9</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>665.51</u>	<u>V61.5</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.4</u>				<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>669.51</u>	<u>669.51</u>	<u>665.51</u>	<u>648.91</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.91</u>	<u>642.91</u>	<u>278.01</u>	<u>661.31</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.61</u>	<u>V27.0</u>			<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.81</u>	<u>659.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>301.9</u>				<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>V22.1</u>	<u>658.01</u>	<u>645.11</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>V23.7</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>305.1</u>	<u>V27.0</u>					<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>				<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V61.5</u>				<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>659.61</u>	<u>V61.5</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>				<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>656.81</u>	<u>648.91</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>648.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>41.02</u>	<u>427.89</u>	<u>664.11</u>	<u>V61.5</u>		<u>66.22</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>648.91</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>667.02</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>648.21</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>280.9</u>				<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>656.11</u>	<u>656.11</u>	<u>648.81</u>	<u>669.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>564</u>	<u>305.1</u>	<u>664.11</u>			<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>658.11</u>	<u>658.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>656.11</u>	<u>V27.0</u>	<u>V23.3</u>	<u>V25.2</u>			<u>66.32</u>
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>696.1</u>	<u>278</u>	<u>305.1</u>			<u>66.32</u>

2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>	<u>V61.5</u>			<u>66.32</u>	
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>V61.5</u>	<u>V25.2</u>	<u>664.01</u>		<u>66.39</u>	
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>659.71</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>	
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>					<u>66.32</u>	
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.91</u>	<u>642.91</u>	<u>648.22</u>	<u>285.9</u>	<u>648.93</u>	<u>795.5</u>	<u>V27.0</u>	<u>V25.2</u>		<u>66.32</u>	
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>663.11</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>	<u>656.11</u>		<u>66.32</u>	
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>656.61</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>	
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>664.11</u>	<u>V25.2</u>	<u>792.3</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V61.5</u>		<u>66.32</u>	
2002Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>998.2</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>625.6</u>	<u>625.6</u>	<u>618</u>	<u>V25.2</u>	<u>244.9</u>	<u>311</u>	<u>722.52</u>			<u>70.52</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin		<u>661.11</u>	<u>661.11</u>	<u>648.21</u>	<u>282.6</u>	<u>780.39</u>	<u>305.51</u>	<u>V25.2</u>	<u>285.9</u>	<u>648.91</u>	<u>648.41</u>	<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>646.71</u>	<u>70.51</u>	<u>648.91</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.71</u>	<u>642.71</u>	<u>424.1</u>	<u>401.9</u>	<u>V27.0</u>	<u>654.21</u>	<u>659.71</u>	<u>V61.5</u>	<u>V25.2</u>	<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.71</u>	<u>642.71</u>	<u>648.01</u>	<u>652.61</u>	<u>401.9</u>	<u>250</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.2</u>	<u>654.21</u>	<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.9</u>	<u>642.01</u>	<u>401.9</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V04.3</u>	<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.41</u>	<u>642.41</u>	<u>641.21</u>	<u>648.91</u>	<u>287.5</u>	<u>648.22</u>	<u>285.1</u>	<u>656.71</u>	<u>647.61</u>	<u>54.1</u>	<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>641.11</u>	<u>641.11</u>	<u>648.21</u>	<u>280</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>656.11</u>	<u>V27.0</u>						<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>656.11</u>	<u>665.51</u>	<u>568</u>	<u>654.41</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>280.9</u>	<u>663.31</u>	<u>V27.0</u>	<u>666.12</u>				<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>648.81</u>	<u>655.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>654.21</u>	<u>V61.5</u>		<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.81</u>	<u>652.81</u>	<u>642.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>				<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>663.21</u>	<u>663.11</u>				<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>							<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>648.92</u>	<u>V25.2</u>	<u>V27.0</u>	<u>465.9</u>	<u>656.11</u>	<u>V61.5</u>	<u>V04.3</u>	<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>646.11</u>	<u>646.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.61</u>	<u>652.61</u>	<u>V25.2</u>	<u>V27.2</u>	<u>654.21</u>	<u>V61.5</u>				<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>788.1</u>				<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.11</u>	<u>244.9</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>			<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>656.81</u>	<u>V27.0</u>					<u>74.1</u>	
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.2</u>	<u>651.01</u>	<u>V25.2</u>	<u>659.61</u>	<u>305.1</u>			<u>74.1</u>	

2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>							<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V04.3</u>							<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>654.02</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>659.61</u>	<u>659.71</u>	<u>V23.3</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>663.31</u>				<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>648.21</u>	<u>V23.7</u>	<u>280.9</u>	<u>665.51</u>	<u>648.91</u>	<u>278.01</u>	<u>654.41</u>	<u>620.8</u>			<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>710</u>	<u>665.41</u>	<u>648.91</u>	<u>V12.51</u>	<u>V58.61</u>	<u>V12.59</u>	<u>V61.5</u>	<u>V25.2</u>			<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>663.31</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V61.5</u>	<u>V25.2</u>						<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.51</u>	<u>642.51</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>669.51</u>	<u>669.51</u>	<u>V27.0</u>	<u>654.21</u>	<u>V61.5</u>	<u>V25.2</u>	<u>648.11</u>	<u>244.9</u>	<u>648.91</u>	<u>V02.51</u>			<u>66.39</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>670.02</u>	<u>614.1</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>						<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>							<u>66.39</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.41</u>	<u>V27.0</u>	<u>661.31</u>	<u>665.51</u>	<u>665.41</u>	<u>V25.2</u>				<u>66.39</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>								<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>665.41</u>						<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>660.41</u>	<u>648.81</u>	<u>V25.2</u>	<u>V61.5</u>	<u>305.1</u>	<u>V27.0</u>					<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>648.91</u>	<u>305.1</u>	<u>V61.5</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>663.21</u>	<u>654.61</u>	<u>648.81</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.41</u>	<u>642.41</u>	<u>665.41</u>	<u>666.12</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>					<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.81</u>	<u>659.81</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2002Q4	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>645.11</u>	<u>663.13</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>					<u>66.32</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>656.81</u>	<u>656.81</u>	<u>648.21</u>	<u>285.1</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.41</u>	<u>305.2</u>	<u>305.1</u>			<u>74.1</u>

2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin		<u>647.61</u>	<u>647.61</u>	<u>042</u>	<u>648.22</u>	<u>280</u>	<u>659.61</u>	<u>672.02</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>648.61</u>	<u>424</u>	<u>642.01</u>	<u>401.9</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>648.21</u>	<u>654.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>646.81</u>	<u>456.5</u>	<u>614.6</u>		<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.61</u>	<u>424</u>	<u>648.41</u>	<u>311</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>641.01</u>	<u>577</u>	<u>659.61</u>	<u>656.61</u>	<u>654.11</u>	<u>218.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.22</u>	<u>280</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>647.81</u>	<u>131.9</u>		<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>668.82</u>	<u>349</u>	<u>659.61</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>670.02</u>	<u>614.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>648.91</u>	<u>780.39</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>641.21</u>	<u>641.21</u>	<u>648.21</u>	<u>285.1</u>	<u>666.12</u>	<u>658.41</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>648.91</u>	<u>795.79</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.01</u>	<u>642.01</u>	<u>401.9</u>	<u>659.71</u>	<u>654.21</u>	<u>665.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>651.01</u>	<u>651.01</u>	<u>652.61</u>	<u>648.41</u>	<u>305.2</u>	<u>V25.2</u>	<u>V27.2</u>				<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>647.61</u>	<u>54.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.61</u>	<u>652.61</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.2</u>						<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>663.31</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V10.41</u>	<u>V61.5</u>			<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>							<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>656.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>311</u>						<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>657.01</u>	<u>657.01</u>	<u>665.81</u>	<u>659.61</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>			<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>					<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.91</u>	<u>305.1</u>	<u>278</u>				<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>642.01</u>	<u>401.9</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.61</u>	<u>652.61</u>	<u>656.11</u>	<u>V27.2</u>	<u>V25.2</u>						<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>278.01</u>	<u>V25.2</u>	<u>648.81</u>				<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>652.51</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>659.61</u>				<u>74.1</u>
2003Q1	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>642.01</u>	<u>401.9</u>	<u>659.61</u>	<u>648.91</u>	<u>278.01</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>	<u>74.1</u>

2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>										<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>654.21</u>	<u>V61.5</u>							<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>	<u>V61.5</u>							<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.11</u>	<u>278.01</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>641.11</u>	<u>641.11</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>658.11</u>	<u>V27.0</u>										<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>											<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>642.31</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>										<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.71</u>	<u>642.71</u>	<u>401.9</u>	<u>659.61</u>	<u>644.21</u>	<u>654.11</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>661.01</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>										<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>278</u>						<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>648.91</u>	<u>550.92</u>	<u>311</u>						<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.81</u>	<u>659.81</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>663.31</u>	<u>V27.0</u>										<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>280</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.91</u>	<u>622.1</u>	<u>219.9</u>	<u>493.9</u>	<u>550.9</u>				<u>66.39</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>659.71</u>	<u>V02.51</u>	<u>305.1</u>	<u>V61.5</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.92</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.11</u>	<u>663.11</u>	<u>648.91</u>	<u>665.41</u>	<u>646.81</u>	<u>674.82</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V61.5</u>				<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.11</u>	<u>663.11</u>	<u>648.91</u>	<u>214.1</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.71</u>	<u>642.71</u>	<u>401.9</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>								<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>661.31</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>665.41</u>	<u>665.41</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>									<u>66.39</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>666.02</u>	<u>648.41</u>	<u>300.01</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>69.02</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>647.81</u>	<u>647.81</u>	<u>V08</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>646.81</u>	<u>795.79</u>	<u>216.7</u>					<u>66.32</u>

2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>							<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>648.01</u>	<u>V27.0</u>	<u>648.11</u>	<u>244.9</u>	<u>250</u>	<u>V61.5</u>	<u>V25.2</u>			<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>669.21</u>					<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.81</u>	<u>659.81</u>	<u>V23.7</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>V27.0</u>	<u>663.31</u>	<u>665.41</u>	<u>V61.5</u>	<u>V25.2</u>					<u>66.39</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.11</u>	<u>648.11</u>	<u>244.9</u>	<u>V27.0</u>	<u>V61.5</u>	<u>663.31</u>	<u>656.11</u>					<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>641.21</u>	<u>641.21</u>	<u>663.11</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>	<u>V61.5</u>				<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.41</u>	<u>648.41</u>	<u>305.1</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.01</u>	<u>648.01</u>	<u>250</u>	<u>646.31</u>	<u>663.31</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>663.31</u>	<u>656.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>305.1</u>				<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>285.9</u>					<u>66.39</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>656.11</u>						<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2003Q2	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>633.1</u>	<u>633.1</u>	<u>568.81</u>	<u>285.1</u>	<u>V25.2</u>							<u>66.62</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>625.6</u>	<u>625.6</u>	<u>V25.2</u>									<u>59.79</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>V25.2</u>	<u>V25.2</u>	<u>305.1</u>	<u>493.9</u>								<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>668.81</u>	<u>654.21</u>	<u>349</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>V23.7</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V13.29</u>			<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.61</u>	<u>425.4</u>	<u>427</u>	<u>644.21</u>	<u>V15.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>282.5</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>648.91</u>	<u>553.1</u>		<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>648.21</u>	<u>654.21</u>	<u>663.31</u>	<u>285.9</u>	<u>V27.0</u>					<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>674.32</u>	<u>659.61</u>	<u>644.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.91</u>		<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.62</u>	<u>599</u>	<u>V27.0</u>	<u>642.01</u>	<u>401.9</u>	<u>41.3</u>	<u>V45.73</u>	<u>V61.5</u>		<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>648.21</u>	<u>648.91</u>	<u>285.9</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>658.11</u>		<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.41</u>	<u>311</u>	<u>305.1</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>			<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>V27.0</u>	<u>648.91</u>	<u>346.9</u>	<u>311</u>	<u>V61.5</u>	<u>V25.2</u>		<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>642.41</u>	<u>V27.0</u>	<u>278.01</u>	<u>V25.2</u>	<u>654.21</u>					<u>74</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>646.81</u>	<u>646.81</u>	<u>V23.7</u>	<u>574.2</u>	<u>648.91</u>	<u>278.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>280</u>	<u>V23.7</u>	<u>V23.49</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>648.41</u>	<u>311</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>656.61</u>	<u>648.91</u>	<u>782.3</u>	<u>V25.2</u>	<u>659.61</u>	<u>278.01</u>	<u>648.81</u>		<u>74.1</u>

2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>669.51</u>	<u>V25.2</u>	<u>V61.5</u>	<u>663.31</u>	<u>665.51</u>	<u>66.32</u>		
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>656.61</u>	<u>656.61</u>	<u>V27.0</u>	<u>664.11</u>	<u>666.12</u>	<u>V25.2</u>			<u>66.32</u>		
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>658.11</u>	<u>658.11</u>	<u>648.21</u>	<u>285.9</u>	<u>648.41</u>	<u>311</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>648.91</u>	<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>642.01</u>	<u>642.01</u>	<u>401.9</u>	<u>V27.0</u>	<u>669.51</u>	<u>V25.2</u>					<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>780.39</u>	<u>648.91</u>	<u>648.11</u>	<u>244.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>652.11</u>	<u>652.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>651.01</u>	<u>651.01</u>	<u>659.71</u>	<u>659.81</u>	<u>652.61</u>	<u>V27.2</u>	<u>V25.2</u>				<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>V23.89</u>	<u>648.91</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>659.61</u>	<u>666.12</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>		<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>V23.7</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>663.31</u>	<u>642.01</u>	<u>401.9</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>			<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>553.1</u>						<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>V23.7</u>	<u>V27.0</u>	<u>285.9</u>	<u>V61.5</u>	<u>V25.2</u>				<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>663.11</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>						<u>66.32</u>
2003Q3	002001	St Joseph Regional Health Center	Franciscan	Bryan	Austin	F	<u>667.04</u>	<u>667.04</u>	<u>664.24</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>789.39</u>	<u>789.39</u>	<u>568.81</u>	<u>789.03</u>	<u>V25.2</u>	<u>620.1</u>					<u>54.11</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>626.2</u>	<u>626.2</u>	<u>625.9</u>	<u>618.6</u>	<u>V25.2</u>	<u>568</u>	<u>625</u>				<u>68.51</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>620.4</u>	<u>620.4</u>	<u>614.6</u>	<u>625.9</u>	<u>V64.41</u>						<u>66.51</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>642.41</u>	<u>642.41</u>	<u>648.21</u>	<u>V27.0</u>	<u>285.9</u>	<u>278.01</u>	<u>V25.2</u>	<u>V61.5</u>			<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>70.51</u>	<u>642.31</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>311</u>			<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>660.01</u>	<u>660.01</u>	<u>424</u>	<u>652.81</u>	<u>663.01</u>	<u>659.61</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>648.21</u>	<u>285.1</u>	<u>645.11</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>682.2</u>	<u>674.32</u>	<u>663.11</u>	<u>674.82</u>	<u>698.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>	<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>280</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>285.9</u>	<u>663.31</u>			<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>646.81</u>	<u>646.81</u>	<u>V23.49</u>	<u>427.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>642.51</u>	<u>642.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>654.21</u>	<u>V61.5</u>					<u>74.1</u>

2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>663.31</u>	<u>654.11</u>	<u>218.9</u>	<u>648.91</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V61.5</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>663.31</u>	<u>654.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>296.2</u>	<u>305.1</u>	<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.11</u>	<u>246.8</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.81</u>	<u>659.41</u>	<u>V25.2</u>					<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>656.41</u>	<u>656.41</u>	<u>V27.1</u>	<u>659.61</u>	<u>V25.2</u>	<u>654.21</u>					<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.11</u>	<u>244.9</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>						<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>664.01</u>	<u>V61.5</u>	<u>V27.0</u>					<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>658.11</u>	<u>658.11</u>	<u>642.91</u>	<u>664.01</u>	<u>V27.0</u>	<u>659.61</u>	<u>V61.5</u>				<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>665.51</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>658.11</u>	<u>658.11</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V15.82</u>	<u>V25.2</u>					<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V04.3</u>					<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>648.41</u>	<u>305.1</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>658.11</u>	<u>658.11</u>	<u>648.91</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V61.5</u>			<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>661.31</u>	<u>661.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>664.01</u>						<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>656.41</u>	<u>656.41</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.1</u>						<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>659.81</u>	<u>659.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>V61.5</u>	<u>V25.2</u>				<u>73.4</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>663.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.91</u>	<u>305.1</u>					<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>656.11</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>663.11</u>	<u>641.01</u>	<u>648.41</u>	<u>311</u>	<u>646.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>66.92</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V61.5</u>	<u>659.71</u>	<u>V04.3</u>				<u>66.32</u>

2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>648.41</u>	<u>648.41</u>	<u>648.21</u>	<u>300.4</u>	<u>305.1</u>	<u>V27.0</u>	<u>659.41</u>	<u>280.9</u>	<u>V25.2</u>	<u>66.22</u>	
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>648.91</u>	<u>648.91</u>	<u>305.1</u>	<u>V61.5</u>	<u>V27.0</u>					<u>66.32</u>	
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>663.11</u>	<u>663.11</u>	<u>648.91</u>	<u>493.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>	
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>648.21</u>	<u>281.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.61</u>			<u>66.32</u>	
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>659.71</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>	
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>664.01</u>	<u>V27.0</u>	<u>659.41</u>	<u>V25.2</u>				<u>66.32</u>	
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>664.21</u>	<u>664.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V61.5</u>			<u>66.32</u>	
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>	
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>648.01</u>	<u>648.01</u>	<u>250.01</u>	<u>648.21</u>	<u>659.61</u>	<u>663.11</u>	<u>659.71</u>	<u>285.9</u>	<u>648.91</u>	<u>V25.2</u>	<u>66.32</u>
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>633.1</u>	<u>633.1</u>								<u>66.29</u>	
2003Q4	002001	ST JOSEPH REG HEALTH CTR	Franciscan	Bryan	Austin	F	<u>633.1</u>	<u>633.1</u>	<u>285.9</u>							<u>66.62</u>	
2000Q1	015000	CHRISTUS St. Joseph Hospital	Christus	Houston	Houston	F	<u>198.6</u>	<u>198.6</u>	<u>V10.05</u>	<u>401.9</u>						<u>68.4</u>	
2000Q1	015000	CHRISTUS St. Joseph Hospital	Christus	Houston	Houston	F	<u>789.39</u>	<u>617</u>	<u>625.9</u>	<u>616</u>	<u>218.9</u>	<u>620.1</u>				<u>68.4</u>	
2000Q1	015000	CHRISTUS St. Joseph Hospital	Christus	Houston	Houston	F	<u>614.9</u>	<u>614.4</u>	<u>568</u>							<u>68.4</u>	
2000Q1	015000	CHRISTUS St. Joseph Hospital	Christus	Houston	Houston	F	<u>633.1</u>	<u>633.1</u>	<u>614.6</u>	<u>493.9</u>						<u>69.09</u>	
2000Q2	015000	CHRISTUS St. Joseph Hospital	Christus	Houston	Houston	F	<u>648.93</u>	<u>635.92</u>									
2000Q3	015000	CHRISTUS St. Joseph Hospital	Christus	Houston	Houston	F	<u>218.9</u>	<u>218.9</u>	<u>401.9</u>	<u>620.1</u>						<u>68.4</u>	
2000Q4	015000	CHRISTUS St. Joseph Hospital	Christus	Houston	Houston	F	<u>239.8</u>	<u>218.9</u>	<u>617</u>	<u>625.3</u>	<u>401.9</u>	<u>729.81</u>	<u>626.2</u>	<u>616</u>	<u>620.1</u>	<u>68.4</u>	
2001Q1	015000	CHRISTUS St Joseph Hospital	Christus	Houston	Houston	F	<u>633.1</u>	<u>635.11</u>								<u>69.02</u>	
2001Q2	015000	CHRISTUS St. Joseph Hospital	Christus	Houston	Houston	F	<u>182</u>	<u>182</u>	<u>218.9</u>	<u>272</u>						<u>68.4</u>	
2001Q2	015000	CHRISTUS St. Joseph Hospital	Christus	Houston	Houston	F	<u>789</u>	<u>614.2</u>								<u>66.02</u>	
2001Q2	015000	CHRISTUS St. Joseph Hospital	Christus	Houston	Houston	F	<u>626.2</u>	<u>633.1</u>	<u>220</u>							<u>66.01</u>	
2001Q3	015000	CHRISTUS St. Joseph Hospital	Christus	Houston	Houston	F	<u>280</u>	<u>218.9</u>	<u>280</u>	<u>616</u>	<u>620.2</u>	<u>626.2</u>	<u>625.9</u>			<u>68.4</u>	
2002Q1	015000	CHRISTUS St Joseph Hospital	Christus	Houston	Houston	F	<u>795</u>	<u>627.4</u>	<u>518</u>	<u>V10.3</u>	<u>617.1</u>	<u>218.9</u>	<u>617</u>	<u>616</u>	<u>620.8</u>	<u>620.1</u>	<u>68.4</u>
2002Q2	015001	CHRISTUS St Joseph Hospital	Christus	Houston	Houston	F	<u>625.9</u>	<u>218.9</u>	<u>285.1</u>	<u>625.3</u>	<u>614.6</u>	<u>620.2</u>				<u>68.4</u>	
2002Q3	015001	CHRISTUS St Joseph Hospital	Christus	Houston	Houston	F	<u>623.8</u>	<u>635.71</u>								<u>69.02</u>	
2003Q1	015001	CHRISTUS St Joseph Hospital	Christus	Houston	Houston	F	<u>621.8</u>	<u>218.2</u>	<u>788.2</u>	<u>626.2</u>	<u>618</u>	<u>620</u>	<u>614.1</u>			<u>68.4</u>	
2003Q1	015001	CHRISTUS St Joseph Hospital	Christus	Houston	Houston	F	<u>669.71</u>	<u>654.21</u>	<u>659.61</u>	<u>654.41</u>	<u>752.11</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>		<u>74.1</u>	
2003Q1	015001	CHRISTUS St Joseph Hospital	Christus	Houston	Houston	F	<u>789</u>	<u>635.91</u>	<u>285.9</u>							<u>69.02</u>	
2003Q2	015001	CHRISTUS St Joseph Hospital	Christus	Houston	Houston	F	<u>614.9</u>	<u>614.1</u>	<u>70.54</u>	<u>620.1</u>	<u>614.6</u>	<u>568</u>				<u>65.41</u>	
2003Q2	015001	CHRISTUS St Joseph Hospital	Christus	Houston	Houston	F	<u>218.9</u>	<u>218.9</u>	<u>614.1</u>	<u>626.2</u>						<u>68.29</u>	
2003Q3	015001	CHRISTUS St Joseph Hospital	Christus	Houston	Houston	F	<u>625.9</u>	<u>218.9</u>	<u>625.6</u>	<u>620.8</u>	<u>616</u>	<u>620.1</u>				<u>68.4</u>	
2003Q3	015001	CHRISTUS St Joseph Hospital	Christus	Houston	Houston	F	<u>623.8</u>	<u>635.11</u>	<u>285.9</u>							<u>69.02</u>	
2003Q4	015001	CHRISTUS ST. JOSEPH HOSP	Christus	Houston	Houston	F	<u>789</u>	<u>620.2</u>	<u>998.2</u>	<u>614.6</u>	<u>625.3</u>	<u>625</u>	<u>616</u>	<u>490</u>		<u>68.4</u>	

2000Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>668.01</u>	<u>780.39</u>	<u>507</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2000Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>661.01</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>652.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>				<u>74.1</u>
2000Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>660.31</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>659.61</u>	<u>654.21</u>	<u>V27.0</u>					<u>74.1</u>
2000Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>658.11</u>	<u>659.61</u>	<u>654.21</u>	<u>V27.0</u>				<u>74.1</u>
2000Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>652.23</u>	<u>652.21</u>	<u>V27.0</u>	<u>698.8</u>	<u>E93.58</u>				<u>74.1</u>
2000Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>218.9</u>	<u>617</u>	<u>218.9</u>	<u>620</u>					<u>68.4</u>
2000Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>620.2</u>	<u>620.2</u>	<u>614.1</u>						<u>66.51</u>
2000Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>642.71</u>	<u>648.21</u>	<u>V27.0</u>					<u>74.1</u>
2000Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>641.21</u>	<u>658.01</u>	<u>654.21</u>	<u>V27.0</u>	<u>568</u>	<u>V25.2</u>		<u>74.1</u>
2000Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>642.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.41</u>	<u>278.01</u>	<u>V27.0</u>				<u>74.1</u>
2000Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.91</u>	<u>343.9</u>	<u>V27.0</u>				<u>74.1</u>
2000Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>656.61</u>	<u>V27.0</u>	<u>553.1</u>					<u>74.1</u>
2000Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>648.22</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>642.21</u>	<u>648.21</u>	<u>V27.0</u>			<u>74.1</u>
2001Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>647.61</u>	<u>V02.51</u>	<u>V27.0</u>					<u>74.1</u>
2001Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>490</u>					<u>74.1</u>
2001Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.21</u>	<u>659.61</u>	<u>654.21</u>	<u>648.11</u>	<u>658.01</u>	<u>V27.0</u>	<u>568</u>		<u>74.1</u>
2001Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>						<u>74.1</u>
2001Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>642.91</u>	<u>617.1</u>	<u>V25.2</u>			<u>74.1</u>
2001Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>	<u>845</u>				<u>74.1</u>
2001Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V23.3</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>
2001Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>658.01</u>	<u>651.01</u>	<u>642.41</u>	<u>654.21</u>	<u>V27.2</u>			<u>74.1</u>
2001Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>641.01</u>					<u>74.1</u>
2001Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>				<u>74.1</u>
2001Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>652.21</u>	<u>V27.0</u>	<u>216.5</u>					<u>74.1</u>
2001Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>659.61</u>					<u>74.1</u>

2001Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>666.12</u>	<u>654.21</u>	<u>648.41</u>	<u>300</u>	<u>756.4</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2001Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>553.1</u>			<u>74.1</u>
2001Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>661.11</u>	<u>652.81</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>633.9</u>	<u>633.1</u>	<u>620.8</u>						<u>66.62</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>656.31</u>	<u>642.71</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>642.31</u>	<u>V27.2</u>	<u>648.22</u>					<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>644.21</u>	<u>560.1</u>	<u>V27.0</u>	<u>654.01</u>	<u>648.41</u>	<u>311</u>	<u>648.92</u>	<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.21</u>	<u>785</u>			<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>668.82</u>	<u>V27.0</u>	<u>349</u>	<u>V25.2</u>			<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>658.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>642.01</u>	<u>V27.0</u>	<u>658.01</u>	<u>V25.2</u>	<u>654.21</u>			<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>652.91</u>	<u>V27.0</u>					<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>218.9</u>	<u>568</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>786.5</u>			<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>661.11</u>	<u>659.71</u>	<u>V27.0</u>					<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.0</u>	<u>669.71</u>	<u>V27.0</u>	<u>V02.51</u>	<u>847</u>				<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>652.21</u>	<u>V27.0</u>	<u>658.01</u>	<u>659.51</u>	<u>V25.2</u>			<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>659.11</u>	<u>661.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>789</u>	<u>614.1</u>	<u>424</u>	<u>620.8</u>					<u>66.51</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>618.8</u>	<u>625.6</u>	<u>618.4</u>	<u>568</u>	<u>709.2</u>	<u>401.9</u>	<u>272</u>	<u>788.29</u>	<u>68.4</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.0</u>	<u>659.71</u>	<u>V27.0</u>	<u>658.01</u>					<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>642.31</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>642.01</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>659.71</u>	<u>V27.0</u>	<u>661.11</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.81</u>	<u>658.01</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>642.31</u>	<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>568</u>	<u>648.91</u>				<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>568</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>

2002Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>666.12</u>						<u>74.1</u>
2002Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>659.51</u>	<u>V27.0</u>							<u>74.1</u>
2002Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>642.41</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>						<u>74.1</u>
2002Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2002Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>652.21</u>	<u>648.01</u>	<u>V27.0</u>	<u>642.01</u>	<u>V02.51</u>	<u>V25.2</u>				<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.22</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>658.01</u>	<u>648.21</u>	<u>659.61</u>	<u>648.81</u>	<u>V15.81</u>	<u>V27.0</u>				<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>287.5</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.22</u>					<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>648.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>644.21</u>	<u>654.21</u>	<u>V27.0</u>							<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>							<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>644.21</u>	<u>654.21</u>	<u>553.1</u>	<u>V27.0</u>						<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>652.71</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>644.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q4	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>626.2</u>	<u>626.2</u>	<u>625</u>	<u>218.1</u>	<u>617</u>	<u>355.8</u>					<u>68.4</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.61</u>	<u>V27.0</u>	<u>427.89</u>	<u>V25.2</u>					<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>658.01</u>	<u>V27.0</u>	<u>V23.7</u>						<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>659.61</u>	<u>652.21</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>652.21</u>	<u>659.61</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>656.51</u>	<u>659.71</u>	<u>490</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>654.41</u>	<u>V27.0</u>	<u>V26.51</u>						<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>651</u>	<u>651.01</u>	<u>654.21</u>	<u>648.11</u>	<u>V27.2</u>						<u>74.1</u>

2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>666.12</u>							<u>74.1</u>
2003Q1	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>661.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.61</u>							<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>626.2</u>	<u>218.9</u>	<u>620.8</u>	<u>729.1</u>	<u>346.9</u>							<u>68.4</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>656.63</u>	<u>656.61</u>	<u>648.22</u>	<u>648.92</u>	<u>656.11</u>	<u>648.11</u>	<u>784</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>654.41</u>	<u>648.22</u>	<u>V27.0</u>							<u>74.99</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>666.32</u>	<u>V27.0</u>								<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>654.41</u>	<u>656.11</u>	<u>V27.0</u>							<u>74</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>659.71</u>	<u>659.61</u>	<u>658.01</u>	<u>656.81</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>656.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>						<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>658.03</u>	<u>658.01</u>	<u>659.61</u>	<u>659.71</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>648.83</u>	<u>661.01</u>	<u>648.81</u>	<u>659.61</u>	<u>648.11</u>	<u>654.11</u>	<u>218.2</u>	<u>493.9</u>	<u>V27.0</u>			<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.91</u>	<u>795.79</u>	<u>V27.0</u>							<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>659.71</u>	<u>656.81</u>	<u>663.31</u>	<u>V27.0</u>							<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>									<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>									<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>652.21</u>	<u>657.01</u>	<u>669.82</u>	<u>785</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>									<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>656.63</u>	<u>659.71</u>	<u>661.01</u>	<u>645.11</u>	<u>V27.0</u>	<u>663.31</u>						<u>74.1</u>
2003Q2	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>659.71</u>	<u>663.01</u>	<u>V27.0</u>								<u>74.1</u>
2003Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>648.21</u>	<u>287.5</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.22</u>						<u>74.1</u>
2003Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>659.71</u>	<u>665.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>665.71</u>						<u>74.1</u>
2003Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>658.11</u>	<u>648.01</u>	<u>V27.2</u>	<u>V25.2</u>	<u>651.01</u>						<u>74.1</u>
2003Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>656.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.2</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>								<u>74.1</u>
2003Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>642.73</u>	<u>642.71</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2003Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>651.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.2</u>	<u>278.01</u>					<u>74.1</u>
2003Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>655.71</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	040000	Providence Health Center	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>656.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>	<u>493.9</u>		<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>218.9</u>	<u>218.1</u>	<u>620.2</u>	<u>616</u>	<u>285.9</u>	<u>244.9</u>	<u>401.9</u>	<u>614.6</u>				<u>68.4</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>658.11</u>	<u>276.9</u>	<u>276.8</u>	<u>V27.0</u>	<u>V25.2</u>	<u>643.81</u>					<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>682.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>654.41</u>	<u>656.11</u>					<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>668.82</u>	<u>V27.0</u>	<u>V25.2</u>	<u>658.11</u>	<u>784</u>					<u>74.1</u>

2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.22</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>641.01</u>	<u>V27.0</u>									<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>646.61</u>	<u>648.81</u>	<u>V27.0</u>									<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>									<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>656.11</u>									<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>											<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.11</u>	<u>244.9</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>V22.1</u>	<u>642.41</u>	<u>655.71</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>								<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.81</u>	<u>654.41</u>	<u>V27.0</u>									<u>74.1</u>
2003Q4	040000	PROVIDENCE HEALTH CENTER	Ascension	Waco	Austin	F	<u>658.13</u>	<u>635.72</u>	<u>658.13</u>											<u>69.02</u>
2000Q2	095000	CHRISTUS St Josephs Health System	Christus	Paris	Tyler	F	<u>626.2</u>	<u>626.2</u>	<u>621.5</u>	<u>625.9</u>										<u>68.59</u>
2000Q4	095000	CHRISTUS St Josephs Health System	Christus	Paris	Tyler	F	<u>618.4</u>	<u>618.4</u>	<u>788.33</u>	<u>625</u>	<u>346.9</u>	<u>296.33</u>	<u>300.21</u>							<u>68.4</u>
2001Q1	095000	CHRISTUS St Josephs Health System	Christus	Paris	Tyler	F	<u>440.24</u>	<u>440.24</u>	<u>682.7</u>	<u>730.17</u>	<u>41.7</u>	<u>991.4</u>	<u>V25.42</u>	<u>599.84</u>	<u>401.9</u>					<u>84.11</u>
2001Q1	095000	CHRISTUS St Josephs Health System	Christus	Paris	Tyler	F	<u>615.9</u>	<u>615.9</u>	<u>997.4</u>	<u>560.1</u>	<u>616</u>	<u>625</u>	<u>V26.51</u>							<u>68.4</u>
2001Q3	095000	CHRISTUS St Josephs Health System	Christus	Paris	Tyler	F	<u>220</u>	<u>220</u>	<u>620</u>	<u>621.3</u>	<u>614.6</u>	<u>218.1</u>	<u>218.2</u>	<u>616</u>	<u>278</u>	<u>787.02</u>				<u>68.4</u>
2002Q4	095000	CHRISTUS St Josephs Health System	Christus	Paris	Tyler	F	<u>635.11</u>	<u>635.11</u>	<u>648.24</u>	<u>285.9</u>	<u>654.04</u>	<u>752.3</u>								<u>69.51</u>
2003Q1	095000	CHRISTUS St Josephs Health System	Christus	Paris	Tyler	F	<u>617</u>	<u>617</u>	<u>276.5</u>	<u>218.1</u>	<u>218.2</u>	<u>535.5</u>	<u>289.9</u>	<u>965.1</u>	<u>618.1</u>	<u>616</u>				<u>68.4</u>
2001Q3	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>654.11</u>	<u>218.9</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.61</u>	<u>648.81</u>	<u>V25.2</u>	<u>V61.5</u>				<u>74.1</u>
2001Q3	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>635.92</u>	<u>635.92</u>	<u>640.03</u>	<u>658.43</u>	<u>658.13</u>									
2001Q4	095001	Christus St Josephs Medical Center	Christus	Paris	Tyler	F	<u>618</u>	<u>618</u>	<u>396.3</u>	<u>218.1</u>	<u>788.69</u>	<u>625.6</u>	<u>621.8</u>	<u>220</u>	<u>V10.3</u>	<u>V17.4</u>				<u>68.4</u>
2001Q4	095001	Christus St Josephs Medical Center	Christus	Paris	Tyler	F	<u>256.4</u>	<u>256.4</u>	<u>617</u>	<u>626.2</u>	<u>618.2</u>	<u>614.6</u>	<u>704.1</u>	<u>620.1</u>	<u>616</u>					<u>68.4</u>
2002Q1	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>635.91</u>	<u>635.91</u>	<u>752.3</u>											<u>69.02</u>
2002Q2	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>218.1</u>	<u>218.1</u>	<u>280</u>	<u>626.2</u>	<u>596.8</u>	<u>614.6</u>								<u>68.3</u>
2002Q2	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>622.1</u>	<u>622.1</u>	<u>614.1</u>	<u>620.8</u>	<u>706.2</u>	<u>305.1</u>	<u>V15.82</u>	<u>V10.41</u>						<u>68.59</u>
2002Q2	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>617</u>	<u>617</u>	<u>626.2</u>	<u>625.3</u>	<u>621.2</u>									<u>68.3</u>
2002Q3	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>625.9</u>	<u>625.9</u>	<u>998.2</u>	<u>625</u>	<u>625.6</u>	<u>618</u>	<u>616.1</u>	<u>41.9</u>	<u>305.1</u>	<u>V17.4</u>				<u>68.59</u>
2002Q3	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>218.9</u>	<u>218.9</u>	<u>617</u>	<u>626.2</u>										<u>68.3</u>
2002Q4	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>218</u>	<u>218</u>	<u>280</u>	<u>218.1</u>	<u>626.2</u>	<u>620</u>	<u>620.8</u>	<u>787.02</u>	<u>305.1</u>					<u>68.3</u>
2002Q4	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>626.2</u>	<u>626.2</u>	<u>280.9</u>	<u>614.1</u>	<u>218.9</u>									<u>68.4</u>
2002Q4	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>614.4</u>	<u>614.4</u>	<u>614.1</u>	<u>617</u>	<u>626.2</u>	<u>616</u>								<u>68.4</u>
2003Q1	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>218.1</u>	<u>218.1</u>	<u>285.1</u>	<u>280</u>	<u>997.4</u>	<u>560.1</u>	<u>218.2</u>	<u>626.2</u>	<u>276.8</u>	<u>275.41</u>				<u>68.4</u>

2003Q1	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>617</u>	<u>617</u>	<u>424</u>	<u>620.1</u>	<u>620.8</u>	<u>621</u>						<u>68.3</u>
2003Q1	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>614.4</u>	<u>614.4</u>	<u>626.8</u>	<u>621.6</u>	<u>620.8</u>	<u>616</u>	<u>621.5</u>					<u>68.4</u>
2003Q1	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>618.3</u>	<u>618.3</u>	<u>618.8</u>	<u>625.6</u>	<u>618.6</u>	<u>493.9</u>	<u>V15.82</u>					<u>68.4</u>
2003Q1	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>626.2</u>	<u>626.2</u>	<u>625.3</u>	<u>625</u>	<u>616</u>	<u>620.8</u>	<u>617.6</u>	<u>614.6</u>	<u>620.1</u>			<u>68.4</u>
2003Q2	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>218</u>	<u>218</u>	<u>780.39</u>	<u>218.1</u>	<u>622.7</u>	<u>620.8</u>						<u>68.4</u>
2003Q2	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>626.2</u>	<u>626.2</u>	<u>250.01</u>	<u>285.9</u>	<u>614.1</u>	<u>621.6</u>	<u>752.11</u>					<u>68.3</u>
2003Q2	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>218.1</u>	<u>218.1</u>	<u>285.1</u>	<u>626.2</u>	<u>625.3</u>	<u>622.7</u>	<u>620.8</u>					<u>68.4</u>
2003Q2	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>617</u>	<u>617</u>	<u>614.4</u>	<u>620.8</u>	<u>620.1</u>	<u>620</u>	<u>616</u>	<u>621.6</u>				<u>68.4</u>
2003Q3	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>788.33</u>	<u>788.33</u>	<u>618</u>	<u>596.8</u>	<u>618.6</u>	<u>616</u>	<u>620</u>	<u>621.2</u>	<u>V16.3</u>			<u>70.5</u>
2003Q3	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>218.2</u>	<u>218.2</u>	<u>617</u>	<u>626.2</u>	<u>401.9</u>							<u>68.59</u>
2003Q3	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>626.2</u>	<u>626.2</u>	<u>625.5</u>	<u>456.5</u>								<u>68.59</u>
2003Q3	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>625.3</u>	<u>625.3</u>	<u>626.2</u>	<u>614.6</u>	<u>625.6</u>	<u>621.2</u>	<u>620.8</u>	<u>621</u>				<u>68.3</u>
2003Q3	095001	CHRISTUS St Josephs Medical Center	Christus	Paris	Tyler	F	<u>626.2</u>	<u>626.2</u>	<u>614.6</u>	<u>491</u>	<u>305.1</u>							<u>68.3</u>
2003Q4	095001	CHRISTUS ST JOE HS NORTH	Christus	Paris	Tyler	F	<u>218.1</u>	<u>218.1</u>	<u>250.01</u>	<u>626.2</u>	<u>614.6</u>	<u>617</u>	<u>616</u>	<u>620.8</u>	<u>401.9</u>	<u>493.9</u>		<u>68.4</u>
2003Q4	095001	CHRISTUS ST JOE HS NORTH	Christus	Paris	Tyler	F	<u>625.3</u>	<u>625.3</u>	<u>560.1</u>	<u>625</u>	<u>625.9</u>	<u>616</u>	<u>751.5</u>	<u>305.1</u>				<u>68.4</u>
2003Q4	095001	CHRISTUS ST JOE HS NORTH	Christus	Paris	Tyler	F	<u>626.2</u>	<u>626.2</u>	<u>218.2</u>	<u>621.6</u>	<u>625.3</u>	<u>620.1</u>	<u>620.8</u>	<u>305.1</u>				<u>68.39</u>
2003Q4	095001	CHRISTUS ST JOE HS NORTH	Christus	Paris	Tyler	F	<u>617</u>	<u>617</u>	<u>617.1</u>	<u>617.3</u>	<u>620.1</u>	<u>620.8</u>	<u>618.8</u>					<u>68.4</u>
2000Q2	109000	Covenant Medical Center Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>218.1</u>	<u>218.1</u>	<u>280</u>	<u>998.12</u>	<u>626.2</u>	<u>617</u>	<u>625.6</u>					<u>68.4</u>
2000Q3	109000	Covenant Medical Center Lakeside	St. Joseph	Lubbock	Lubbock	M	<u>458</u>	<u>458</u>	<u>401.9</u>	<u>250</u>	<u>715.9</u>	<u>V25.9</u>						
2000Q3	109000	Covenant Medical Center Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>617</u>	<u>617</u>	<u>599.7</u>	<u>218.9</u>	<u>621</u>	<u>626.2</u>	<u>625.3</u>	<u>618.2</u>	<u>625.6</u>	<u>79.4</u>		<u>68.51</u>
2001Q1	109000	Covenant Medical Center Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>614.1</u>	<u>614.1</u>	<u>614.6</u>									<u>66.51</u>
2001Q2	109000	Covenant Medical Center Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>618.5</u>	<u>618.5</u>	<u>428</u>	<u>401.9</u>	<u>625.6</u>	<u>625.9</u>	<u>620.2</u>	<u>614.1</u>				<u>66.51</u>
2001Q3	109000	Covenant Medical Center Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>617</u>	<u>617</u>	<u>617.1</u>	<u>614.1</u>	<u>626.2</u>	<u>625.9</u>						<u>68.3</u>
2001Q3	109000	Covenant Medical Center Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>622.1</u>	<u>622.1</u>	<u>540.9</u>	<u>493.9</u>	<u>625.9</u>							<u>66.63</u>
2001Q4	109000	Covenant Medical Center Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>599.81</u>	<u>599.81</u>	<u>625.6</u>	<u>618.2</u>	<u>625.3</u>	<u>625</u>	<u>787.03</u>					<u>59.5</u>
2001Q4	109000	Covenant Medical Center Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>617.3</u>	<u>617.3</u>										<u>68.3</u>
2002Q1	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>183</u>	<u>183</u>	<u>197.6</u>	<u>V45.77</u>	<u>614.6</u>							<u>68.4</u>
2002Q1	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>626.2</u>	<u>626.2</u>	<u>V64.4</u>									<u>68.4</u>
2002Q1	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>789.01</u>	<u>574</u>	<u>244.9</u>	<u>401.9</u>								<u>51.23</u>
2002Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>625.9</u>	<u>218.9</u>	<u>617.1</u>	<u>220</u>	<u>625.6</u>	<u>V25.2</u>	<u>622.1</u>	<u>620.8</u>				<u>68.4</u>
2002Q4	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>218.1</u>	<u>218.1</u>	<u>617</u>	<u>618</u>	<u>617.3</u>	<u>620</u>	<u>625.6</u>					<u>88.51</u>
2003Q1	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>626.2</u>	<u>626.2</u>	<u>280</u>	<u>218.9</u>	<u>625</u>							<u>68.51</u>
2003Q1	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>625.9</u>	<u>626.2</u>	<u>625.9</u>	<u>621.6</u>								<u>68.51</u>
2003Q1	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>625.9</u>	<u>626.2</u>	<u>220</u>	<u>626</u>	<u>625.9</u>	<u>625.3</u>	<u>614.6</u>	<u>V26.51</u>	<u>493.9</u>			<u>66.51</u>

2003Q2	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>626.2</u>	<u>626.2</u>	<u>518</u>	<u>625.6</u>	<u>599.81</u>	<u>614.6</u>	<u>285.9</u>				<u>68.51</u>
2003Q2	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>617</u>	<u>617</u>	<u>280</u>	<u>626.2</u>	<u>617.1</u>	<u>625.4</u>	<u>244.9</u>	<u>616</u>	<u>787.02</u>	<u>625.3</u>	<u>68.51</u>
2003Q2	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>218.2</u>	<u>218.2</u>	<u>280</u>	<u>599</u>	<u>287.4</u>	<u>626.2</u>	<u>616</u>	<u>625</u>	<u>625.3</u>	<u>41.04</u>	<u>68.51</u>
2003Q2	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>614.6</u>	<u>614.6</u>	<u>617.3</u>	<u>625.6</u>	<u>617</u>	<u>256.4</u>	<u>218.1</u>				<u>68.3</u>
2003Q2	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>625.9</u>	<u>617.3</u>	<u>625.9</u>								<u>66.51</u>
2003Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>788.33</u>	<u>788.33</u>	<u>626.9</u>	<u>617</u>							<u>57.89</u>
2003Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>625.3</u>	<u>625.3</u>	<u>518</u>	<u>616</u>	<u>622.1</u>	<u>625</u>					<u>68.4</u>
2003Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>625.9</u>	<u>626.2</u>	<u>280</u>	<u>625.6</u>	<u>256.4</u>	<u>272</u>	<u>625.9</u>				<u>68.3</u>
2003Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>218.1</u>	<u>218.1</u>	<u>280</u>	<u>276.5</u>	<u>617</u>	<u>518</u>	<u>626.2</u>	<u>272</u>	<u>250.01</u>	<u>616</u>	<u>68.3</u>
2003Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>626.2</u>	<u>626.2</u>	<u>276.5</u>	<u>233.1</u>	<u>625.3</u>	<u>614.6</u>	<u>401.9</u>				<u>68.4</u>
2003Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>625.6</u>	<u>617.3</u>	<u>218.9</u>	<u>568</u>							<u>68.3</u>
2003Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>626.8</u>	<u>617.3</u>	<u>617</u>	<u>626.8</u>	<u>614.6</u>						<u>68.51</u>
2003Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>618.1</u>	<u>618.1</u>	<u>599.81</u>	<u>625.6</u>	<u>617.2</u>	<u>256.4</u>	<u>617.3</u>	<u>617</u>			<u>66.63</u>
2003Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>625.9</u>	<u>617.3</u>	<u>256.4</u>	<u>626.2</u>	<u>541</u>	<u>305.1</u>					<u>68.3</u>
2003Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>218.9</u>	<u>218.9</u>	<u>616</u>	<u>626.2</u>	<u>625.3</u>	<u>617.3</u>	<u>625.6</u>	<u>493.9</u>	<u>599.81</u>		<u>68.3</u>
2003Q3	109000	Covenant Medical Center-Lakeside	St. Joseph	Lubbock	Lubbock	F	<u>618.2</u>	<u>618.2</u>	<u>V25.2</u>	<u>625.6</u>	<u>622.1</u>	<u>616</u>	<u>620</u>	<u>305.1</u>	<u>346.9</u>		<u>68.4</u>
2003Q4	109000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>626.2</u>	<u>626.2</u>	<u>625.6</u>	<u>622.1</u>	<u>616</u>	<u>620</u>	<u>V25.2</u>	<u>278.01</u>	<u>V16.41</u>	<u>788.69</u>	<u>68.4</u>
2003Q4	109000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>626.2</u>	<u>626.2</u>									<u>68.31</u>
2003Q4	109000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>633.1</u>	<u>633.1</u>	<u>620.8</u>	<u>V15.82</u>							<u>66.01</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>660.01</u>	<u>660.01</u>	<u>652.21</u>	<u>642.31</u>	<u>656.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>661.21</u>	<u>661.21</u>	<u>663.31</u>	<u>660.31</u>	<u>652.51</u>	<u>661.01</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>659.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>660.31</u>	<u>660.31</u>	<u>663.31</u>	<u>656.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.39</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>	<u>568</u>	<u>752.11</u>	<u>553.2</u>				<u>66.39</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>286.4</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.39</u>
2000Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>998.2</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.39</u>

2000Q4	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.39</u>
2000Q4	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2000Q4	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>648.21</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.39</u>
2000Q4	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>674.12</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>250.01</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>996.39</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.71</u>	<u>654.71</u>	<u>673.12</u>	<u>518.5</u>	<u>669.22</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>642.41</u>	<u>646.61</u>	<u>654.21</u>	<u>41.02</u>	<u>553.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>616.2</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>660.11</u>	<u>660.11</u>	<u>653.41</u>	<u>663.31</u>	<u>660.31</u>	<u>652.51</u>	<u>642.31</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>641.11</u>	<u>641.11</u>	<u>656.51</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>651.01</u>	<u>V25.2</u>	<u>V27.2</u>								<u>74.1</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>553.1</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.39</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>669.51</u>	<u>669.51</u>	<u>659.71</u>	<u>646.81</u>	<u>663.31</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>646.81</u>	<u>646.81</u>	<u>553.2</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>624.8</u>								<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.39</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>669.51</u>	<u>669.51</u>	<u>659.71</u>	<u>646.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>663.31</u>	<u>553.2</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.39</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2001Q1	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>646.61</u>	<u>599</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>

2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>668.82</u>	<u>663.31</u>	<u>349</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>			
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>651.01</u>	<u>651.01</u>	<u>646.61</u>	<u>644.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.2</u>	<u>74.1</u>			
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>648.81</u>	<u>648.81</u>	<u>646.61</u>	<u>41.02</u>	<u>656.61</u>	<u>704.8</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>		
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>			
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>			
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>			
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>V27.0</u>				<u>74.1</u>			
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V12.09</u>			<u>74.1</u>			
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>			
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>			
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>			
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>648.81</u>	<u>648.81</u>	<u>658.41</u>	<u>660.31</u>	<u>659.71</u>	<u>656.71</u>	<u>V12.09</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.32</u>	
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>664.01</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>		
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>656.11</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.39</u>		
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>658.21</u>	<u>V25.2</u>	<u>658.41</u>	<u>V27.0</u>			<u>66.32</u>		
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>		
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>		
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>614.6</u>	<u>620.2</u>	<u>V27.0</u>			<u>66.32</u>		
2001Q2	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>633.1</u>	<u>633.1</u>	<u>568.81</u>	<u>518</u>	<u>285.1</u>	<u>620.2</u>	<u>620.1</u>	<u>752.11</u>	<u>66.52</u>		
2001Q3	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>41.02</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>		
2001Q3	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>659.71</u>	<u>659.71</u>	<u>646.61</u>	<u>663.31</u>	<u>41.02</u>	<u>652.51</u>	<u>660.71</u>	<u>656.61</u>	<u>658.41</u>	<u>V25.2</u>	<u>74.1</u>
2001Q3	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>		
2001Q3	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>		
2001Q3	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>646.82</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>		
2001Q3	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>		
2001Q3	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>		
2001Q3	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>651.01</u>	<u>652.81</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.2</u>		<u>74.1</u>		
2001Q3	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>		
2001Q3	146000	Covenant Hospital Plainview	St. Joseph	Plainview	Lubbock	F	<u>669.51</u>	<u>669.51</u>	<u>659.71</u>	<u>663.21</u>	<u>663.31</u>	<u>V27.0</u>			<u>66.32</u>		

2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>656.31</u>	<u>656.31</u>	<u>644.21</u>	<u>656.51</u>	<u>663.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>663.31</u>	<u>V27.0</u>					<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>652.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>660.31</u>	<u>660.31</u>	<u>661.11</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>671.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>568</u>	<u>648.42</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>656.31</u>	<u>663.31</u>	<u>652.51</u>	<u>660.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>614.6</u>	<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>656.51</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>652.21</u>	<u>658.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>664.11</u>	<u>660.31</u>	<u>669.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>661.31</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>659.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>788.2</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>553.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>663.31</u>	<u>660.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>998.2</u>	<u>V12.09</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>998.4</u>	<u>V62.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>661.31</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V12.09</u>	<u>V27.0</u>					<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.31</u>	<u>664.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>665.71</u>	<u>664.51</u>	<u>642.91</u>	<u>278.01</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.39</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>672.02</u>				<u>66.32</u>
2002Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>661.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>

2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock		<u>658.01</u>	<u>658.01</u>	<u>648.31</u>	<u>276.5</u>	<u>263.9</u>	<u>305.2</u>	<u>648.91</u>	<u>663.81</u>	<u>659.71</u>	<u>654.21</u>	<u>74.1</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>648.81</u>	<u>648.81</u>	<u>646.61</u>	<u>658.01</u>	<u>660.31</u>	<u>659.71</u>	<u>41.02</u>	<u>660.01</u>	<u>652.81</u>	<u>V25.2</u>	<u>74.1</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.11</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>663.31</u>	<u>568</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>659.71</u>	<u>659.71</u>	<u>654.21</u>	<u>652.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>659.21</u>	<u>654.21</u>	<u>658.41</u>	<u>568</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>660.01</u>	<u>660.01</u>	<u>652.31</u>	<u>652.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>660.11</u>	<u>660.11</u>	<u>653.41</u>	<u>660.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>620.8</u>				<u>74.1</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.11</u>	<u>663.11</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>658.41</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>648.81</u>	<u>282.5</u>	<u>663.31</u>	<u>V25.2</u>	<u>664.01</u>	<u>V27.0</u>			<u>66.32</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>648.81</u>	<u>648.81</u>	<u>656.61</u>	<u>663.31</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>642.91</u>	<u>642.91</u>	<u>664.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q4	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.11</u>	<u>663.11</u>	<u>656.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>646.42</u>					<u>66.32</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>660.11</u>	<u>660.11</u>	<u>646.62</u>	<u>997.4</u>	<u>653.41</u>	<u>645.11</u>	<u>656.61</u>	<u>646.11</u>	<u>661.11</u>	<u>V25.2</u>	<u>74.1</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>660.01</u>	<u>660.01</u>	<u>998.2</u>	<u>660.31</u>	<u>653.51</u>	<u>652.31</u>	<u>652.51</u>	<u>642.31</u>	<u>654.21</u>	<u>V25.2</u>	<u>74.1</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>614.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>660.11</u>	<u>660.11</u>	<u>653.41</u>	<u>648.81</u>	<u>659.51</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V12.09</u>		<u>74.1</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.11</u>	<u>646.11</u>	<u>724.5</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>659.71</u>	<u>659.51</u>	<u>654.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>652.81</u>	<u>652.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>648.81</u>	<u>648.81</u>	<u>664.01</u>	<u>659.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>648.61</u>	<u>648.61</u>	<u>427.89</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>

2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>658.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V12.09</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>465.9</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>663.31</u>	<u>656.71</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>657.01</u>	<u>657.01</u>	<u>646.42</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2003Q1	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>665.51</u>	<u>665.51</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>661.21</u>	<u>661.21</u>	<u>648.22</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>641.81</u>	<u>641.81</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>216.5</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>654.41</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>660.11</u>	<u>660.11</u>	<u>653.41</u>	<u>658.01</u>	<u>654.21</u>	<u>654.41</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V12.09</u>				<u>74.1</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>648.81</u>	<u>648.81</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>645.11</u>	<u>645.11</u>	<u>667.12</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>648.21</u>	<u>648.21</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>620.8</u>	<u>V12.09</u>			<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>V27.0</u>							<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>663.41</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>646.61</u>	<u>646.61</u>	<u>998.2</u>	<u>663.31</u>	<u>664.11</u>	<u>41.02</u>	<u>V27.0</u>			<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>648.81</u>	<u>648.81</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>664.11</u>	<u>V27.0</u>						<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>646.81</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>645.11</u>	<u>645.11</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>645.11</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>674.32</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q2	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>669.81</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>625.9</u>	<u>625.9</u>	<u>626.2</u>	<u>614.1</u>						<u>68.51</u>

2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>788.1</u>	<u>74.1</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>651.01</u>	<u>651.01</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.2</u>	<u>74.1</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V12.09</u>		<u>74.1</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>676.22</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>660.31</u>	<u>654.41</u>	<u>654.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>			
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>651.01</u>	<u>652.21</u>	<u>V01.6</u>	<u>V25.2</u>	<u>V27.2</u>	<u>74.1</u>			
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V12.09</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>659.71</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>659.51</u>	<u>659.51</u>	<u>642.91</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>661.31</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V12.09</u>		<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V12.09</u>	<u>V27.0</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>669.51</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>651.01</u>	<u>651.01</u>	<u>642.31</u>	<u>V27.2</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>646.21</u>	<u>646.21</u>	<u>592.1</u>	<u>646.61</u>	<u>599</u>	<u>648.91</u>	<u>465.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>593.3</u>	<u>66.32</u>
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>648.21</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>		
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>			
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>799.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>			
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>			
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>663.11</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>				
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>305.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V15.82</u>	<u>305.2</u>	<u>V12.09</u>	<u>66.32</u>		
2003Q3	146000	Covenant Hospital-Plainview	St. Joseph	Plainview	Lubbock	F	<u>659.71</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>				

2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>642.41</u>	<u>651.01</u>	<u>659.71</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.2</u>	<u>74.1</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>641.01</u>	<u>V12.09</u>	<u>646.42</u>	<u>674.32</u>	<u>660.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>641.11</u>	<u>641.11</u>	<u>648.21</u>	<u>644.21</u>	<u>646.81</u>	<u>656.51</u>	<u>658.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>518</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.92</u>	<u>300</u>	<u>784</u>	<u>74.1</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>599</u>	<u>661.11</u>	<u>V25.2</u>	<u>663.41</u>	<u>V27.0</u>	<u>74.1</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>642.31</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>654.91</u>	<u>644.21</u>	<u>V12.09</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>659.71</u>	<u>659.71</u>	<u>660.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>671.82</u>	<u>646.11</u>	<u>787.3</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>654.91</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>645.11</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>663.31</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>664.11</u>	<u>657.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>646.11</u>	<u>646.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>654.41</u>				<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>652.81</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>659.51</u>	<u>659.51</u>	<u>664.01</u>	<u>659.71</u>	<u>662.11</u>	<u>661.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>656.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>648.22</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>280.8</u>		<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>656.81</u>	<u>656.81</u>	<u>V23.7</u>	<u>645.11</u>	<u>663.31</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>V01.6</u>	<u>V12.09</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>646.81</u>	<u>646.81</u>	<u>574.2</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>	
2003Q4	146000	METHODIST HOSPITAL PLAINV	St. Joseph	Plainview	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>	
2000Q1	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>654.21</u>	<u>552.1</u>	<u>V27.0</u>	<u>648.91</u>	<u>671.01</u>	<u>V25.2</u>		<u>74.1</u>	
2000Q1	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	

2002Q4	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>658.01</u>	<u>658.01</u>	<u>648.01</u>	<u>250.01</u>	<u>642.01</u>	<u>V27.0</u>	<u>659.71</u>	<u>401.9</u>	<u>659.61</u>	<u>V25.2</u>	<u>74.1</u>
2002Q4	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q4	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q4	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2003Q1	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>V27.0</u>	<u>648.11</u>	<u>244.9</u>	<u>V25.2</u>			<u>74.1</u>
2003Q1	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>656.51</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.61</u>	<u>658.01</u>	<u>654.21</u>	<u>V25.2</u>	<u>660.01</u>	<u>74.1</u>
2003Q1	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>648.81</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>	<u>659.41</u>					<u>74.1</u>
2003Q1	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>659.71</u>	<u>648.81</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q1	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2003Q1	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>648.81</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>66.22</u>
2003Q1	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>650</u>	<u>655.71</u>	<u>70.51</u>	<u>647.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q1	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>642.71</u>	<u>637.91</u>	<u>642.73</u>	<u>405.09</u>	<u>648.23</u>	<u>642.13</u>	<u>648.13</u>	<u>V25.2</u>	<u>244.9</u>	<u>285.9</u>	<u>69.02</u>
2003Q2	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>V27.0</u>	<u>250</u>	<u>V15.81</u>	<u>V25.2</u>				<u>74.1</u>
2003Q2	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>654.23</u>	<u>659.71</u>	<u>998.2</u>	<u>654.21</u>	<u>646.81</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q2	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>654.23</u>	<u>654.21</u>	<u>642.71</u>	<u>401.9</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>641.21</u>	<u>648.22</u>	<u>285.9</u>	<u>659.61</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q2	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V04.3</u>						<u>74.1</u>
2003Q2	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q2	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>659.61</u>							<u>66.32</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>614</u>	<u>614</u>	<u>250.02</u>	<u>276.5</u>	<u>567.9</u>						<u>66.51</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>625.3</u>	<u>617</u>	<u>998.89</u>	<u>617.3</u>	<u>620.2</u>	<u>620.1</u>	<u>620.8</u>	<u>285.9</u>	<u>780.6</u>	<u>625.6</u>	<u>68.4</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V25.2</u>	<u>V25.2</u>	<u>568</u>	<u>V64.4</u>							<u>66.32</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>654.23</u>	<u>641.11</u>	<u>666.32</u>	<u>518.5</u>	<u>998</u>	<u>665.51</u>	<u>644.21</u>	<u>652.21</u>	<u>666.02</u>	<u>666.12</u>	<u>74.1</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>654.21</u>	<u>648.22</u>	<u>285.9</u>	<u>656.11</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>654.23</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>657.01</u>	<u>V15.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>654.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V07.2</u>	<u>V04.3</u>				<u>74.1</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>656.61</u>	<u>648.01</u>	<u>648.21</u>	<u>250</u>	<u>666.12</u>	<u>285.9</u>	<u>V27.0</u>	<u>V15.81</u>	<u>V25.2</u>	<u>74.1</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>642.01</u>	<u>401.9</u>	<u>652.31</u>					<u>74.1</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>648.81</u>	<u>V25.2</u>					<u>74.1</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>V22.1</u>	<u>664.11</u>	<u>659.61</u>	<u>792.3</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>			<u>66.32</u>
2003Q3	207000	Mercy Health Center	Mercy	Laredo	Laredo	F	<u>633.1</u>	<u>633.1</u>	<u>285.1</u>								<u>66.01</u>
2000Q1	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>

2000Q1	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q1	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>652.81</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q1	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>648.81</u>	<u>642.31</u>	<u>661.21</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q1	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q1	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>73.6</u>
2000Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>648.91</u>	<u>710</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>74.1</u>
2000Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>648.81</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>648.91</u>	<u>724.3</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.39</u>
2000Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.6</u>
2000Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2000Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>659.71</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2000Q3	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>659.71</u>	<u>652.81</u>	<u>654.41</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q3	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2000Q3	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.39</u>
2000Q3	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>659.61</u>	<u>661.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2000Q4	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>626.6</u>	<u>626.6</u>	<u>618</u>	<u>625.6</u>							<u>68.59</u>
2000Q4	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>648.91</u>	<u>553.3</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q4	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>652.31</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74</u>
2000Q4	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2000Q4	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>661.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q4	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>651.01</u>	<u>V27.2</u>	<u>V25.2</u>						<u>74.1</u>
2000Q4	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>659.71</u>	<u>648.81</u>	<u>642.91</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q4	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q4	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q4	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>V22.1</u>	<u>652.81</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q1	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>652.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q1	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q1	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>648.11</u>	<u>648.11</u>	<u>244.9</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.39</u>
2001Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>218.9</u>	<u>218.9</u>	<u>625.9</u>	<u>625.6</u>	<u>626.2</u>	<u>617</u>					<u>68.4</u>
2001Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>614.3</u>	<u>614.3</u>	<u>614.4</u>	<u>620.2</u>	<u>250</u>	<u>614.6</u>					<u>66.01</u>

2001Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>642.31</u>	<u>642.31</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>642.01</u>	<u>401.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>659.51</u>	<u>659.51</u>	<u>648.81</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>340</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.39</u>
2001Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>66.39</u>
2001Q2	216000	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>663.31</u>	<u>663.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.39</u>
2001Q3	216001	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>625.3</u>	<u>625.3</u>	<u>617.9</u>	<u>628.9</u>	<u>621.5</u>	<u>628.2</u>	<u>219.1</u>				<u>66.63</u>
2001Q3	216001	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>668.81</u>	<u>654.41</u>	<u>614.6</u>	<u>787.02</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q3	216001	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q3	216001	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>652.81</u>	<u>652.81</u>	<u>654.21</u>	<u>642.92</u>	<u>V27.0</u>	<u>V26.51</u>	<u>V25.2</u>	<u>614.6</u>			<u>74.1</u>
2001Q3	216001	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q3	216001	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>658.11</u>	<u>654.41</u>	<u>220</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	216001	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>73.59</u>
2001Q3	216001	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.22</u>
2001Q3	216001	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>669.51</u>	<u>669.51</u>	<u>660.31</u>	<u>V27.0</u>	<u>V12.02</u>	<u>V25.2</u>					<u>72.71</u>
2001Q3	216001	CHRISTUS Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>660.41</u>	<u>660.41</u>	<u>250.01</u>	<u>648.81</u>	<u>V27.1</u>	<u>V25.2</u>					<u>66.32</u>
2001Q4	216001	Christus Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>647.61</u>	<u>647.61</u>	<u>70.54</u>	<u>54.1</u>	<u>648.91</u>	<u>724.5</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q4	216001	Christus Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>652.21</u>	<u>652.21</u>	<u>641.01</u>	<u>654.21</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	216001	Christus Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>670.02</u>	<u>672.02</u>	<u>615.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	216001	Christus Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q4	216001	Christus Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>652.21</u>	<u>652.21</u>	<u>656.61</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>					<u>74</u>
2001Q4	216001	Christus Spohn Hospital Kleberg	Christus	Kingsville	Corpus Christi	F	<u>635.11</u>	<u>635.11</u>	<u>285.1</u>								<u>69.02</u>
2002Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>651.01</u>	<u>651.01</u>	<u>654.21</u>	<u>V27.2</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V23.3</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2002Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2002Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>659.71</u>	<u>654.21</u>	<u>666.22</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>

2002Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.81</u>	<u>574.2</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>655.71</u>	<u>642.01</u>	<u>401.9</u>	<u>278.1</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>659.71</u>	<u>659.71</u>	<u>658.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>	
2002Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>	
2002Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>									<u>74.1</u>	
2002Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.01</u>	<u>401.9</u>	<u>278.1</u>	<u>648.91</u>	<u>846</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>		<u>74.1</u>	
2002Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>							<u>74.1</u>	
2002Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.22</u>	
2002Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.22</u>	
2002Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.39</u>	
2002Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>648.01</u>	<u>648.01</u>	<u>250.01</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>					<u>66.39</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi		<u>655.71</u>	<u>655.71</u>	<u>303</u>	<u>287.5</u>	<u>70.51</u>	<u>789.5</u>	<u>644.21</u>	<u>641.21</u>	<u>648.41</u>	<u>648.91</u>		<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi		<u>654.21</u>	<u>654.21</u>	<u>305.6</u>	<u>659.61</u>	<u>644.21</u>	<u>648.41</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi		<u>654.21</u>	<u>654.21</u>	<u>305.6</u>	<u>648.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>					<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>652.21</u>	<u>652.21</u>	<u>648.21</u>	<u>285.1</u>	<u>659.11</u>	<u>654.11</u>	<u>218.9</u>	<u>V23.3</u>	<u>V27.0</u>			<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>652.31</u>	<u>652.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>654.11</u>	<u>218.9</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>651.01</u>	<u>651.01</u>	<u>654.21</u>	<u>644.21</u>	<u>V27.2</u>	<u>V25.2</u>						<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>646.81</u>	<u>646.81</u>	<u>625.9</u>	<u>648.41</u>	<u>311</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>				<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>659.71</u>	<u>659.71</u>	<u>661.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>642.31</u>	<u>648.91</u>	<u>278</u>	<u>553.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>659.71</u>	<u>659.71</u>	<u>659.61</u>	<u>660.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.39</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.22</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>648.21</u>	<u>280.9</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.29</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>646.62</u>	<u>646.62</u>	<u>616</u>	<u>648.92</u>	<u>729.5</u>	<u>V23.3</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.29</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>661.11</u>	<u>661.11</u>	<u>648.21</u>	<u>646.61</u>	<u>590.8</u>	<u>263.9</u>	<u>V27.0</u>	<u>285.9</u>	<u>659.61</u>	<u>664.01</u>		<u>66.32</u>	
2002Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>642.31</u>	<u>V27.0</u>								<u>66.32</u>	
2002Q4	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>659.61</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2002Q4	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>648.01</u>	<u>250.01</u>	<u>642.91</u>	<u>654.21</u>	<u>642.01</u>	<u>401.9</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2002Q4	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi		<u>654.21</u>	<u>654.21</u>	<u>305.6</u>	<u>70.51</u>	<u>648.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>647.61</u>	<u>70.1</u>			<u>74.1</u>	

2002Q4	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>659.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>		
2002Q4	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>553.21</u>	<u>568</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>		
2002Q4	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>		
2002Q4	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>278.01</u>				<u>74.1</u>		
2002Q4	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>550.9</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>		
2002Q4	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>658.11</u>	<u>658.11</u>	<u>648.91</u>	<u>342.91</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V45.89</u>		<u>66.32</u>		
2002Q4	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>		
2003Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>661.21</u>	<u>661.21</u>	<u>V23.7</u>	<u>659.61</u>	<u>656.71</u>	<u>659.11</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>	
2003Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>74.1</u>		
2003Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>		
2003Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>648.91</u>	<u>701.4</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>74.1</u>		
2003Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>		
2003Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>				<u>74.1</u>		
2003Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>		
2003Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>664.01</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.32</u>		
2003Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V45.77</u>			<u>66.39</u>		
2003Q1	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>658.11</u>				<u>66.32</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>643.21</u>	<u>643.21</u>	<u>276.5</u>	<u>659.71</u>	<u>652.81</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>656.31</u>	<u>656.31</u>	<u>648.01</u>	<u>250</u>	<u>661.01</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>	<u>74.1</u>	
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>780.39</u>	<u>648.91</u>	<u>553.2</u>	<u>319</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>655.71</u>	<u>V27.0</u>					<u>74.1</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>654.41</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.81</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>659.71</u>	<u>659.71</u>	<u>663.31</u>	<u>648.91</u>	<u>795</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>74.1</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>648.01</u>	<u>250</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>		<u>66.32</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>648.91</u>	<u>553.1</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.22</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>648.21</u>	<u>648.21</u>	<u>98</u>	<u>V23.9</u>	<u>V23.7</u>	<u>280.9</u>	<u>658.01</u>	<u>647.11</u>	<u>99.5</u>	<u>V61.5</u>	<u>66.32</u>
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>642.31</u>				<u>66.29</u>		
2003Q2	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.23</u>	<u>654.23</u>	<u>642.31</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>		

2003Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>648.21</u>	<u>641.01</u>	<u>652.61</u>	<u>280.9</u>	<u>644.21</u>	<u>654.21</u>	<u>V27.2</u>	<u>V25.2</u>	<u>74.1</u>
2003Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi		<u>654.21</u>	<u>654.21</u>	<u>305.6</u>	<u>648.2</u>	<u>648.41</u>	<u>285.9</u>	<u>648.91</u>	<u>132</u>	<u>652.21</u>	<u>641.21</u>	<u>74.1</u>
2003Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>648.01</u>	<u>648.01</u>	<u>250.01</u>	<u>642.41</u>	<u>659.6</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi		<u>651.01</u>	<u>651.01</u>	<u>305.6</u>	<u>648.21</u>	<u>V23.7</u>	<u>648.41</u>	<u>652.21</u>	<u>641.21</u>	<u>285.9</u>	<u>V61.5</u>	<u>74.1</u>
2003Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi		<u>648.41</u>	<u>648.41</u>	<u>305.6</u>	<u>V23.89</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>285.9</u>					<u>74.1</u>
2003Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>642.91</u>	<u>642.91</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2003Q3	216001	CHRISTUS Spohn Hospital-Kleberg	Christus	Kingsville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>						<u>66.32</u>
2003Q4	216001	CHRISTUS SPOHN KLEBERG	Christus	Kingsville	Corpus Christi	F	<u>656.41</u>	<u>656.41</u>	<u>648.01</u>	<u>250.41</u>	<u>583.81</u>	<u>648.91</u>	<u>443.9</u>	<u>300.4</u>	<u>995.81</u>	<u>V02.51</u>	<u>74.1</u>
2003Q4	216001	CHRISTUS SPOHN KLEBERG	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q4	216001	CHRISTUS SPOHN KLEBERG	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V23.7</u>	<u>V23.9</u>	<u>642.01</u>	<u>401.9</u>	<u>285.9</u>	<u>648.41</u>	<u>305.1</u>	<u>74.1</u>
2003Q4	216001	CHRISTUS SPOHN KLEBERG	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>647.01</u>	<u>97.1</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q4	216001	CHRISTUS SPOHN KLEBERG	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>701.4</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	216001	CHRISTUS SPOHN KLEBERG	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	216001	CHRISTUS SPOHN KLEBERG	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q4	216001	CHRISTUS SPOHN KLEBERG	Christus	Kingsville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>648.81</u>	<u>278</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>			<u>74.1</u>
2003Q4	216001	CHRISTUS SPOHN KLEBERG	Christus	Kingsville	Corpus Christi	F	<u>648.21</u>	<u>648.21</u>	<u>280.9</u>	<u>V27.0</u>	<u>V23.3</u>	<u>V25.2</u>					<u>73.59</u>
2003Q4	216001	CHRISTUS SPOHN KLEBERG	Christus	Kingsville	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>648.94</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>618</u>	<u>618</u>	<u>625.6</u>	<u>V25.2</u>							<u>59.79</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler		<u>642.51</u>	<u>642.51</u>	<u>305.9</u>	<u>648.4</u>	<u>V23.7</u>	<u>V25.2</u>	<u>278</u>	<u>305.1</u>	<u>666.32</u>	<u>287.5</u>	<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>641.01</u>	<u>V27.0</u>	<u>654.41</u>	<u>V25.2</u>	<u>V01.7</u>				<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>560.1</u>	<u>669.42</u>	<u>676.22</u>	<u>518</u>	<u>648.91</u>	<u>278.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V27.0</u>	<u>669.51</u>	<u>V25.2</u>					<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>V27.0</u>	<u>568</u>	<u>V25.2</u>					<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>644.21</u>	<u>648.91</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>	<u>285.1</u>		<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.51</u>	<u>656.51</u>	<u>648.61</u>	<u>654.21</u>	<u>244.9</u>	<u>427.9</u>	<u>663.21</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>	<u>669.51</u>				<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>676.22</u>	<u>672.02</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>648.91</u>	<u>278</u>	<u>V25.2</u>				<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>659.71</u>	<u>648.91</u>	<u>278.01</u>	<u>553.1</u>	<u>654.61</u>	<u>218.2</u>	<u>V27.0</u>	<u>661.11</u>	<u>74.1</u>
2000Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>

2000Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.41</u>	<u>654.41</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>664.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2000Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.41</u>	<u>660.41</u>	<u>V23.7</u>	<u>664.11</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>75.69</u>
2000Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.01</u>	<u>645.01</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>75.69</u>
2000Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>633</u>	<u>633</u>	<u>614.6</u>	<u>568</u>	<u>568.81</u>	<u>998.89</u>	<u>780.6</u>	<u>79.99</u>						<u>66.62</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>614.6</u>	<u>V27.0</u>								<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>670.02</u>	<u>669.42</u>	<u>560.1</u>	<u>654.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>663.31</u>	<u>V25.2</u>				<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.21</u>	<u>664.21</u>	<u>V23.7</u>	<u>652.61</u>	<u>651.01</u>	<u>663.01</u>	<u>305.1</u>	<u>V27.2</u>	<u>V25.2</u>					<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>648.91</u>	<u>305.1</u>	<u>659.61</u>	<u>278</u>	<u>654.41</u>	<u>285.1</u>					<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>250</u>	<u>642.41</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>648.22</u>	<u>285.1</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.81</u>	<u>652.81</u>	<u>V27.0</u>	<u>654.41</u>	<u>V25.2</u>									<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>654.41</u>	<u>648.91</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>278.01</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>647.61</u>	<u>647.61</u>	<u>54.12</u>	<u>V27.0</u>	<u>V25.2</u>	<u>663.31</u>								<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>669.42</u>	<u>654.41</u>	<u>427.69</u>	<u>278</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.11</u>	<u>660.11</u>	<u>654.21</u>	<u>653.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>305.1</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>643.11</u>	<u>643.11</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>656.51</u>	<u>686.9</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>647.61</u>	<u>647.61</u>	<u>54.12</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>											<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>										<u>74.4</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>795.79</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V04.3</u>									<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>642.91</u>	<u>664.01</u>	<u>285.9</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.4</u>

2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.71</u>	<u>642.71</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.22</u>	<u>285.9</u>	<u>648.91</u>	<u>V02.51</u>	<u>73.59</u>	
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>V23.7</u>	<u>282.5</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>	
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>305.1</u>	<u>218.9</u>	<u>654.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>672.04</u>	<u>382.9</u>	<u>614.6</u>	<u>73.09</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>644.21</u>	<u>644.21</u>	<u>648.21</u>	<u>651.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>V23.7</u>	<u>V27.2</u>	<u>285.9</u>	<u>V25.2</u>	<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>553.1</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.6</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V04.3</u>						<u>73.09</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.11</u>	<u>661.11</u>	<u>672.02</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>	<u>278.01</u>						<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>493.9</u>	<u>V27.0</u>							<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>664.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.6</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>							<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.11</u>	<u>648.11</u>	<u>244.9</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.4</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>305.1</u>	<u>V23.7</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.09</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>658.01</u>	<u>658.01</u>	<u>663.31</u>	<u>664.11</u>	<u>648.41</u>	<u>319</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>		<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.91</u>	<u>642.91</u>	<u>659.61</u>	<u>654.11</u>	<u>218.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>669.81</u>	<u>664.11</u>	<u>493.9</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>			<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>658.11</u>	<u>658.11</u>	<u>663.31</u>	<u>664.11</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.4</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>663.31</u>	<u>305.1</u>	<u>493.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.09</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>648.91</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V04.3</u>				<u>73.09</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>664.11</u>	<u>V23.7</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.09</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>669.51</u>	<u>669.51</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>72.71</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.01</u>	<u>645.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.6</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>644.21</u>	<u>644.21</u>	<u>651.01</u>	<u>V27.2</u>	<u>V25.2</u>						<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>648.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V23.7</u>	<u>648.91</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>				<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.61</u>	<u>V25.2</u>	<u>278</u>	<u>305.1</u>	<u>V27.0</u>			<u>73.4</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>664.01</u>	<u>493.9</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.09</u>

2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>									<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>493.9</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.6</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>663.31</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>							<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>305.1</u>	<u>V02.51</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>659.61</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>										<u>73.4</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.41</u>	<u>660.41</u>	<u>648.81</u>	<u>642.91</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>305.1</u>	<u>V23.7</u>	<u>V25.2</u>						<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.11</u>	<u>663.11</u>	<u>648.91</u>	<u>664.11</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>								<u>75.69</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.09</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>V23.7</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.4</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.09</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>V27.0</u>										<u>73.09</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.41</u>	<u>660.41</u>	<u>648.81</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.6</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.11</u>	<u>652.11</u>	<u>666.12</u>	<u>V27.0</u>	<u>493.9</u>	<u>V25.2</u>							<u>73.91</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>646.61</u>	<u>646.61</u>	<u>648.91</u>	<u>599</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.09</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.41</u>	<u>659.41</u>	<u>V23.7</u>	<u>659.61</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>646.82</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>633.1</u>	<u>633.1</u>	<u>275.41</u>	<u>614.6</u>	<u>568.81</u>	<u>285.1</u>							<u>54.59</u>
2000Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>633.1</u>	<u>633.1</u>	<u>639.8</u>	<u>568.81</u>	<u>V25.2</u>								<u>66.62</u>
2000Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>V27.0</u>								<u>74.1</u>
2000Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.31</u>	<u>660.31</u>	<u>670.02</u>	<u>656.81</u>	<u>648.81</u>	<u>646.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>644.21</u>	<u>644.21</u>	<u>V23.7</u>	<u>654.21</u>	<u>V25.2</u>	<u>V02.51</u>	<u>614.6</u>	<u>V27.0</u>					<u>74.1</u>
2000Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.31</u>	<u>660.31</u>	<u>518</u>	<u>648.22</u>	<u>663.21</u>	<u>661.01</u>	<u>672.02</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>672.02</u>	<u>666.12</u>	<u>V27.0</u>						<u>74.1</u>
2000Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>641.01</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2000Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>659.71</u>	<u>V27.0</u>	<u>648.91</u>	<u>278.01</u>	<u>V25.2</u>	<u>305.1</u>	<u>669.51</u>			<u>74.1</u>

2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.71</u>	<u>659.71</u>	<u>663.11</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>			<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>642.91</u>	<u>V27.0</u>						<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>305.1</u>	<u>663.31</u>		<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>							<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>641.21</u>	<u>641.21</u>	<u>656.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>648.91</u>	<u>553.1</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V04.3</u>	<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>654.41</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>659.61</u>	<u>646.81</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.11</u>	<u>654.11</u>	<u>654.21</u>	<u>652.61</u>	<u>651.01</u>	<u>V27.2</u>	<u>V25.2</u>			<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.61</u>	<u>660.61</u>	<u>659.61</u>	<u>654.21</u>	<u>641.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>656.61</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>780.6</u>			<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>654.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V04.3</u>	<u>V25.2</u>					<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>305.1</u>	<u>672.02</u>	<u>786.07</u>			<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>278</u>	<u>659.61</u>	<u>654.41</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>							<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>654.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V04.3</u>			<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>653.11</u>	<u>653.11</u>	<u>642.31</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>653.41</u>	<u>653.41</u>	<u>654.21</u>	<u>V27.0</u>						<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.41</u>	<u>654.41</u>	<u>648.91</u>	<u>654.21</u>	<u>V27.0</u>	<u>278.8</u>	<u>490</u>	<u>V25.2</u>		<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>676.22</u>						<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.11</u>	<u>659.11</u>	<u>V25.2</u>	<u>653.51</u>	<u>648.91</u>	<u>V02.51</u>	<u>648.83</u>	<u>V27.0</u>		<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>						<u>74.1</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>648.01</u>	<u>305.1</u>	<u>250</u>	<u>V23.7</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>73.59</u>
2001Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>

2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>661.31</u>	<u>V27.0</u>			<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.21</u>	<u>663.21</u>	<u>651.01</u>	<u>656.41</u>	<u>648.91</u>	<u>305.1</u>	<u>V27.3</u>	<u>V25.2</u>	<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>646.11</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>664.11</u>		<u>75.69</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.71</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>	<u>305.1</u>				<u>73.4</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>648.91</u>	<u>644.21</u>	<u>305.1</u>	<u>V27.0</u>	<u>V04.3</u>		<u>73.6</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>658.01</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>305.1</u>				<u>73.6</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>648.22</u>	<u>664.11</u>	<u>V02.51</u>	<u>280.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>75.69</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.6</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>663.31</u>	<u>V27.0</u>					<u>75.69</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.6</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>648.61</u>	<u>427.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>			<u>75.69</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.11</u>	<u>648.11</u>	<u>242</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V07.2</u>			<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>				<u>75.69</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>663.11</u>	<u>305.1</u>	<u>493.9</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>661.31</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>			<u>75.69</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.4</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>648.91</u>	<u>669.81</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V04.3</u>	<u>72.71</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>671.01</u>	<u>659.41</u>	<u>663.11</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.41</u>	<u>659.41</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>75.69</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.7</u>				<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>75.69</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>658.11</u>	<u>658.11</u>	<u>648.91</u>	<u>V23.7</u>	<u>V02.51</u>	<u>V25.2</u>			<u>73.4</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.11</u>	<u>663.11</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>	<u>645.11</u>			<u>73.4</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.11</u>	<u>661.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>659.61</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.7</u>		<u>75.69</u>
2001Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.11</u>	<u>244.9</u>			<u>75.69</u>

2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>660.61</u>	<u>659.61</u>	<u>661.01</u>	<u>656.61</u>	<u>648.91</u>	<u>278</u>	<u>382.9</u>	<u>V27.0</u>	<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>669.51</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>655.71</u>	<u>V25.2</u>							<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>654.41</u>						<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>654.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.41</u>	<u>652.41</u>	<u>656.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>669.51</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.31</u>	<u>656.31</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>658.11</u>	<u>652.81</u>	<u>V27.0</u>	<u>654.41</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>652.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>644.21</u>	<u>652.61</u>	<u>651.01</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.2</u>	<u>V02.51</u>		<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>663.31</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>553.1</u>	<u>659.61</u>	<u>728.84</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>674.82</u>	<u>674.82</u>	<u>648.11</u>	<u>242.9</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.41</u>	<u>642.41</u>	<u>648.91</u>	<u>664.01</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>669.51</u>	<u>669.51</u>	<u>664.11</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>					<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>278</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>

2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>659.41</u>	<u>664.11</u>	<u>V27.0</u>								<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>664.01</u>	<u>278</u>	<u>V27.0</u>								<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.22</u>	<u>648.22</u>	<u>V23.7</u>	<u>285.9</u>	<u>657.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>									<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.09</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V23.7</u>	<u>648.91</u>	<u>553.1</u>	<u>V25.2</u>							<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.61</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.4</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.41</u>	<u>659.41</u>	<u>654.21</u>	<u>664.01</u>	<u>V23.7</u>	<u>654.41</u>	<u>V27.0</u>	<u>V25.2</u>					<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>									<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.21</u>	<u>661.21</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>								<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>663.31</u>	<u>671.11</u>	<u>664.01</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>					<u>75.69</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>633.1</u>	<u>633.1</u>	<u>614.6</u>										<u>66.01</u>
2001Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	M	<u>641.21</u>	<u>641.21</u>	<u>654.21</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>220</u>	<u>220</u>	<u>620.8</u>	<u>622.1</u>	<u>V25.2</u>								<u>68.51</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>658.41</u>	<u>658.41</u>	<u>670.02</u>	<u>659.71</u>	<u>648.91</u>	<u>615.9</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>670.02</u>	<u>648.81</u>	<u>648.91</u>								<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>648.91</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.22</u>	<u>648.22</u>	<u>560.1</u>	<u>646.61</u>	<u>285.9</u>	<u>669.42</u>	<u>671.81</u>	<u>455.4</u>	<u>614.6</u>	<u>654.61</u>			<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.91</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>669.71</u>	<u>669.71</u>	<u>998.89</u>	<u>659.63</u>	<u>780.6</u>	<u>218.9</u>	<u>654.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.91</u>	<u>278.01</u>	<u>493.9</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>670.02</u>	<u>615</u>	<u>560.1</u>	<u>642.41</u>	<u>669.42</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>V04.3</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>658.01</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>652.21</u>	<u>648.91</u>	<u>278</u>	<u>614.6</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>287.5</u>	<u>654.21</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>278</u>	<u>V25.2</u>	<u>285.9</u>	<u>V27.0</u>						<u>74.1</u>

2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>648.91</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>	<u>73.59</u>			
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.51</u>	<u>654.51</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>73.6</u>			
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>278</u>	<u>V25.2</u>			<u>73.59</u>			
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>780.39</u>	<u>664.01</u>	<u>661.31</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>648.91</u>	<u>646.11</u>	<u>278</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>	<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>						<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>644.21</u>	<u>644.21</u>	<u>648.01</u>	<u>250</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>493.9</u>	<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V02.51</u>	<u>V27.0</u>				<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>305.1</u>	<u>V01.7</u>		<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>646.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V23.7</u>	<u>V27.0</u>	<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.11</u>	<u>656.11</u>	<u>641.01</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.11</u>	<u>648.11</u>	<u>244.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>						<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.11</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>648.21</u>	<u>V23.7</u>	<u>285.9</u>	<u>664.01</u>	<u>V04.3</u>	<u>V27.0</u>	<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V23.4</u>	<u>664.01</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>		<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>667.12</u>	<u>667.12</u>	<u>663.31</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>		<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>663.31</u>	<u>645.11</u>	<u>648.91</u>	<u>389.9</u>	<u>305.1</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>	<u>73.6</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.31</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>278</u>					<u>73.59</u>	
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.61</u>	<u>656.61</u>	<u>663.31</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.6</u>	
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>					<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.61</u>	<u>656.61</u>	<u>287.5</u>	<u>648.22</u>	<u>285.9</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.11</u>	<u>645.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>			<u>75.69</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>663.31</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>			<u>73.59</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>660.41</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>		
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>		

2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.4</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>659.41</u>	<u>664.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>75.69</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>	<u>305.1</u>								<u>73.6</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>656.61</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>								<u>75.69</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.11</u>	<u>645.11</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>	<u>278.01</u>	<u>305.1</u>						<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>										<u>75.69</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.31</u>	<u>642.31</u>	<u>666.02</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.21</u>	<u>661.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V07.2</u>	<u>V02.51</u>	<u>V27.0</u>							<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.09</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>										<u>75.69</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>648.91</u>	<u>305.1</u>	<u>V25.2</u>									<u>75.69</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>648.01</u>	<u>250.91</u>	<u>V23.7</u>	<u>648.21</u>	<u>659.41</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>648.21</u>	<u>285.9</u>	<u>660.41</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>						<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>										<u>75.69</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>								<u>75.69</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>664.11</u>	<u>V27.0</u>	<u>V04.3</u>	<u>V25.2</u>								<u>75.69</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V23.7</u>							<u>73.09</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>659.61</u>	<u>648.91</u>	<u>553.1</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V04.3</u>						<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V02.51</u>	<u>V27.0</u>								<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>648.91</u>	<u>659.71</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>							<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>648.91</u>	<u>278</u>	<u>V04.3</u>	<u>V27.0</u>								<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>646.21</u>	<u>646.21</u>	<u>V27.0</u>	<u>V23.7</u>	<u>V25.2</u>									<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>										<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>											<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2001Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>659.41</u>	<u>671.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>644.21</u>	<u>644.21</u>	<u>611.72</u>	<u>652.61</u>	<u>659.41</u>	<u>654.21</u>	<u>V15.81</u>	<u>V27.5</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.31</u>	<u>652.31</u>	<u>648.21</u>	<u>285.1</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>								<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>666.32</u>	<u>287.5</u>	<u>648.91</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>					<u>74.1</u>

2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>566</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>663.31</u>	<u>305.1</u>				<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.41</u>	<u>656.41</u>	<u>648.01</u>	<u>250.01</u>	<u>656.61</u>	<u>657.01</u>	<u>V25.2</u>	<u>V27.1</u>				<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>654.01</u>	<u>752.3</u>	<u>752.19</u>	<u>752</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>641.01</u>	<u>648.01</u>	<u>250.01</u>	<u>674.12</u>	<u>648.22</u>	<u>285.1</u>	<u>614.6</u>	<u>644.21</u>		<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>657.01</u>	<u>657.01</u>	<u>654.21</u>	<u>659.61</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>				<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>568</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.2</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>653.41</u>	<u>659.61</u>	<u>648.91</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.01</u>	<u>652.01</u>	<u>656.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>658.01</u>	<u>658.01</u>	<u>663.11</u>	<u>656.51</u>	<u>654.21</u>	<u>654.41</u>	<u>659.71</u>	<u>614.6</u>	<u>278</u>	<u>309.9</u>		<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>659.41</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>296.7</u>					<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>646.81</u>	<u>784</u>						<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.11</u>	<u>656.11</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>614.6</u>	<u>620.8</u>			<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.31</u>	<u>652.31</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.81</u>	<u>652.81</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>695.9</u>	<u>719.45</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>653.41</u>	<u>653.41</u>	<u>661.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>658.01</u>	<u>658.01</u>	<u>592.9</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.61</u>	<u>656.61</u>	<u>659.61</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>666.12</u>	<u>659.11</u>	<u>656.61</u>	<u>645.11</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>568</u>		<u>74.1</u>

2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>V23.7</u>	<u>648.81</u>	<u>648.91</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>	<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>658.01</u>	<u>658.01</u>	<u>672.02</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.41</u>	<u>660.41</u>	<u>666.22</u>	<u>663.31</u>	<u>V02.51</u>	<u>V27.0</u>			<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.11</u>	<u>661.11</u>	<u>V23.7</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>663.31</u>	<u>V25.2</u>				<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>					<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>669.51</u>	<u>669.51</u>	<u>V27.0</u>	<u>V25.2</u>					<u>72.71</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>660.41</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>			<u>73.6</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>663.11</u>	<u>V27.0</u>					<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.6</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.61</u>	<u>656.61</u>	<u>664.11</u>	<u>648.91</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>		<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>663.31</u>	<u>646.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>648.81</u>	<u>477.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>576.8</u>				<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>278.01</u>	<u>663.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>		<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.31</u>	<u>642.31</u>	<u>661.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>			<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>671.12</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>648.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>644.21</u>	<u>644.21</u>	<u>641.81</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.11</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V23.7</u>	<u>648.81</u>	<u>659.41</u>	<u>663.31</u>	<u>659.61</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>75.69</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>618</u>	<u>618</u>	<u>625.6</u>	<u>568</u>	<u>617.3</u>	<u>V25.2</u>			<u>59.79</u>		

2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>								<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.01</u>	<u>661.01</u>	<u>655.71</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>646.81</u>	<u>646.81</u>	<u>54.1</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>							<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>658.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>653.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>674.32</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>							<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>785</u>	<u>278.01</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>648.81</u>	<u>648.11</u>	<u>244.9</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>653.41</u>	<u>653.41</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.71</u>	<u>659.71</u>	<u>656.61</u>	<u>648.91</u>	<u>305.1</u>	<u>278</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.81</u>	<u>652.81</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>							<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>648.91</u>	<u>218.9</u>	<u>V02.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.51</u>	<u>642.51</u>	<u>659.61</u>	<u>648.81</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>648.81</u>	<u>644.21</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.81</u>	<u>652.81</u>	<u>648.91</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>						<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>568</u>							<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>651.01</u>	<u>V25.2</u>	<u>V27.2</u>								<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.01</u>	<u>661.01</u>	<u>654.21</u>	<u>653.41</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.01</u>	<u>661.01</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.01</u>	<u>648.01</u>	<u>250.01</u>	<u>646.61</u>	<u>599</u>	<u>648.22</u>	<u>276.1</u>	<u>644.21</u>	<u>658.41</u>	<u>648.41</u>			<u>73.59</u>

2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>305.1</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>				<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.51</u>	<u>642.51</u>	<u>656.51</u>	<u>652.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>				<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.01</u>	<u>661.01</u>	<u>648.91</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>220</u>				<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>824.8</u>		<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V01.7</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>657.01</u>	<u>657.01</u>	<u>654.21</u>	<u>659.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.61</u>	<u>656.61</u>	<u>648.91</u>	<u>305.1</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V02.51</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>647.61</u>	<u>644.21</u>	<u>V08</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>296.89</u>			<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.01</u>	<u>661.01</u>	<u>652.41</u>	<u>V02.51</u>	<u>659.61</u>	<u>648.81</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>						<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>659.51</u>	<u>659.71</u>	<u>671.01</u>	<u>278</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V04.3</u>		<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.01</u>	<u>660.01</u>	<u>652.21</u>	<u>V25.2</u>	<u>676.21</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.21</u>	<u>642.21</u>	<u>401.9</u>	<u>648.11</u>	<u>244.9</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>					<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.71</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.41</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>						<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>648.81</u>	<u>664.11</u>	<u>648.91</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V23.7</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>75.69</u>

2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.41</u>	<u>660.41</u>	<u>V23.7</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.6</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.31</u>	<u>660.31</u>	<u>662.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>72.1</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>648.91</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.11</u>	<u>645.11</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.6</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.41</u>	<u>642.41</u>	<u>661.31</u>	<u>648.91</u>	<u>305.1</u>	<u>659.71</u>	<u>V15.81</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>620.8</u>							<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>								<u>75.69</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.11</u>	<u>645.11</u>	<u>V23.7</u>	<u>663.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V23.7</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>	<u>278</u>	<u>305.1</u>					<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>656.11</u>	<u>648.91</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>			<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>998.2</u>	<u>280</u>	<u>V27.0</u>	<u>V25.2</u>	<u>784</u>					<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>659.61</u>	<u>305.1</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>				<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>663.31</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.6</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>						<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>641.21</u>	<u>285.9</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>648.81</u>	<u>285.9</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>								<u>75.69</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>278</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>648.91</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>75.69</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>671.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>						<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>663.31</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>						<u>73.59</u>
2002Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>644.21</u>	<u>644.21</u>	<u>659.61</u>	<u>658.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>

2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>648.21</u>	<u>285.9</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>669.51</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>72.79</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.81</u>	<u>656.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>669.51</u>	<u>V27.0</u>	<u>V25.2</u>			<u>72.71</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>645.11</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>663.31</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.81</u>	<u>659.81</u>	<u>648.91</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>658.11</u>	<u>658.11</u>	<u>648.21</u>	<u>V23.7</u>	<u>654.21</u>	<u>663.31</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>73.59</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>648.91</u>	<u>493.9</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>	<u>285.9</u>			<u>75.69</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>651.01</u>	<u>651.01</u>	<u>648.21</u>	<u>648.81</u>	<u>285.9</u>	<u>664.11</u>	<u>646.11</u>	<u>V27.2</u>	<u>V25.2</u>	<u>75.69</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>661.31</u>				<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.41</u>	<u>642.41</u>	<u>659.61</u>	<u>648.91</u>	<u>664.11</u>	<u>V25.2</u>	<u>305.1</u>	<u>V02.51</u>	<u>V27.0</u>	<u>75.69</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>669.51</u>	<u>669.51</u>	<u>663.31</u>	<u>648.91</u>	<u>620.2</u>	<u>V25.2</u>	<u>V27.0</u>		<u>72.79</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>648.21</u>	<u>664.01</u>	<u>285.9</u>	<u>244.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>75.69</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>660.41</u>	<u>660.41</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V25.2</u>	<u>V02.51</u>	<u>V27.0</u>				<u>73.6</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.11</u>	<u>645.11</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>664.11</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>		<u>75.69</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>651.01</u>	<u>651.01</u>	<u>V27.2</u>	<u>305.1</u>	<u>V25.2</u>				<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>V23.7</u>	<u>659.41</u>	<u>663.21</u>	<u>V25.2</u>	<u>V27.0</u>		<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>278</u>		<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.71</u>	<u>659.71</u>	<u>648.21</u>	<u>659.61</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>73.59</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>				<u>75.69</u>	
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>644.21</u>	<u>644.21</u>	<u>648.81</u>	<u>659.41</u>	<u>659.61</u>	<u>648.91</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>	<u>73.59</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>	

2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>648.91</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>						<u>75.69</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>75.69</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>V23.7</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>664.01</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>								<u>75.69</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>659.61</u>	<u>620.8</u>	<u>V27.0</u>	<u>664.11</u>	<u>V25.2</u>							<u>75.69</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.21</u>	<u>661.21</u>	<u>648.21</u>	<u>659.61</u>	<u>659.41</u>	<u>285.9</u>	<u>664.01</u>	<u>671.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>664.41</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>663.11</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>							<u>73.59</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>656.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>663.31</u>								<u>73.59</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V23.7</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>							<u>73.59</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>V24.0</u>	<u>V24.0</u>	<u>V25.2</u>											<u>89.26</u>
2002Q4	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	M	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>218.1</u>	<u>218.1</u>	<u>280</u>	<u>218.2</u>	<u>617.3</u>									<u>68.4</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.71</u>	<u>659.71</u>	<u>V23.7</u>	<u>661.11</u>	<u>648.91</u>	<u>278.01</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>				<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.11</u>	<u>645.11</u>	<u>V23.7</u>	<u>648.91</u>	<u>661.01</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.21</u>	<u>665.11</u>	<u>652.31</u>	<u>54.12</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>560.1</u>	<u>653.41</u>	<u>669.42</u>	<u>285.9</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>656.61</u>	<u>665.71</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>641.01</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>70.51</u>	<u>305.1</u>	<u>647.61</u>	<u>648.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>654.91</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>	<u>280.9</u>						<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>654.91</u>	<u>648.91</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>				<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.31</u>	<u>642.31</u>	<u>518</u>	<u>659.71</u>	<u>661.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>652.21</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>								<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>659.61</u>	<u>648.81</u>	<u>V23.5</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250</u>	<u>493.9</u>	<u>648.91</u>	<u>646.81</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>647.61</u>	<u>647.61</u>	<u>V23.7</u>	<u>305.9</u>	<u>295.6</u>	<u>V08</u>	<u>648.41</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>

2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>V23.7</u>	<u>648.21</u>	<u>285.9</u>	<u>664.01</u>	<u>663.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.41</u>	<u>648.41</u>	<u>295.7</u>	<u>648.91</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>		<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.31</u>	<u>661.31</u>	<u>648.91</u>	<u>278</u>	<u>663.31</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>		<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>661.01</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>648.91</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>			<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V23.7</u>	<u>664.01</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.6</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>671.01</u>	<u>671.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>648.91</u>	<u>278</u>	<u>V04.3</u>	<u>V02.51</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>642.91</u>	<u>664.01</u>	<u>648.91</u>	<u>659.61</u>	<u>278.01</u>	<u>656.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>75.69</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>669.51</u>	<u>669.51</u>	<u>648.41</u>	<u>305.1</u>	<u>648.91</u>	<u>493.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>72.79</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.11</u>	<u>661.11</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>648.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>285.9</u>		<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.11</u>	<u>656.11</u>	<u>V23.7</u>	<u>V27.0</u>	<u>305.1</u>	<u>V25.2</u>				<u>99.11</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.01</u>	<u>661.01</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.6</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>659.61</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>			<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>648.91</u>	<u>305.1</u>	<u>663.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>664.01</u>		<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>				<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>646.11</u>	<u>646.11</u>	<u>660.41</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>648.91</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>			<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>305.1</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>					<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.21</u>	<u>663.21</u>	<u>648.91</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>669.51</u>	<u>669.51</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>72.71</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.61</u>				<u>73.09</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>	
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>75.69</u>	

2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>663.31</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.21</u>	<u>663.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.11</u>	<u>645.11</u>	<u>648.22</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V15.82</u>					<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>648.81</u>	<u>654.11</u>	<u>218.9</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.22</u>	<u>648.22</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>648.91</u>	<u>655.81</u>	<u>671.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>			<u>75.69</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.41</u>	<u>648.41</u>	<u>311</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>664.01</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>75.69</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V23.7</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V15.82</u>				<u>75.69</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>664.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>75.69</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>V23.7</u>	<u>663.31</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V04.3</u>				<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2003Q1	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>642.41</u>	<u>665.31</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>618.1</u>	<u>618.1</u>	<u>618.6</u>	<u>620.2</u>	<u>625.9</u>							<u>68.4</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>659.61</u>	<u>285.9</u>	<u>V25.2</u>					<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>282.5</u>	<u>V25.2</u>	<u>V27.0</u>	<u>278</u>	<u>648.11</u>	<u>244.9</u>			<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>658.01</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.61</u>	<u>652.61</u>	<u>V23.7</u>	<u>V27.2</u>	<u>654.21</u>	<u>V25.2</u>						<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>242</u>	<u>648.11</u>	<u>648.91</u>	<u>656.11</u>	<u>646.11</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>280</u>	<u>V27.0</u>	<u>652.31</u>	<u>V25.2</u>						<u>74</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.41</u>	<u>654.41</u>	<u>286.3</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>663.31</u>					<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>642.52</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>782.4</u>					<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>642.51</u>	<u>648.01</u>	<u>V23.7</u>	<u>659.01</u>	<u>250</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>		<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>648.21</u>	<u>V23.7</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>V23.7</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>278.01</u>					<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.01</u>	<u>661.01</u>	<u>648.21</u>	<u>663.11</u>	<u>285.9</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>651.01</u>	<u>651.01</u>	<u>V23.7</u>	<u>V27.2</u>	<u>654.21</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>305.1</u>			<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>	<u>278</u>	<u>300</u>					<u>74.1</u>
2003Q2	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>

2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>278</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.11</u>	<u>645.11</u>	<u>664.31</u>	<u>656.11</u>	<u>654.61</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>	<u>73.6</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>666.22</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>656.11</u>	<u>656.11</u>	<u>663.11</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>		<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.6</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.1</u>				<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>644.21</u>	<u>644.21</u>	<u>648.61</u>	<u>655.81</u>	<u>664.01</u>	<u>785.2</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>73.59</u>
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.31</u>	<u>661.31</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>			<u>75.69</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.41</u>	<u>642.41</u>	<u>V27.0</u>	<u>666.12</u>	<u>665.31</u>	<u>V25.2</u>			<u>73.6</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>646.81</u>	<u>646.81</u>	<u>V27.2</u>	<u>V25.2</u>					<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.71</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>					<u>72.79</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>648.81</u>	<u>656.11</u>			<u>75.69</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>296.7</u>	<u>493.9</u>		<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.11</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.11</u>	<u>645.11</u>	<u>V23.7</u>	<u>648.91</u>	<u>305.1</u>	<u>V23.49</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>	<u>73.59</u>
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>228.01</u>				<u>75.69</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>659.41</u>	<u>671.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>663.31</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>		<u>75.69</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>				<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>659.61</u>	<u>654.21</u>	<u>456.6</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.41</u>	<u>659.41</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>645.11</u>	<u>645.11</u>	<u>648.21</u>	<u>V27.0</u>	<u>285.9</u>	<u>648.91</u>	<u>795.5</u>	<u>V25.2</u>	<u>73.09</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.41</u>	<u>661.41</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>	
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V18.0</u>					<u>75.69</u>	

2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>651.01</u>	<u>651.01</u>	<u>642.41</u>	<u>V23.7</u>	<u>663.31</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.2</u>	<u>73.01</u>		
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>V23.7</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>		
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>		
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>648.81</u>	<u>646.11</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>		<u>96.49</u>		
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.91</u>	<u>648.91</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>			<u>73.59</u>		
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>		
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.11</u>	<u>664.11</u>	<u>V23.7</u>	<u>648.22</u>	<u>660.41</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>285.9</u>	<u>671.02</u>	<u>75.69</u>
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>644.21</u>	<u>644.21</u>	<u>667.12</u>	<u>V23.7</u>	<u>648.21</u>	<u>285.9</u>	<u>654.21</u>	<u>648.91</u>	<u>795.5</u>	<u>V25.2</u>	<u>75.4</u>
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>642.91</u>	<u>642.91</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>						<u>73.6</u>
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>661.31</u>	<u>661.31</u>	<u>664.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>75.69</u>
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.6</u>
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.01</u>	<u>664.01</u>	<u>V23.7</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>75.69</u>
2003Q3	286000	Mother Frances Hospital	Holy Family	Tyler	Tyler	F	<u>664.84</u>	<u>664.84</u>	<u>V23.7</u>	<u>V25.2</u>							<u>75.69</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>614.1</u>	<u>614.1</u>	<u>614.6</u>	<u>618</u>	<u>564.1</u>						<u>65.89</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>661.21</u>	<u>661.21</u>	<u>560.1</u>	<u>663.31</u>	<u>646.11</u>	<u>278.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V23.7</u>	<u>285.9</u>	<u>278</u>	<u>V12.59</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.21</u>	<u>285.9</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.1</u>	<u>V27.0</u>	<u>666.12</u>	<u>V25.2</u>				<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>644.21</u>	<u>644.21</u>	<u>648.21</u>	<u>285.9</u>	<u>652.61</u>	<u>V25.2</u>	<u>V27.2</u>				<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V27.0</u>	<u>647.61</u>	<u>54.1</u>	<u>V25.2</u>	<u>V15.81</u>	<u>305.1</u>		<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>276.5</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>614.6</u>	<u>278</u>	<u>674.82</u>		<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>V27.0</u>	<u>V25.2</u>	<u>644.21</u>				<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>281.9</u>	<u>674.32</u>	<u>621.8</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>642.71</u>	<u>642.71</u>	<u>648.01</u>	<u>674.32</u>	<u>654.21</u>	<u>V27.0</u>	<u>659.61</u>	<u>401.9</u>	<u>250</u>	<u>V25.2</u>	<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>659.71</u>	<u>659.71</u>	<u>V23.7</u>	<u>V27.0</u>	<u>659.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>278.01</u>	<u>V25.2</u>		<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>998.2</u>	<u>669.41</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q4	286000	TRINITY MOTHER FRANCES HS	Holy Family	Tyler	Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>654.11</u>	<u>648.91</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>

2002Q1	299000	CHRISTUS St Mary Hospital	Christus	Port Arthu Beaumont	F	<u>617.9</u>	<u>617</u>	<u>614.6</u>	<u>752.11</u>								<u>66.01</u>
2002Q4	299001	CHRISTUS St Mary Hospital	Christus	Port Arthu Beaumont	F	<u>633.1</u>	<u>633.9</u>										<u>66.01</u>
2003Q3	299001	CHRISTUS St Mary Hospital	Christus	Port Arthu Beaumont	F	<u>789</u>	<u>614</u>	<u>707</u>	<u>620.5</u>	<u>614.1</u>	<u>758.3</u>	<u>288.8</u>	<u>737.3</u>	<u>319</u>			<u>66.51</u>
2003Q4	299001	CHRISTUS ST. MARY HOSP	Christus	Port Arthu Beaumont	F	<u>623.8</u>	<u>633.1</u>										<u>66.01</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>622.1</u>	<u>622.1</u>	<u>997.4</u>	<u>560.1</u>	<u>997.3</u>	<u>518</u>	<u>998.3</u>	<u>574.2</u>				<u>68.4</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>642.01</u>	<u>642.01</u>	<u>401.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V28.6</u>						<u>66.22</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>669.51</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>574.1</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.22</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.22</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.22</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>669.51</u>	<u>669.51</u>	<u>664.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.32</u>
2000Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>665.51</u>	<u>665.51</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.22</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>647.81</u>	<u>647.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>41.02</u>							<u>73.59</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>652.51</u>	<u>652.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>664.21</u>							<u>66.32</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>655.71</u>	<u>655.71</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>658.11</u>	<u>658.11</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.22</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>659.81</u>	<u>659.81</u>	<u>647.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>41.02</u>						<u>66.39</u>
2000Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.22</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>661.41</u>	<u>661.41</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland Lubbock	F	<u>660.01</u>	<u>660.01</u>	<u>652.81</u>	<u>651.01</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.2</u>					<u>74.1</u>

2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>661.31</u>	<u>664.11</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>647.81</u>	<u>647.81</u>	<u>V27.0</u>	<u>41.02</u>	<u>V25.2</u>						<u>66.32</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>661.31</u>	<u>659.71</u>	<u>658.91</u>	<u>553.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>553.1</u>						<u>66.32</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.22</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.22</u>
2000Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>661.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.91</u>	<u>41.02</u>	<u>V25.2</u>	<u>V22.1</u>				<u>74.1</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>652.21</u>	<u>646.81</u>	<u>644.21</u>	<u>575.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>577.1</u>			<u>74.1</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>648.81</u>	<u>652.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.22</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>655.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>780.6</u>	<u>465.9</u>					<u>66.22</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>655.71</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>661.31</u>	<u>661.31</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.22</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>646.81</u>	<u>574.1</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.22</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V22.1</u>						<u>66.22</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>648.21</u>	<u>648.21</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.22</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V22.1</u>						<u>66.32</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>665.31</u>	<u>665.31</u>	<u>665.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.22</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.22</u>
2000Q4	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>575.11</u>	<u>575.11</u>	<u>V25.2</u>								<u>51.23</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>599</u>	<u>652.31</u>	<u>647.81</u>	<u>41.85</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>233.1</u>						<u>74.1</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>642.31</u>	<u>652.51</u>	<u>661.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>652.61</u>	<u>V25.2</u>	<u>651.01</u>	<u>V27.2</u>	<u>305.1</u>				<u>74.1</u>

2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>652.81</u>	<u>652.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>574.1</u>	<u>646.81</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.22</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.22</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>661.31</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.29</u>
2001Q1	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>664.21</u>	<u>664.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V22.1</u>					<u>66.32</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>642.41</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>658.11</u>					<u>74.1</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>642.41</u>	<u>648.81</u>	<u>647.81</u>	<u>653.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>41.02</u>		<u>74.1</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>652.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>642.51</u>	<u>652.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>				<u>74.1</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>658.11</u>	<u>644.21</u>	<u>664.11</u>	<u>647.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>41.02</u>		<u>66.32</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>660.91</u>	<u>574.1</u>	<u>669.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>553.1</u>			<u>66.22</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.39</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2001Q2	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2001Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>660.11</u>	<u>653.41</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>660.01</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2001Q3	307000	Covenant Hospital Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>

2002Q2	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>574.2</u>	<u>574.2</u>	<u>998.2</u>	<u>998.11</u>	<u>285.1</u>	<u>V25.2</u>	<u>V64.4</u>	<u>39.31</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>780.39</u>	<u>V27.0</u>				<u>74.1</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>			<u>74.1</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>660.01</u>	<u>652.81</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>663.11</u>	<u>648.81</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>795.79</u>	<u>73.59</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>661.31</u>	<u>648.41</u>	<u>305.1</u>	<u>663.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>73.59</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>661.31</u>	<u>663.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V25.2</u>	<u>349</u>	<u>V27.0</u>			<u>73.59</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>659.61</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>	
2002Q3	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2002Q4	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>659.11</u>	<u>642.41</u>	<u>666.12</u>	<u>659.61</u>	<u>658.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2002Q4	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>661.11</u>	<u>V25.2</u>	<u>663.31</u>	<u>V27.0</u>	<u>646.81</u>	<u>617.1</u>	<u>617</u>	<u>74.1</u>
2002Q4	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q4	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>645.11</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q4	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>660.01</u>	<u>666.12</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q4	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>641.01</u>	<u>658.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q4	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>642.31</u>	<u>648.41</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q4	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2002Q4	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2002Q4	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>V23.7</u>	<u>663.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>		<u>73.59</u>
2002Q4	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>646.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2003Q1	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>652.21</u>	<u>V23.7</u>	<u>648.92</u>	<u>346.9</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>
2003Q1	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>660.01</u>	<u>648.21</u>	<u>652.31</u>	<u>642.31</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2003Q1	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q1	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q1	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q1	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2003Q1	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>648.91</u>	<u>493.9</u>	<u>655.71</u>	<u>664.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>73.59</u>
2003Q1	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V25.2</u>	<u>652.81</u>	<u>663.31</u>	<u>V27.0</u>					<u>72.79</u>
2003Q1	307000	Covenant Hospital-Levelland	St. Joseph	Levelland	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>

2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>641.13</u>	<u>641.11</u>	<u>648.21</u>	<u>285.1</u>	<u>644.21</u>	<u>V25.2</u>	<u>380.1</u>	<u>V27.0</u>			<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin		<u>644.03</u>	<u>644.21</u>	<u>V23.7</u>	<u>648.22</u>	<u>998.13</u>	<u>305.6</u>	<u>674.12</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.03</u>	<u>644.21</u>	<u>642.51</u>	<u>656.51</u>	<u>655.81</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.71</u>	<u>648.22</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>647.61</u>	<u>54.1</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>652.21</u>	<u>654.21</u>	<u>654.01</u>	<u>648.22</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>647.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>518</u>						<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>652.81</u>	<u>652.81</u>	<u>654.21</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>568</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>663.31</u>	<u>553.21</u>	<u>550.93</u>				<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>568</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>641.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.81</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>648.81</u>	<u>V27.0</u>						<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>663.31</u>						<u>74.1</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>664.11</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>75.69</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>648.13</u>	<u>648.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>665.51</u>	<u>665.51</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.01</u>	<u>V25.2</u>	<u>660.41</u>	<u>V27.0</u>						<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>642.03</u>	<u>642.01</u>	<u>647.81</u>	<u>V27.0</u>	<u>659.61</u>	<u>V25.2</u>					<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>645.03</u>	<u>645.01</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.31</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>666.12</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.22</u>	<u>280</u>					<u>66.39</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>642.41</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.7</u>					<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.39</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>V23.7</u>	<u>V25.2</u>						<u>73.59</u>

2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>643.11</u>	<u>276.8</u>	<u>661.31</u>	<u>V25.2</u>						<u>38.93</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.03</u>	<u>644.21</u>	<u>641.11</u>	<u>651.31</u>	<u>654.21</u>	<u>656.11</u>	<u>656.81</u>	<u>V27.0</u>	<u>667.12</u>	<u>V25.2</u>			<u>66.39</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.39</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>655.71</u>	<u>655.71</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>644.21</u>	<u>V27.0</u>	<u>652.21</u>	<u>V25.2</u>	<u>648.11</u>	<u>242.9</u>	<u>648.21</u>	<u>285.9</u>				<u>73.6</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>642.71</u>	<u>642.71</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>648.83</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>V23.4</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.4</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>665.51</u>	<u>V27.0</u>	<u>V23.7</u>	<u>V25.2</u>						<u>75.69</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>648.11</u>	<u>648.11</u>	<u>664.01</u>	<u>647.81</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>651.01</u>	<u>652.21</u>	<u>V27.2</u>	<u>V25.2</u>								<u>72.51</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>644.21</u>	<u>V27.0</u>	<u>665.51</u>	<u>V25.2</u>	<u>661.31</u>							<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>642.43</u>	<u>642.41</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.22</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>642.43</u>	<u>642.41</u>	<u>648.22</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>664.11</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.39</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V23.82</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>633.8</u>	<u>633.8</u>	<u>568.81</u>	<u>285.9</u>	<u>305.1</u>	<u>V25.2</u>							<u>69.09</u>
2000Q2	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>789</u>	<u>634.92</u>	<u>614.2</u>	<u>614.6</u>	<u>616</u>	<u>285.9</u>	<u>311</u>	<u>305.1</u>					<u>69.02</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.21</u>	<u>652.81</u>	<u>V25.2</u>	<u>564</u>	<u>V27.0</u>						<u>74.1</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>V22.2</u>	<u>642.41</u>	<u>V27.0</u>	<u>648.21</u>	<u>646.61</u>	<u>654.21</u>	<u>V25.2</u>	<u>672.02</u>					<u>74.1</u>

2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>648.21</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>664.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.71</u>	<u>664.01</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>648.51</u>	<u>648.51</u>	<u>746.2</u>	<u>669.51</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>660.41</u>	<u>663.11</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.6</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>										<u>75.69</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>659.61</u>	<u>642.91</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>										<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>647.81</u>	<u>41.02</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>648.93</u>	<u>648.91</u>	<u>648.22</u>	<u>648.11</u>	<u>574.2</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>285.9</u>					<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin		<u>648.81</u>	<u>648.81</u>	<u>647.61</u>	<u>042</u>	<u>V27.0</u>	<u>648.22</u>	<u>646.61</u>	<u>V25.2</u>	<u>41.02</u>					<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>										<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>										<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>										<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>661.31</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.31</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>796.3</u>									<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>642.41</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.39</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.81</u>	<u>665.51</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.6</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>656.61</u>									<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.61</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>665.41</u>	<u>665.41</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2000Q3	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>661.31</u>	<u>655.81</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>658.13</u>	<u>658.21</u>	<u>644.21</u>	<u>646.61</u>	<u>599</u>	<u>654.21</u>	<u>659.71</u>	<u>647.81</u>	<u>41.02</u>	<u>V25.2</u>				<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin		<u>644.13</u>	<u>659.71</u>	<u>673.21</u>	<u>659.61</u>	<u>645.11</u>	<u>641.21</u>	<u>648.91</u>	<u>620.8</u>	<u>648.41</u>	<u>305.2</u>				<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>648.81</u>	<u>250.02</u>	<u>V23.7</u>	<u>659.61</u>	<u>654.21</u>	<u>V15.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>

2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>660.01</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>642.51</u>	<u>648.81</u>					<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>641.13</u>	<u>641.11</u>	<u>648.22</u>	<u>V27.0</u>	<u>666.12</u>	<u>654.21</u>	<u>644.21</u>	<u>652.31</u>	<u>V25.2</u>			<u>74</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>642.71</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.31</u>	<u>646.62</u>	<u>V27.0</u>	<u>659.61</u>	<u>661.11</u>	<u>652.81</u>	<u>V25.2</u>				<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>651.03</u>	<u>651.01</u>	<u>654.21</u>	<u>648.01</u>	<u>282.5</u>	<u>642.31</u>	<u>V27.2</u>	<u>V25.2</u>				<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>660.01</u>	<u>652.21</u>	<u>665.11</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>	<u>659.41</u>				<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>648.22</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>41.4</u>						<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>642.53</u>	<u>659.71</u>	<u>642.51</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>658.03</u>	<u>658.01</u>	<u>642.01</u>	<u>644.21</u>	<u>659.71</u>	<u>661.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>648.11</u>	<u>648.11</u>	<u>648.81</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.81</u>	<u>250</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>659.71</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin		<u>644.13</u>	<u>654.21</u>	<u>645.11</u>	<u>648.41</u>	<u>305.2</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>645.11</u>	<u>V25.2</u>							<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>648.01</u>	<u>648.01</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>661.21</u>	<u>661.21</u>	<u>658.41</u>	<u>648.91</u>	<u>782</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>642.41</u>	<u>642.41</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.81</u>	<u>652.21</u>	<u>568</u>	<u>465.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>									<u>74.1</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>664.11</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>						<u>72.79</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin		<u>644.13</u>	<u>645.11</u>	<u>642.42</u>	<u>305.6</u>	<u>V27.0</u>	<u>V25.2</u>	<u>305.1</u>	<u>648.41</u>				<u>73.59</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>V27.0</u>	<u>V23.7</u>	<u>V25.2</u>							<u>73.59</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>655.73</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q4	335000	Daughters of Charity-Brackenridge	Ascension	Austin	Austin	F	<u>428</u>	<u>648.61</u>	<u>428</u>	<u>424.1</u>	<u>648.21</u>	<u>664.01</u>	<u>644.21</u>	<u>666.12</u>	<u>648.92</u>	<u>276.8</u>		<u>75.69</u>

2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>645.11</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.7</u>	<u>664.41</u>					<u>75.69</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>667.12</u>	<u>646.61</u>	<u>614.1</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>553.1</u>							<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.83</u>	<u>648.81</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>645.21</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>654.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.61</u>	<u>V23.7</u>						<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>								<u>75.69</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>645.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>75.69</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.39</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.33</u>	<u>642.41</u>	<u>648.81</u>	<u>659.61</u>	<u>654.21</u>	<u>V27.0</u>	<u>660.41</u>	<u>V25.2</u>				<u>66.39</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.83</u>	<u>648.81</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>648.11</u>	<u>656.81</u>	<u>665.51</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>661.31</u>	<u>V25.2</u>							<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>659.71</u>	<u>655.71</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>664.01</u>	<u>664.01</u>	<u>V61.5</u>	<u>V25.2</u>	<u>V27.0</u>							<u>75.69</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.83</u>	<u>648.81</u>	<u>659.61</u>	<u>663.31</u>	<u>V27.0</u>	<u>278</u>	<u>655.11</u>	<u>664.11</u>	<u>V25.2</u>			<u>75.69</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>658.13</u>	<u>658.11</u>	<u>644.21</u>	<u>V27.0</u>	<u>648.81</u>							<u>66.39</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.03</u>	<u>644.21</u>	<u>663.31</u>	<u>659.41</u>	<u>V27.0</u>							<u>73.59</u>
2001Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>656.4</u>	<u>637.22</u>	<u>637.12</u>	<u>637.42</u>	<u>637.72</u>	<u>656.43</u>						<u>69.51</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V25.2</u>	<u>V25.2</u>	<u>998.12</u>	<u>620</u>								<u>66.32</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>648.22</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.21</u>	<u>648.21</u>	<u>287.5</u>	<u>642.51</u>	<u>518</u>	<u>799</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>

2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.33</u>	<u>652.21</u>	<u>642.71</u>	<u>644.21</u>	<u>656.51</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>651.01</u>	<u>651.01</u>	<u>648.21</u>	<u>652.21</u>	<u>V27.2</u>	<u>V25.2</u>			<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.71</u>	<u>642.71</u>	<u>648.01</u>	<u>250.01</u>	<u>648.91</u>	<u>593.9</u>	<u>648.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>660.01</u>	<u>652.31</u>	<u>642.51</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.81</u>	<u>V25.2</u>	<u>74</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>641.23</u>	<u>641.21</u>	<u>642.52</u>	<u>644.21</u>	<u>656.81</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>651.03</u>	<u>651.01</u>	<u>655.81</u>	<u>656.11</u>	<u>648.22</u>	<u>V27.2</u>	<u>V25.2</u>		<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>669.71</u>	<u>648.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>654.41</u>		<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>669.71</u>	<u>V27.0</u>	<u>648.21</u>	<u>654.21</u>	<u>282.5</u>	<u>648.91</u>	<u>V25.2</u>	<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>656.31</u>	<u>V23.7</u>	<u>V27.0</u>	<u>659.11</u>	<u>657.01</u>	<u>V25.2</u>		<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.91</u>	<u>197.6</u>	<u>199.1</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>642.41</u>	<u>648.81</u>	<u>648.91</u>	<u>620.2</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>663.01</u>	<u>663.01</u>	<u>648.21</u>	<u>652.81</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.83</u>	<u>659.61</u>	<u>648.81</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>648.22</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>647.61</u>	<u>647.61</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>042</u>			<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>656.83</u>	<u>656.81</u>	<u>648.81</u>	<u>659.71</u>	<u>644.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>656.11</u>	<u>647.82</u>	<u>110.9</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>648.91</u>	<u>553.1</u>	<u>550.92</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.31</u>	<u>642.31</u>	<u>658.41</u>	<u>648.81</u>	<u>652.81</u>	<u>660.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>642.41</u>	<u>654.21</u>	<u>669.41</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.03</u>	<u>644.21</u>	<u>659.61</u>	<u>648.81</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>652.21</u>	<u>669.71</u>	<u>V27.0</u>	<u>656.51</u>	<u>V25.2</u>			<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>654.21</u>	<u>663.31</u>	<u>669.51</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.61</u>	<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>656.31</u>	<u>656.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.43</u>	<u>642.41</u>	<u>659.71</u>	<u>641.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>644.21</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>75.69</u>	

2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin		<u>650</u>	<u>657.01</u>	<u>656.51</u>	<u>648.42</u>	<u>305.6</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>645.11</u>	<u>665.51</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>665.41</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>660.41</u>	<u>660.41</u>	<u>666.12</u>	<u>648.22</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>669.81</u>	<u>662.21</u>	<u>664.21</u>	<u>654.21</u>	<u>V27.0</u>						<u>72</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.22</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.43</u>	<u>642.41</u>	<u>659.61</u>	<u>665.41</u>	<u>659.71</u>	<u>669.81</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.32</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>648.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>658.21</u>	<u>659.71</u>	<u>V25.2</u>				<u>73.4</u>	
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>648.11</u>	<u>244.9</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>642.31</u>	<u>642.41</u>	<u>648.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.33</u>	<u>642.41</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>663.31</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.41</u>	<u>642.41</u>	<u>664.01</u>	<u>V27.0</u>								<u>75.69</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>659.41</u>	<u>666.12</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>276.5</u>	<u>648.91</u>	<u>276.5</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>663.31</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.22</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2001Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>658.03</u>	<u>645.11</u>	<u>658.01</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>

2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>642.41</u>	<u>660.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>663.31</u>	<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>648.81</u>	<u>V27.0</u>	<u>642.32</u>	<u>V25.2</u>	<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>659.41</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.39</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>648.81</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>664.01</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>553.1</u>	<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>665.51</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>		<u>66.39</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>663.21</u>	<u>V27.0</u>	<u>664.01</u>	<u>V25.2</u>		<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin		<u>644.03</u>	<u>644.21</u>	<u>305.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>305.2</u>	<u>648.41</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>665.41</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.39</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.39</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>			<u>75.69</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.39</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>658.01</u>	<u>664.11</u>	<u>645.11</u>	<u>664.51</u>	<u>V27.0</u>	<u>V25.2</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>663.31</u>	<u>666.12</u>	<u>V25.2</u>	<u>V27.0</u>	<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>645.11</u>	<u>665.51</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>660.41</u>	<u>660.41</u>	<u>665.41</u>	<u>V27.0</u>	<u>V25.2</u>		<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.83</u>	<u>648.81</u>	<u>V27.0</u>	<u>663.31</u>	<u>V25.2</u>	<u>654.21</u>	<u>72.79</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.91</u>	<u>41.02</u>	<u>657.01</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>664.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>553.1</u>		<u>75.69</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>	<u>664.01</u>		<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>645.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>75.69</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>664.01</u>	<u>620.2</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>645.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>

2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.31</u>	<u>V27.0</u>	<u>664.11</u>	<u>V25.2</u>									<u>75.69</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>659.41</u>	<u>V27.0</u>	<u>663.31</u>	<u>V25.2</u>									<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>665.41</u>	<u>645.11</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>658.41</u>	<u>658.41</u>	<u>V27.0</u>	<u>648.01</u>	<u>V25.2</u>									<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>664.11</u>	<u>V27.0</u>	<u>656.81</u>	<u>V25.2</u>									<u>75.69</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>278</u>									<u>75.69</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.91</u>	<u>287.5</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.7</u>								<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>646.62</u>	<u>656.81</u>	<u>659.71</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.39</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.83</u>	<u>648.81</u>	<u>656.51</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>654.21</u>	<u>648.91</u>	<u>710</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.39</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>645.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>666.12</u>	<u>V27.0</u>	<u>V23.5</u>	<u>V25.2</u>								<u>66.39</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.03</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>										<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>665.41</u>	<u>665.41</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>660.41</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2001Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>644.13</u>	<u>V25.2</u>	<u>V27.0</u>										<u>75.69</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>661.11</u>	<u>647.61</u>	<u>70.54</u>	<u>659.61</u>	<u>674.32</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>651.01</u>	<u>642.51</u>	<u>648.21</u>	<u>998.89</u>	<u>285.1</u>	<u>V27.2</u>	<u>663.31</u>	<u>669.71</u>	<u>652.21</u>				<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>642.33</u>	<u>642.31</u>	<u>648.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.01</u>	<u>V25.2</u>									<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>645.11</u>	<u>V23.7</u>	<u>V25.2</u>	<u>648.41</u>	<u>296.89</u>						<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.01</u>	<u>642.41</u>	<u>654.21</u>	<u>V15.81</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>656.83</u>	<u>656.31</u>	<u>641.11</u>	<u>657.01</u>	<u>644.21</u>	<u>655.81</u>	<u>V25.2</u>	<u>787.1</u>	<u>V27.0</u>					<u>74.1</u>

2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>650</u>	<u>652.21</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>	<u>654.41</u>				<u>74</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>654.23</u>	<u>648.81</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.81</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.03</u>	<u>644.21</u>	<u>652.21</u>	<u>651.01</u>	<u>V27.2</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>654.21</u>	<u>661.01</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>642.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>642.41</u>	<u>665.51</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>645.23</u>	<u>645.21</u>	<u>656.81</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.41</u>	<u>305.1</u>	<u>V45.73</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.31</u>	<u>V27.0</u>							<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>645.13</u>	<u>665.51</u>	<u>645.11</u>	<u>658.01</u>	<u>659.71</u>	<u>656.81</u>	<u>V27.0</u>	<u>V25.2</u>		<u>75.61</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.31</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.39</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>665.41</u>	<u>665.41</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.81</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>659.61</u>	<u>V25.2</u>	<u>664.11</u>	<u>V27.0</u>				<u>66.32</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>658.21</u>	<u>V27.0</u>	<u>664.01</u>	<u>V25.2</u>					<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>651.01</u>	<u>V27.2</u>	<u>652.21</u>	<u>V25.2</u>					<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>V27.0</u>	<u>654.21</u>	<u>664.11</u>	<u>V25.2</u>				<u>75.69</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>645.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.39</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>752.11</u>				<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>659.41</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>V23.3</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2001Q4	335000	Brackenridge Hospital	Ascension	Austin	Austin	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>

2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>645.13</u>	<u>641.21</u>	<u>656.81</u>	<u>659.71</u>	<u>645.11</u>	<u>648.22</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.01</u>	<u>648.01</u>	<u>V23.7</u>	<u>645.11</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V23.7</u>	<u>645.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>642.41</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.43</u>	<u>642.41</u>	<u>646.61</u>	<u>642.01</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>642.51</u>	<u>518</u>	<u>278.01</u>	<u>V25.2</u>	<u>665.51</u>	<u>V27.0</u>		<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>661.11</u>	<u>648.01</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.61</u>	<u>V02.51</u>	<u>648.91</u>			<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>652.81</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>653.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>653.71</u>					<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>669.41</u>	<u>995</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>656.11</u>					<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>656.51</u>	<u>648.41</u>	<u>296.7</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>651.01</u>	<u>V27.2</u>	<u>V25.2</u>					<u>66.32</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.91</u>	<u>220</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>656.81</u>	<u>645.11</u>	<u>V23.5</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>652.81</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.83</u>	<u>652.31</u>	<u>648.81</u>	<u>659.61</u>	<u>648.91</u>	<u>278.01</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>652.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>

2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.81</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>664.01</u>								<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>										<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>664.01</u>	<u>648.22</u>	<u>V25.2</u>	<u>V27.0</u>	<u>285.9</u>						<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>645.11</u>	<u>664.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>660.41</u>	<u>V25.2</u>	<u>663.31</u>						<u>75.69</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.93</u>	<u>659.61</u>	<u>642.41</u>	<u>663.31</u>	<u>V27.0</u>	<u>664.11</u>	<u>V25.2</u>						<u>75.69</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>663.31</u>	<u>645.11</u>	<u>296.7</u>	<u>70.51</u>	<u>V27.0</u>	<u>648.41</u>	<u>647.61</u>	<u>V25.2</u>				<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.33</u>	<u>642.31</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>660.41</u>	<u>660.41</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.39</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>645.11</u>	<u>663.31</u>	<u>656.81</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>664.01</u>	<u>V27.0</u>	<u>663.31</u>	<u>V25.2</u>								<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>648.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>							<u>75.69</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.43</u>	<u>642.41</u>	<u>648.81</u>	<u>659.61</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>75.69</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.03</u>	<u>644.21</u>	<u>659.61</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>664.11</u>	<u>V27.0</u>	<u>669.51</u>	<u>V25.2</u>								<u>72.79</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>666.12</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>648.01</u>	<u>250</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>650</u>	<u>663.31</u>	<u>645.13</u>	<u>V27.0</u>	<u>V25.2</u>	<u>780.4</u>							<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.83</u>	<u>664.11</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.31</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>V25.2</u>	<u>664.01</u>	<u>V27.0</u>								<u>73.59</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>645.11</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2002Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>665.41</u>	<u>665.41</u>	<u>648.11</u>	<u>703</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>

2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>664.11</u>	<u>654.21</u>	<u>646.62</u>	<u>614.1</u>	<u>V27.0</u>	<u>V25.2</u>	<u>66.32</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.43</u>	<u>642.41</u>	<u>659.71</u>	<u>659.61</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>72.1</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>645.11</u>	<u>658.01</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.39</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.01</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.03</u>	<u>644.21</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.83</u>	<u>664.11</u>	<u>648.81</u>	<u>661.31</u>	<u>663.31</u>	<u>642.32</u>	<u>V27.0</u>	<u>V25.2</u>	<u>75.69</u>	
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>654.21</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>	<u>75.69</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>645.13</u>	<u>645.11</u>	<u>648.22</u>	<u>V25.2</u>	<u>620.8</u>	<u>666.12</u>	<u>V23.3</u>	<u>V27.0</u>	<u>73.59</u>	
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>656.61</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>75.69</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.81</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.93</u>	<u>642.91</u>	<u>659.61</u>	<u>663.11</u>	<u>648.91</u>	<u>553.1</u>	<u>V27.0</u>	<u>73.6</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>					<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>658.11</u>	<u>644.21</u>	<u>666.22</u>	<u>V27.0</u>			<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>667.04</u>	<u>667.04</u>	<u>V25.2</u>					<u>66.39</u>		
2002Q4	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>664.14</u>	<u>664.14</u>	<u>V25.2</u>					<u>75.4</u>		
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>641.13</u>	<u>641.11</u>	<u>654.21</u>	<u>644.21</u>	<u>648.22</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.03</u>	<u>642.71</u>	<u>648.01</u>	<u>V27.0</u>	<u>250</u>	<u>V25.2</u>	<u>652.21</u>	<u>74.1</u>		
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.7</u>		<u>74.1</u>		
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.21</u>	<u>998.11</u>	<u>285.1</u>	<u>645.21</u>	<u>568</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>652.81</u>	<u>642.31</u>	<u>648.91</u>	<u>599.7</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>	

2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>652.21</u>	<u>666.12</u>	<u>648.21</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>658.01</u>	<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>651.01</u>	<u>642.51</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>642.21</u>	<u>V27.2</u>	<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.03</u>	<u>652.31</u>	<u>644.21</u>	<u>646.61</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>642.51</u>	<u>648.01</u>	<u>652.21</u>	<u>V27.0</u>	<u>V15.81</u>	<u>V25.2</u>	<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin		<u>V22.1</u>	<u>647.61</u>	<u>042</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin		<u>V22.1</u>	<u>654.21</u>	<u>647.61</u>	<u>042</u>	<u>V27.0</u>				<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>651.01</u>	<u>648.01</u>	<u>642.51</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.2</u>		<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>652.33</u>	<u>652.31</u>	<u>666.12</u>	<u>648.92</u>	<u>276.5</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>642.41</u>	<u>659.61</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>654.21</u>		<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>658.03</u>	<u>663.31</u>	<u>658.01</u>	<u>656.51</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>658.01</u>	<u>654.21</u>	<u>659.71</u>	<u>656.51</u>	<u>V27.0</u>			<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>659.61</u>	<u>648.91</u>	<u>218.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>674.32</u>	<u>665.82</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>652.81</u>	<u>647.61</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.91</u>	<u>278.01</u>	<u>642.91</u>	<u>648.81</u>	<u>659.61</u>	<u>V27.0</u>	<u>74</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>						<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>						<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>568</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>666.12</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>652.21</u>	<u>659.61</u>	<u>642.31</u>	<u>659.41</u>	<u>655.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>663.31</u>	<u>658.01</u>	<u>620.8</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>658.01</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>642.91</u>	<u>648.81</u>	<u>659.61</u>	<u>648.91</u>	<u>227.3</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>663.31</u>	<u>658.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q1	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>719.41</u>		<u>66.39</u>	

2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>659.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>654.01</u>	<u>V27.0</u>	<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>645.11</u>	<u>654.21</u>	<u>661.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>642.21</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.5</u>	<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.03</u>	<u>648.01</u>	<u>648.11</u>	<u>642.01</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>665.31</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>645.11</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>645.11</u>	<u>666.12</u>	<u>V27.0</u>		<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>652.21</u>	<u>648.81</u>	<u>V27.2</u>			<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>659.61</u>	<u>654.21</u>	<u>V27.0</u>	<u>218.9</u>	<u>620.8</u>	<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>645.13</u>	<u>652.21</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>576.8</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>		<u>75.69</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>656.51</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>645.11</u>	<u>663.31</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>66.32</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>645.11</u>	<u>664.11</u>	<u>661.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.32</u>	
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.32</u>	

2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.6</u>
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>										<u>75.69</u>
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.6</u>
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>635</u>	<u>635</u>	<u>646.64</u>	<u>599</u>	<u>41.4</u>									
2003Q2	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>632</u>	<u>632</u>	<u>635.91</u>											<u>69.02</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.71</u>	<u>682.2</u>	<u>674.32</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.73</u>	<u>642.71</u>	<u>646.61</u>	<u>614.6</u>	<u>654.21</u>	<u>648.91</u>	<u>278</u>	<u>271.3</u>	<u>644.21</u>	<u>V25.2</u>				<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>648.01</u>	<u>642.41</u>	<u>646.61</u>	<u>652.81</u>	<u>646.11</u>	<u>656.61</u>	<u>553.8</u>	<u>V27.0</u>				<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.01</u>	<u>648.91</u>	<u>278.01</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin		<u>654.23</u>	<u>644.21</u>	<u>654.21</u>	<u>648.41</u>	<u>305.6</u>	<u>V27.0</u>	<u>V25.2</u>	<u>305.2</u>						<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>647.61</u>	<u>V08</u>	<u>642.51</u>	<u>644.21</u>	<u>278.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>646.61</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>651.01</u>	<u>648.01</u>	<u>V23.82</u>	<u>642.21</u>	<u>644.21</u>	<u>654.21</u>	<u>V27.2</u>	<u>V25.2</u>					<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>287.5</u>	<u>648.91</u>	<u>V27.0</u>									<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>658.13</u>	<u>644.21</u>	<u>652.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>658.11</u>	<u>658.21</u>	<u>641.21</u>	<u>642.91</u>				<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.53</u>	<u>642.51</u>	<u>642.71</u>	<u>648.01</u>	<u>250.02</u>	<u>674.32</u>	<u>648.91</u>	<u>278.01</u>	<u>780.57</u>	<u>530.81</u>				<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.03</u>	<u>654.21</u>	<u>644.21</u>	<u>646.61</u>	<u>614.6</u>	<u>648.22</u>	<u>285.9</u>	<u>648.91</u>	<u>756.13</u>	<u>V25.2</u>				<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>656.53</u>	<u>659.11</u>	<u>644.21</u>	<u>659.71</u>	<u>642.01</u>	<u>656.51</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V23.7</u>				<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.93</u>	<u>647.61</u>	<u>70.54</u>	<u>642.71</u>	<u>54.1</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>658.03</u>	<u>661.11</u>	<u>658.01</u>	<u>648.21</u>	<u>285.9</u>	<u>648.91</u>	<u>645.11</u>	<u>V02.51</u>	<u>V23.7</u>	<u>V25.2</u>				<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>646.61</u>	<u>656.51</u>	<u>614</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>					<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>646.61</u>	<u>614</u>	<u>648.22</u>	<u>285.1</u>	<u>666.12</u>	<u>642.91</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>651.03</u>	<u>651.01</u>	<u>648.21</u>	<u>642.41</u>	<u>656.51</u>	<u>652.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.2</u>	<u>V25.2</u>				<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>645.11</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>646.61</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>642.41</u>	<u>670.02</u>	<u>648.21</u>	<u>V27.0</u>								<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>784</u>	<u>654.21</u>	<u>642.51</u>	<u>644.21</u>	<u>648.91</u>	<u>784</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.43</u>	<u>652.21</u>	<u>642.51</u>	<u>648.81</u>	<u>571.8</u>	<u>V27.0</u>	<u>644.21</u>	<u>V25.2</u>						<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>651.01</u>	<u>641.11</u>	<u>V27.2</u>	<u>V25.2</u>									<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>646.61</u>	<u>644.21</u>	<u>V27.0</u>									<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.53</u>	<u>642.51</u>	<u>644.21</u>	<u>666.32</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V23.7</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>651.03</u>	<u>651.01</u>	<u>652.31</u>	<u>656.51</u>	<u>V23.7</u>	<u>644.21</u>	<u>V27.2</u>	<u>V25.2</u>						<u>74.1</u>

2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>658.01</u>	<u>646.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>646.61</u>	<u>614.6</u>	<u>659.61</u>	<u>642.31</u>	<u>647.81</u>	<u>112.3</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>658.01</u>	<u>654.21</u>	<u>655.71</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>645.11</u>	<u>V23.49</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>641.13</u>	<u>641.11</u>	<u>644.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>641.13</u>	<u>641.11</u>	<u>654.21</u>	<u>644.21</u>	<u>652.81</u>	<u>655.81</u>	<u>659.61</u>	<u>648.41</u>	<u>311</u>	<u>648.91</u>		<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.81</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>647.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V08</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>642.41</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>652.31</u>	<u>665.81</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>656.53</u>	<u>654.21</u>	<u>656.51</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.71</u>	<u>663.01</u>	<u>648.91</u>	<u>218.9</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V23.5</u>	<u>620.8</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>642.43</u>	<u>642.41</u>	<u>654.21</u>	<u>652.81</u>	<u>V27.0</u>	<u>666.12</u>	<u>V25.2</u>					<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>652.81</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>661.33</u>	<u>661.31</u>	<u>642.32</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>663.31</u>	<u>648.91</u>	<u>553.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>648.03</u>	<u>648.01</u>	<u>V27.0</u>	<u>V15.81</u>	<u>278</u>	<u>V25.2</u>						<u>73.59</u>

2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>666.12</u>	<u>645.11</u>	<u>648.31</u>	<u>642.01</u>	<u>493.9</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>659.41</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>669.81</u>	<u>665.41</u>	<u>642.41</u>	<u>660.41</u>	<u>659.61</u>	<u>666.12</u>	<u>V27.0</u>	<u>V25.2</u>	<u>72</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>					<u>75.69</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>658.13</u>	<u>658.11</u>	<u>648.41</u>	<u>658.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>666.12</u>	<u>311</u>		<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>662.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>72</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>663.31</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>663.31</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>	<u>665.51</u>	<u>664.01</u>		<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>654.21</u>	<u>795.5</u>	<u>V25.2</u>			<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>654.01</u>	<u>648.21</u>	<u>280.9</u>	<u>287.5</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>75.69</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>658.11</u>					<u>75.69</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>648.91</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V02.51</u>	<u>V27.0</u>			<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>642.21</u>	<u>642.41</u>	<u>666.12</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.32</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>654.21</u>	<u>785.2</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.39</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>658.41</u>	<u>345.9</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.71</u>	<u>646.62</u>	<u>518</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>	<u>615.9</u>	<u>72.71</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>658.13</u>	<u>664.01</u>	<u>658.11</u>	<u>658.21</u>	<u>641.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>		<u>75.69</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>644.13</u>	<u>664.11</u>	<u>666.12</u>	<u>V27.0</u>	<u>V25.2</u>					<u>75.69</u>
2003Q3	335000	Daughters of Charity Brackenridge	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>

2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>648.01</u>	<u>654.21</u>	<u>648.91</u>	<u>V27.0</u>	<u>V23.82</u>	<u>V02.51</u>	<u>V25.2</u>			<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>998.2</u>	<u>795.5</u>	<u>V27.0</u>	<u>V25.2</u>	<u>665.81</u>				<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>644.03</u>	<u>644.21</u>	<u>646.61</u>	<u>568</u>	<u>654.21</u>	<u>663.31</u>	<u>648.91</u>	<u>620.8</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>641.03</u>	<u>641.11</u>	<u>644.21</u>	<u>647.61</u>	<u>54.1</u>	<u>648.21</u>	<u>659.61</u>	<u>V27.0</u>			<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>652.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>					<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>644.13</u>	<u>652.51</u>	<u>659.71</u>	<u>660.71</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>658.03</u>	<u>659.71</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>796.2</u>	<u>652.21</u>	<u>655.81</u>	<u>659.61</u>	<u>648.91</u>	<u>493.9</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>656.61</u>						<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>791</u>	<u>348.2</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>620.8</u>	<u>661.01</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>644.03</u>	<u>651.01</u>	<u>644.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.41</u>	<u>652.81</u>	<u>V25.2</u>	<u>V27.2</u>		<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>654.23</u>	<u>654.21</u>	<u>669.22</u>	<u>666.12</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>644.13</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>648.93</u>	<u>659.71</u>	<u>654.21</u>	<u>V02.51</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2003Q4	335000	BRACKENRIDGE HOSPITAL	Ascension	Austin	Austin	F	<u>644.13</u>	<u>661.01</u>	<u>654.21</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>

2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>644.21</u>	<u>642.91</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>654.42</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.2</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>654.41</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>665.51</u>		<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.0</u>	<u>654.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>647.61</u>	<u>78.11</u>	<u>659.71</u>	<u>647.81</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>553.1</u>	<u>V27.0</u>			<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>641.21</u>	<u>641.21</u>	<u>648.81</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>642.31</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.8</u>				<u>73.6</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>647.81</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>648.21</u>	<u>659.41</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.39</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>664.11</u>	<u>648.21</u>	<u>664.01</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>648.21</u>	<u>285.9</u>	<u>647.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>665.41</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>645.01</u>	<u>645.01</u>	<u>660.41</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>642.31</u>	<u>648.21</u>	<u>285.1</u>	<u>666.12</u>	<u>276.8</u>	<u>V27.0</u>	<u>V25.2</u>	<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>645.01</u>	<u>645.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>645.01</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.63</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>645.01</u>	<u>645.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>647.91</u>	<u>659.41</u>	<u>648.91</u>	<u>553.1</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.39</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.39</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2000Q3	398000	CHRISTUS Spohn Memorial Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>664.01</u>	<u>V23.7</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>132</u>		<u>66.32</u>

2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>659.71</u>	<u>659.71</u>	<u>646.71</u>	<u>70.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>669.51</u>					<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>647.81</u>	<u>659.61</u>	<u>659.41</u>	<u>646.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>280.9</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>659.71</u>	<u>659.71</u>	<u>656.31</u>	<u>661.21</u>	<u>659.41</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>787.91</u>			<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>658.21</u>	<u>658.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>652.21</u>	<u>652.61</u>	<u>659.41</u>	<u>V27.2</u>	<u>V25.2</u>						<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.51</u>	<u>654.51</u>	<u>644.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>654.41</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>661.21</u>	<u>661.21</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>663.11</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.32</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>66.39</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.01</u>	<u>648.01</u>	<u>250.01</u>	<u>648.91</u>	<u>619.1</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>664.21</u>	<u>664.21</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi		<u>644.21</u>	<u>644.21</u>	<u>305.61</u>	<u>305.51</u>	<u>998.12</u>	<u>285.1</u>	<u>V23.82</u>	<u>70.51</u>	<u>518.5</u>	<u>642.91</u>			<u>66.32</u>
2001Q2	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>633.1</u>	<u>633.1</u>	<u>218.9</u>										<u>66.51</u>
2001Q3	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.01</u>	<u>401.9</u>	<u>646.61</u>	<u>614.6</u>	<u>648.81</u>	<u>659.61</u>	<u>654.11</u>	<u>V25.2</u>			<u>74.1</u>
2001Q3	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>645.11</u>	<u>645.11</u>	<u>646.61</u>	<u>616.4</u>	<u>659.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>674.12</u>	<u>648.81</u>	<u>657.01</u>	<u>647.81</u>	<u>646.11</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q3	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi		<u>654.21</u>	<u>654.21</u>	<u>648.31</u>	<u>304.2</u>	<u>659.71</u>	<u>661.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q3	398000	CHRISTUS Spohn Hospital Memorial	Christus	Corpus Chr	Corpus Christi		<u>652.21</u>	<u>652.21</u>	<u>780.39</u>	<u>648.91</u>	<u>V02.51</u>	<u>655.51</u>	<u>305.63</u>	<u>305.93</u>	<u>305.03</u>	<u>656.11</u>			<u>74.1</u>

2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>998.2</u>	<u>648.81</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>V23.7</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V15.81</u>		<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.01</u>	<u>648.01</u>	<u>250.01</u>	<u>659.01</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>641.21</u>	<u>641.21</u>	<u>648.21</u>	<u>659.71</u>	<u>644.21</u>	<u>285.9</u>	<u>671.81</u>	<u>455.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>648.81</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>647.61</u>	<u>647.61</u>	<u>V08</u>	<u>648.91</u>	<u>493.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>658.01</u>	<u>648.81</u>	<u>642.21</u>	<u>401.9</u>	<u>656.51</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>654.41</u>	<u>620.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>644.21</u>	<u>656.71</u>	<u>648.91</u>	<u>216.5</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>656.61</u>	<u>666.12</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>661.31</u>	<u>661.31</u>	<u>642.42</u>	<u>664.11</u>	<u>V27.2</u>	<u>V25.2</u>					<u>75.69</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>658.01</u>	<u>658.01</u>	<u>648.91</u>	<u>706.2</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>714.3</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>661.31</u>	<u>661.31</u>	<u>664.11</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>646.81</u>	<u>574.2</u>			<u>66.39</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V23.7</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>				<u>75.69</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>670.04</u>	<u>670.04</u>	<u>567.2</u>	<u>648.24</u>	<u>615.9</u>	<u>285.8</u>					<u>66.51</u>
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>641.91</u>	<u>654.51</u>	<u>661.21</u>	<u>658.41</u>	<u>652.51</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74</u>
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>652.31</u>	<u>652.31</u>	<u>641.01</u>	<u>671.31</u>	<u>648.91</u>	<u>564</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.99</u>

2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>V23.7</u>	<u>652.21</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.4</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>653.51</u>	<u>653.51</u>	<u>669.71</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>656.61</u>	<u>656.61</u>	<u>654.11</u>	<u>218.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.39</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>642.71</u>	<u>642.71</u>	<u>V23.82</u>	<u>652.11</u>	<u>V27.0</u>	<u>V25.2</u>		<u>66.32</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>646.81</u>	<u>646.81</u>	<u>574.1</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.39</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.31</u>	<u>648.31</u>	<u>304.9</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.32</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>424</u>	<u>V02.51</u>	<u>648.61</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>75.69</u>		
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>		<u>66.32</u>		
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>					<u>66.32</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>642.31</u>	<u>642.31</u>	<u>648.91</u>	<u>553.1</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>647.61</u>	<u>54.1</u>	<u>648.11</u>	<u>244.9</u>	<u>574.2</u>	<u>643.81</u>	<u>648.21</u>	<u>285.9</u>	<u>73.59</u>
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>646.61</u>	<u>599</u>	<u>646.71</u>	<u>70.51</u>	<u>V27.0</u>	<u>V25.2</u>		<u>66.32</u>	
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>646.61</u>	<u>599</u>	<u>592</u>	<u>41.4</u>	<u>648.91</u>	<u>553.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>66.32</u>
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>648.91</u>	<u>553.1</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.39</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>			
2002Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.32</u>			
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>648.11</u>	<u>244.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>		
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>70.51</u>	<u>659.61</u>	<u>642.01</u>	<u>401.9</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>11.9</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>			

2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>648.31</u>	<u>648.31</u>	<u>304.21</u>	<u>654.21</u>	<u>656.51</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>		
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>642.51</u>	<u>642.51</u>	<u>648.21</u>	<u>280.9</u>	<u>644.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>		
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>654.21</u>	<u>654.21</u>	<u>305.6</u>	<u>659.71</u>	<u>648.41</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>		
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>658.21</u>	<u>658.21</u>	<u>V23.82</u>	<u>648.81</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>		
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>654.21</u>	<u>654.21</u>	<u>642.51</u>	<u>646.61</u>	<u>599.7</u>	<u>648.91</u>	<u>368.2</u>	<u>368.8</u>	<u>784</u>	<u>V27.0</u>	<u>74.1</u>
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>669.41</u>	<u>669.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.5</u>					<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>642.41</u>	<u>642.41</u>	<u>644.21</u>	<u>648.81</u>	<u>657.01</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>656.61</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>654.21</u>	<u>654.21</u>	<u>646.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>654.21</u>	<u>654.21</u>	<u>V27.2</u>	<u>V25.2</u>						<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>652.81</u>	<u>652.81</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>648.81</u>	<u>648.81</u>	<u>642.91</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>652.21</u>	<u>652.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>657.01</u>	<u>553.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>652.81</u>	<u>652.81</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>642.51</u>	<u>642.51</u>	<u>644.21</u>	<u>641.21</u>	<u>648.91</u>	<u>553.1</u>	<u>652.21</u>	<u>V27.2</u>	<u>V25.2</u>	<u>74</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.63</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>664.01</u>	<u>664.01</u>	<u>648.41</u>	<u>305.6</u>	<u>305.2</u>	<u>V27.0</u>	<u>V25.2</u>			<u>75.69</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>664.11</u>	<u>V25.2</u>					<u>66.39</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>644.21</u>	<u>644.21</u>	<u>646.71</u>	<u>70.51</u>	<u>648.41</u>	<u>305.93</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>655.51</u>	<u>655.51</u>	<u>305.9</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>648.81</u>	<u>648.81</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.39</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>648.81</u>	<u>648.81</u>	<u>657.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.61</u>			<u>66.32</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>669.51</u>	<u>669.51</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>642.01</u>	<u>642.01</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>	
2002Q4	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	<u>648.91</u>	<u>648.91</u>	<u>553.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>	

2003Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>642.01</u>	<u>642.01</u>	<u>401.9</u>	<u>644.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2003Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2003Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>645.11</u>	<u>645.11</u>	<u>652.81</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2003Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>									<u>72.79</u>
2003Q2	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>620.2</u>	<u>620.2</u>	<u>V25.2</u>											<u>65.22</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>660.11</u>	<u>660.11</u>	<u>V23.7</u>	<u>653.71</u>	<u>V27.0</u>	<u>V25.2</u>	<u>661.21</u>	<u>648.81</u>	<u>656.61</u>					<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>660.21</u>	<u>660.21</u>	<u>V23.7</u>	<u>648.41</u>	<u>660.11</u>	<u>653.51</u>	<u>654.61</u>	<u>233.1</u>	<u>311</u>	<u>V27.0</u>				<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>661.21</u>	<u>661.21</u>	<u>648.21</u>	<u>V23.7</u>	<u>672.02</u>	<u>645.11</u>	<u>653.41</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>998.11</u>	<u>654.11</u>	<u>218</u>	<u>659.61</u>	<u>V25.2</u>	<u>782.1</u>	<u>V27.0</u>					<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>285.9</u>	<u>V27.0</u>									<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>724.2</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>648.21</u>	<u>285.9</u>	<u>642.31</u>	<u>660.01</u>	<u>652.61</u>	<u>V27.2</u>	<u>V25.2</u>					<u>74</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>642.01</u>	<u>642.01</u>	<u>646.61</u>	<u>599</u>	<u>401.9</u>	<u>654.11</u>	<u>218.9</u>	<u>647.81</u>	<u>112.1</u>	<u>647.61</u>				<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.71</u>	<u>401.9</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>642.51</u>	<u>642.51</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V04.3</u>	<u>V25.2</u>	<u>644.21</u>	<u>096</u>	<u>647.01</u>	<u>97.1</u>				<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.1</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>648.01</u>	<u>250.01</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.91</u>	<u>729.5</u>	<u>724.5</u>				<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>656.61</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>642.51</u>	<u>642.51</u>	<u>646.21</u>	<u>659.61</u>	<u>652.21</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>651.01</u>	<u>651.01</u>	<u>654.21</u>	<u>654.11</u>	<u>218.2</u>	<u>648.91</u>	<u>620.8</u>	<u>V27.2</u>	<u>V25.2</u>					<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>661.21</u>	<u>661.21</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>657.01</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>659.71</u>	<u>659.71</u>	<u>661.21</u>	<u>660.11</u>	<u>653.51</u>	<u>659.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>701.4</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>652.21</u>	<u>652.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>									<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>663.01</u>	<u>663.01</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>641.21</u>	<u>641.21</u>	<u>654.61</u>	<u>622.1</u>	<u>652.31</u>	<u>646.11</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>

2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.6</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>998.2</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>659.41</u>	<u>659.41</u>	<u>V23.7</u>	<u>648.91</u>	<u>553.1</u>	<u>V27.0</u>								<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>671.01</u>	<u>659.61</u>	<u>659.71</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>645.11</u>	<u>645.11</u>	<u>646.61</u>	<u>599</u>	<u>648.21</u>	<u>655.71</u>	<u>664.01</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.39</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi		<u>659.61</u>	<u>659.61</u>	<u>V23.7</u>	<u>646.71</u>	<u>70.51</u>	<u>305.6</u>	<u>648.41</u>	<u>654.21</u>	<u>644.21</u>	<u>659.71</u>				<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>642.31</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>641.21</u>	<u>641.21</u>	<u>663.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>72.71</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>645.11</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>										<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>651.01</u>	<u>651.01</u>	<u>659.41</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.2</u>								<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V04.3</u>	<u>V27.0</u>	<u>663.21</u>								<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>664.11</u>	<u>664.11</u>	<u>V23.82</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>741.9</u>	<u>599</u>	<u>646.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>						<u>66.32</u>
2003Q3	398000	CHRISTUS Spohn Hospital-Memorial	Christus	Corpus Chr	Corpus Christi	F	<u>668.82</u>	<u>668.82</u>	<u>349</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>287.5</u>	<u>599</u>	<u>646.61</u>	<u>V25.2</u>	<u>644.21</u>	<u>V27.0</u>						<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>660.01</u>	<u>660.01</u>	<u>652.21</u>	<u>648.01</u>	<u>250.01</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>648.21</u>	<u>654.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi		<u>642.51</u>	<u>642.51</u>	<u>305.6</u>	<u>648.21</u>	<u>641.21</u>	<u>648.41</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>V23.82</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>641.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi		<u>654.21</u>	<u>654.21</u>	<u>646.71</u>	<u>70.51</u>	<u>648.41</u>	<u>305.5</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>644.21</u>	<u>285.9</u>	<u>648.91</u>	<u>614.6</u>	<u>669.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>642.01</u>	<u>642.01</u>	<u>V23.7</u>	<u>401.9</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>657.01</u>	<u>644.21</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>

2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>652.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>641.21</u>	<u>641.21</u>	<u>659.71</u>	<u>648.91</u>	<u>553.1</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>										<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>642.31</u>	<u>642.31</u>	<u>644.21</u>	<u>659.61</u>	<u>648.81</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>										<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>659.61</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>659.71</u>	<u>659.71</u>	<u>645.11</u>	<u>656.51</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>651.01</u>	<u>651.01</u>	<u>V25.2</u>	<u>V27.2</u>										<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>										<u>74.1</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>661.31</u>	<u>661.31</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>645.11</u>	<u>645.11</u>	<u>664.11</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>75.69</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi		<u>644.21</u>	<u>644.21</u>	<u>70.51</u>	<u>648.31</u>	<u>304.21</u>	<u>647.61</u>	<u>304.31</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>				<u>66.39</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>642.31</u>	<u>642.31</u>	<u>646.61</u>	<u>599</u>	<u>669.51</u>	<u>41.6</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>663.21</u>	<u>663.21</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>642.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.1</u>	<u>V25.2</u>										<u>73.59</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>									<u>75.69</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>										<u>66.32</u>
2003Q4	398000	CHRISTUS SPOHN MEMORIAL	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>										<u>73.59</u>
2003Q3	398002	CHRISTUS Spohn Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>540.9</u>	<u>540.9</u>	<u>614</u>	<u>569.89</u>										<u>47.01</u>
2003Q3	398002	CHRISTUS Spohn Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>617</u>	<u>617</u>	<u>568.81</u>	<u>218.1</u>	<u>614.6</u>	<u>620.1</u>	<u>621.3</u>	<u>616</u>	<u>752.11</u>	<u>285.8</u>				<u>68.4</u>
2003Q3	398002	CHRISTUS Spohn Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>218</u>	<u>218</u>	<u>620.8</u>											<u>68.4</u>
2003Q3	398002	CHRISTUS Spohn Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>780.39</u>	<u>642.01</u>	<u>401.9</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>661.11</u>	<u>661.11</u>	<u>648.21</u>	<u>648.41</u>	<u>296.7</u>	<u>648.91</u>	<u>659.71</u>	<u>285.9</u>	<u>663.31</u>	<u>V25.2</u>				<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.1</u>	<u>V25.2</u>	<u>665.81</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>659.61</u>	<u>642.31</u>	<u>280.9</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>

2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>648.01</u>	<u>648.01</u>	<u>250.01</u>	<u>70.51</u>	<u>654.21</u>	<u>659.71</u>	<u>644.21</u>	<u>657.01</u>	<u>647.61</u>	<u>V25.2</u>	<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>780.39</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>642.41</u>	<u>653.51</u>	<u>654.21</u>	<u>648.91</u>	<u>659.61</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi		<u>654.21</u>	<u>654.21</u>	<u>305</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.41</u>	<u>305.2</u>				<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>660.11</u>	<u>660.11</u>	<u>574.1</u>	<u>611.72</u>	<u>653.51</u>	<u>648.91</u>	<u>V02.51</u>	<u>648.81</u>	<u>646.11</u>	<u>646.81</u>	<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>41.02</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>660.11</u>	<u>660.11</u>	<u>660.21</u>	<u>653.41</u>	<u>661.11</u>	<u>659.11</u>	<u>659.61</u>	<u>653.51</u>	<u>654.11</u>	<u>218.9</u>	<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>651.01</u>	<u>651.01</u>	<u>658.11</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.2</u>					<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>648.41</u>	<u>305.1</u>	<u>300</u>	<u>296.7</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>658.21</u>	<u>658.21</u>	<u>660.01</u>	<u>644.21</u>	<u>654.21</u>	<u>652.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>644.21</u>	<u>V25.2</u>	<u>659.41</u>	<u>V27.0</u>				<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>642.51</u>	<u>642.51</u>	<u>660.01</u>	<u>654.21</u>	<u>648.81</u>	<u>652.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>651.01</u>	<u>660.21</u>	<u>660.01</u>	<u>652.21</u>	<u>659.61</u>	<u>654.11</u>	<u>218.2</u>	<u>V25.2</u>	<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>669.51</u>	<u>659.41</u>	<u>646.81</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>659.41</u>	<u>659.41</u>	<u>70.51</u>	<u>647.61</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2003Q3	398002	CHRISTUS Spohn Hospital Corpus Christi-Sol Christus	Corpus Chr Corpus Christi	F	<u>633</u>	<u>633</u>	<u>568.81</u>	<u>518</u>	<u>511.9</u>	<u>285.1</u>	<u>620</u>	<u>786.59</u>	<u>272.4</u>	<u>785.2</u>	<u>74.3</u>
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr Corpus Christi	F	<u>218</u>	<u>218</u>	<u>998.2</u>	<u>616</u>	<u>617.1</u>					<u>68.4</u>

2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>617</u>	<u>617</u>	<u>218.2</u>	<u>614.6</u>	<u>616</u>	<u>625.3</u>	<u>626.2</u>	<u>625</u>	<u>625.9</u>	<u>68.4</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>220</u>	<u>220</u>	<u>620.5</u>	<u>620.8</u>	V25.2					<u>65.49</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>618</u>	<u>618</u>	<u>625.6</u>	V25.2						<u>66.39</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>625.6</u>	<u>625.6</u>	V25.2							<u>66.39</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>V23.7</u>	<u>659.51</u>	<u>656.51</u>	<u>659.71</u>	V25.2	<u>V27.0</u>		<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>665.11</u>	<u>669.51</u>	V25.2	<u>V27.0</u>				<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>642.71</u>	<u>642.71</u>	<u>648.01</u>	<u>250.01</u>	<u>660.21</u>	<u>401.9</u>	<u>654.51</u>	<u>659.61</u>	<u>654.11</u>	<u>218.2</u>	<u>74.1</u>
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>660.21</u>	<u>660.21</u>	<u>70.51</u>	<u>654.51</u>	<u>647.61</u>	<u>655.81</u>	<u>663.21</u>	V25.2	<u>V27.0</u>	<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>642.31</u>	<u>642.31</u>	<u>648.61</u>	<u>659.61</u>	<u>644.21</u>	<u>654.21</u>	<u>426.3</u>	V25.2	<u>V27.0</u>	<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	V25.2	<u>V27.0</u>				<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>659.11</u>	<u>659.11</u>	<u>661.21</u>	<u>659.61</u>	<u>663.11</u>	<u>648.91</u>	V25.2	<u>782.1</u>	<u>V27.0</u>	<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>663.11</u>	<u>663.21</u>	<u>V27.0</u>	V25.2				<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	V25.2	<u>V27.0</u>						<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	V25.2	<u>V27.0</u>						<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>660.01</u>	<u>652.81</u>	V25.2	<u>V27.0</u>			<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	V25.2	<u>V27.0</u>						<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>654.21</u>	<u>V02.51</u>	V25.2	<u>V27.0</u>				<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>659.71</u>	<u>659.71</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	V25.2	<u>V27.0</u>			<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	V25.2	<u>V27.0</u>				<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	V25.2	<u>V27.0</u>						<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>654.21</u>	<u>V02.51</u>	<u>654.41</u>	<u>654.11</u>	<u>218.9</u>	V25.2	<u>V27.0</u>	<u>74</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.41</u>	V25.2	<u>V27.0</u>					<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>644.21</u>	V25.2	<u>V27.0</u>				<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>614.6</u>	V25.2	<u>V27.0</u>				<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	V25.2	<u>V27.0</u>						<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>648.81</u>	<u>659.61</u>	<u>656.61</u>	V25.2	<u>V27.0</u>		<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>651.01</u>	<u>651.01</u>	<u>648.91</u>	<u>648.81</u>	<u>644.21</u>	<u>654.21</u>	<u>V02.51</u>	V25.2	<u>V27.2</u>	<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	V25.2	<u>V27.0</u>					<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>659.41</u>	<u>656.61</u>	V25.2	<u>V27.0</u>			<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	V25.2	<u>V27.0</u>						<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	V25.2	<u>V27.0</u>						<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	V25.2						<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	V25.2	<u>V27.0</u>						<u>74.1</u>	
2003Q4	398002	CHRISTUS SPOHN HOSP SOUTH	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	V25.2	<u>V27.0</u>					<u>74.1</u>	

2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>669.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>216.5</u>	<u>701.9</u>	<u>74.1</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>648.81</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V64.3</u>				<u>73.59</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>663.31</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>648.21</u>	<u>280.9</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>73.6</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>648.22</u>	<u>285.8</u>	<u>674.32</u>	<u>V25.2</u>	<u>V27.0</u>		<u>73.6</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>645.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.2</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>659.61</u>	<u>641.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>		
2001Q3	417000	United Regional Health Care System - 8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>648.01</u>	<u>250.01</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>		<u>73.59</u>		
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>646.61</u>	<u>670.02</u>	<u>614.6</u>	<u>615.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>641.91</u>	<u>646.61</u>	<u>658.01</u>	<u>667.02</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>646.61</u>	<u>614.6</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>646.61</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>642.91</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>656.81</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>656.51</u>	<u>659.71</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>648.91</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>		<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>642.31</u>	<u>659.71</u>	<u>V25.2</u>	<u>654.11</u>	<u>218.9</u>	<u>V27.0</u>		<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>642.01</u>	<u>401.9</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q4	417000	United Regional Health Care System-8th St Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	

2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>652.21</u>	<u>658.41</u>	<u>656.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>674.82</u>	<u>276.8</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>				<u>74.1</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth		<u>V22.1</u>	<u>656.51</u>	<u>648.41</u>	<u>305.2</u>	<u>V25.2</u>	<u>V27.0</u>	<u>664.01</u>			<u>66.32</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>664.01</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.32</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.6</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>648.81</u>	<u>664.11</u>	<u>V25.2</u>	<u>792.3</u>	<u>V27.0</u>				<u>66.32</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>664.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>664.01</u>	<u>648.21</u>	<u>280.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>75.69</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.6</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.6</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.51</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>648.91</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>				<u>66.32</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>664.01</u>	<u>659.61</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>658.01</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>75.69</u>
2002Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>493.9</u>					<u>73.59</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>625.6</u>	<u>626.8</u>	<u>625</u>	<u>625.9</u>	<u>618</u>	<u>614.6</u>	<u>617.9</u>	<u>V25.2</u>		<u>68.51</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>642.31</u>	<u>646.61</u>	<u>641.21</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>646.61</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>641.01</u>	<u>668.82</u>	<u>349</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>642.41</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>311</u>					<u>74.1</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>642.31</u>	<u>648.81</u>	<u>654.41</u>	<u>620.2</u>	<u>656.61</u>	<u>V27.0</u>			<u>74.1</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>648.81</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>

2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>646.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>346.9</u>	<u>493.9</u>	<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>653.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>656.11</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>642.31</u>	<u>652.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>644.21</u>	<u>654.21</u>	<u>651.01</u>	<u>V27.2</u>	<u>V25.2</u>		<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>642.91</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>652.21</u>	<u>642.01</u>	<u>401.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>658.01</u>	<u>641.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>648.91</u>	<u>646.81</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>	<u>493.9</u>	<u>75.69</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>665.41</u>	<u>661.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>656.81</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>656.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>669.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>72.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>659.71</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>664.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>		<u>75.69</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>656.11</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>659.71</u>	<u>669.51</u>	<u>664.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>792.3</u>	<u>V27.0</u>	<u>66.32</u>
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>664.11</u>	<u>646.61</u>	<u>614.1</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.32</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>669.51</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>			<u>72.1</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>661.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>659.71</u>	<u>645.11</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.32</u>	
2002Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>633.1</u>	<u>633.1</u>	<u>V26.51</u>					<u>66.62</u>	

2003Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>648.91</u>	<u>652.51</u>	<u>659.71</u>	<u>653.41</u>	<u>661.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>74.1</u>	
2003Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>	
2003Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.39</u>	
2003Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.2</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.39</u>	
2003Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>	
2003Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>652.11</u>	<u>663.31</u>	<u>V27.0</u>						<u>73.59</u>	
2003Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>669.51</u>	<u>664.11</u>	<u>663.31</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>			<u>72</u>	
2003Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>	
2003Q1	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>648.91</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>			<u>66.39</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>633.9</u>	<u>617</u>	<u>614.1</u>	<u>278</u>	<u>305.1</u>					<u>66.51</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>642.33</u>	<u>654.21</u>	<u>648.22</u>	<u>670.02</u>	<u>642.31</u>	<u>659.11</u>	<u>659.71</u>	<u>641.21</u>	<u>285.9</u>	<u>615.9</u>	<u>74.1</u>
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>287.5</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>			<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>648.01</u>	<u>250.61</u>	<u>250.51</u>	<u>357.2</u>	<u>362.01</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>646.81</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>659.71</u>	<u>654.11</u>	<u>218.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>648.91</u>	<u>645.11</u>	<u>659.21</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>		<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>659.71</u>	<u>648.41</u>	<u>298.9</u>	<u>663.31</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>656.61</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>642.31</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V14.1</u>				<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>653.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.2</u>					<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>642.31</u>	<u>661.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>652.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2003Q2	417000	United Regional Health Care System-8th St (Holy Family	Wichita Fa Ft. Worth	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	

2000Q4	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>V22.1</u>	<u>651.01</u>	<u>V25.2</u>	<u>V27.2</u>						<u>66.29</u>
2000Q4	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>659.43</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.39</u>
2000Q4	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>V22.1</u>	<u>659.61</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.22</u>
2000Q4	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.29</u>
2000Q4	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>V22.1</u>	<u>646.81</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>553.1</u>	<u>576.8</u>			<u>66.32</u>
2000Q4	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2000Q4	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.29</u>
2000Q4	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>659.43</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.39</u>
2000Q4	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>V22.1</u>	<u>644.21</u>	<u>V25.2</u>							<u>66.22</u>
2000Q4	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.29</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>617</u>	<u>617</u>	<u>618.4</u>	<u>616</u>						<u>68.4</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>648.01</u>	<u>648.01</u>	<u>250.03</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>652.21</u>					<u>74.1</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>656.61</u>				<u>74.1</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>661.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>652.21</u>					<u>74.1</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>654.21</u>	<u>662.11</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.39</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.29</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.32</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.29</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.29</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>661.31</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.29</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>669.51</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.29</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.22</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.29</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.29</u>
2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>						<u>66.39</u>

2001Q1	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>671.81</u>	<u>455.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.29</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>648.01</u>	<u>648.01</u>	<u>250.01</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>644.21</u>	<u>74.1</u>		
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>660.61</u>	<u>660.61</u>	<u>656.31</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>659.71</u>	<u>74.1</u>		
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>660.61</u>	<u>660.61</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>652.21</u>	<u>652.21</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>659.31</u>	<u>659.31</u>	<u>41.02</u>	<u>V25.2</u>	<u>V27.1</u>		<u>66.39</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.22</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>666.32</u>	<u>287.5</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.29</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.22</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>659.31</u>	<u>659.31</u>	<u>V23.7</u>	<u>41.02</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.29</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.22</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.22</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.29</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.32</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.22</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.32</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.39</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.39</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>646.21</u>	<u>646.21</u>	<u>642.41</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.32</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.22</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>659.31</u>	<u>41.02</u>	<u>V25.2</u>	<u>V27.0</u>	<u>66.29</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.29</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>659.31</u>	<u>659.31</u>	<u>41.02</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.29</u>			
2001Q2	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>642.31</u>		<u>66.32</u>			
2001Q3	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>			
2001Q3	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>646.21</u>	<u>646.21</u>	<u>591</u>	<u>998.2</u>	<u>648.91</u>	<u>536.8</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2001Q3	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V23.82</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>		
2001Q3	429000	CHRISTUS Spohn Hospital Beeville	Christus	Beeville	Corpus Christi	F	<u>661.21</u>	<u>661.21</u>	<u>646.61</u>	<u>599</u>	<u>642.41</u>	<u>676.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>	

2002Q1	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>648.11</u>	<u>648.11</u>	<u>244.9</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>						<u>66.22</u>
2002Q1	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>V23.7</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>							<u>66.22</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>642.51</u>	<u>642.51</u>	<u>V23.7</u>	<u>287.5</u>	<u>644.21</u>	<u>648.91</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>648.01</u>	<u>648.01</u>	<u>250.01</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>648.91</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi		<u>654.21</u>	<u>654.21</u>	<u>305.6</u>	<u>305</u>	<u>V23.7</u>	<u>648.41</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>642.31</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>642.41</u>	<u>642.41</u>	<u>642.31</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>653.41</u>	<u>653.41</u>	<u>648.91</u>	<u>642.31</u>	<u>659.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>					<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>652.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>						<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>658.11</u>	<u>658.11</u>	<u>659.71</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>658.11</u>	<u>658.11</u>	<u>654.21</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>278.01</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.4</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>664.01</u>	<u>664.01</u>	<u>646.61</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>							<u>66.22</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V61.5</u>							<u>66.22</u>
2002Q2	429000	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>V23.7</u>	<u>V25.2</u>	<u>V27.0</u>	<u>553.1</u>							<u>66.22</u>
2002Q3	429001	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>648.81</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	429001	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.02</u>	<u>V23.7</u>	<u>647.61</u>	<u>V08</u>	<u>648.91</u>	<u>648.41</u>	<u>305.1</u>			<u>74.1</u>
2002Q3	429001	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>646.61</u>	<u>646.61</u>	<u>599</u>	<u>642.41</u>	<u>642.31</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q3	429001	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q3	429001	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>642.31</u>	<u>644.21</u>	<u>660.01</u>	<u>652.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q3	429001	CHRISTUS Spohn Hospital-Beeville	Christus	Beeville	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>659.61</u>	<u>617</u>	<u>617.3</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>				<u>74.1</u>

2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>642.31</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>73.6</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>658.11</u>	<u>644.21</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>		<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>651.01</u>	<u>651.01</u>	<u>V27.2</u>					<u>72.71</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>72.71</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>658.11</u>	<u>V25.2</u>	<u>V23.2</u>	<u>V27.0</u>		<u>75.69</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.93</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.6</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>645.01</u>	<u>662.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.6</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.31</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>661.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>651.01</u>	<u>644.21</u>	<u>661.41</u>	<u>652.21</u>	<u>V27.2</u>		<u>73.6</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>			<u>72.79</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>661.01</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.91</u>	<u>656.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>72.79</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>663.31</u>			<u>73.4</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>663.41</u>	<u>663.41</u>	<u>659.71</u>	<u>664.31</u>	<u>V27.0</u>	<u>V25.2</u>		<u>72.71</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>					<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V61.5</u>	<u>V27.0</u>			<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>664.11</u>	<u>V25.2</u>	<u>216.8</u>	<u>V27.0</u>			<u>71.79</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.31</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.81</u>	<u>648.81</u>	<u>663.41</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.6</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>663.31</u>			<u>73.6</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>642.31</u>	<u>644.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>		<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.41</u>	<u>654.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.6</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.21</u>	<u>648.21</u>	<u>656.61</u>	<u>648.41</u>	<u>311</u>	<u>V25.2</u>	<u>V27.0</u>	<u>73.6</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>661.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.93</u>	<u>664.11</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>
2000Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.6</u>

2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>658.11</u>	<u>658.11</u>	<u>642.01</u>	<u>647.81</u>	<u>41.02</u>	<u>663.31</u>	<u>656.61</u>	<u>648.91</u>	<u>278</u>	<u>V25.2</u>	<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>					<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.71</u>	<u>659.71</u>	<u>656.81</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.41</u>	<u>305.1</u>	<u>648.91</u>	<u>216.5</u>			<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>652.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>658.11</u>	<u>644.21</u>	<u>654.21</u>	<u>654.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.41</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>666.12</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>345.9</u>					<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.51</u>	<u>642.51</u>	<u>V27.0</u>	<u>657.01</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>642.91</u>	<u>V25.2</u>	<u>659.61</u>	<u>654.41</u>	<u>646.11</u>	<u>V27.0</u>			<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>661.21</u>	<u>661.21</u>	<u>V27.0</u>								<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>647.61</u>	<u>V27.0</u>	<u>54.11</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>661.11</u>	<u>661.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>644.21</u>	<u>651.01</u>	<u>652.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.2</u>				<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>648.41</u>	<u>300</u>	<u>646.81</u>	<u>728.85</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.2</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>658.01</u>	<u>656.51</u>					<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>652.21</u>	<u>644.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>642.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>659.61</u>	<u>648.91</u>	<u>693</u>	<u>663.31</u>	<u>V27.0</u>			<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>641.21</u>	<u>641.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>644.21</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>642.31</u>	<u>656.81</u>	<u>659.11</u>	<u>646.81</u>	<u>574.2</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>346.9</u>	<u>644.21</u>	<u>642.01</u>	<u>659.71</u>	<u>663.51</u>	<u>648.91</u>	<u>346.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>652.21</u>	<u>V61.5</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>

2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>644.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>642.91</u>	<u>651.01</u>	<u>644.21</u>	<u>V27.2</u>					<u>74.1</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>661.31</u>	<u>V02.51</u>					<u>73.4</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>664.01</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.6</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>664.11</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>75.69</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V23.4</u>	<u>V61.5</u>	<u>V25.2</u>					<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>644.21</u>	<u>V27.0</u>	<u>661.31</u>	<u>V25.2</u>						<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>646.11</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>655.73</u>	<u>655.71</u>	<u>658.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>72.71</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>659.61</u>	<u>663.11</u>	<u>660.41</u>	<u>V61.5</u>	<u>V27.0</u>				<u>72.79</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.93</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.6</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.91</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>663.31</u>					<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.4</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.91</u>	<u>659.91</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>75.69</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>646.31</u>	<u>663.31</u>	<u>665.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.6</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>644.21</u>	<u>668.82</u>	<u>349</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>661.31</u>	<u>661.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>664.01</u>						<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.81</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.4</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>V27.0</u>	<u>660.41</u>	<u>663.31</u>	<u>V25.2</u>					<u>73.6</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>660.91</u>	<u>788.2</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>72.71</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>663.21</u>	<u>663.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.6</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>666.12</u>	<u>648.22</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>				<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>660.41</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>72.71</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.31</u>	<u>660.41</u>	<u>664.11</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>75.69</u>
2000Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>633.1</u>	<u>633.1</u>	<u>998.11</u>	<u>614.6</u>	<u>V25.02</u>						<u>66.62</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>626.2</u>	<u>626.2</u>	<u>998.2</u>	<u>250</u>	<u>618</u>	<u>614.6</u>	<u>278</u>	<u>V25.2</u>	<u>V64.4</u>		<u>97.71</u>

2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>626.2</u>	<u>617</u>	<u>218.9</u>	<u>617.1</u>	<u>617.2</u>	<u>620.1</u>							<u>68.4</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>620.2</u>	<u>620.2</u>	<u>V25.2</u>	<u>614.6</u>									<u>65.49</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>625.9</u>	<u>617.3</u>	<u>621.6</u>	<u>625.4</u>	<u>616</u>	<u>620</u>							<u>68.51</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>427</u>	<u>648.91</u>	<u>493.9</u>	<u>278.01</u>	<u>V27.0</u>						<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>652.21</u>	<u>648.22</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>641.31</u>	<u>287.5</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>							<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>651.01</u>	<u>651.01</u>	<u>642.41</u>	<u>V27.2</u>	<u>V25.2</u>								<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.81</u>	<u>648.22</u>	<u>652.51</u>	<u>652.81</u>	<u>285.9</u>	<u>648.91</u>	<u>278</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>671.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V07.8</u>							<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>661.11</u>	<u>661.11</u>	<u>641.81</u>	<u>998.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>654.91</u>	<u>622.1</u>	<u>620.2</u>				<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>652.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>285.9</u>	<u>641.21</u>	<u>656.51</u>	<u>648.81</u>	<u>663.31</u>			<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>660.31</u>	<u>648.21</u>	<u>652.31</u>	<u>641.21</u>	<u>663.31</u>	<u>654.41</u>	<u>218.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>646.11</u>	<u>648.22</u>	<u>646.61</u>	<u>614.6</u>	<u>654.21</u>	<u>646.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.01</u>	<u>648.01</u>	<u>250.01</u>	<u>648.71</u>	<u>714</u>	<u>644.21</u>	<u>658.11</u>	<u>663.31</u>	<u>658.41</u>	<u>656.71</u>			<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>661.21</u>	<u>661.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>642.41</u>	<u>648.81</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.2</u>	<u>654.21</u>	<u>V27.0</u>	<u>620.8</u>	<u>V25.2</u>								<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>654.21</u>	<u>657.01</u>					<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>652.31</u>	<u>644.21</u>	<u>654.51</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.33</u>	<u>642.31</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>655.71</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>									<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>652.21</u>	<u>218.9</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>						<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>								<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>652.21</u>	<u>647.61</u>	<u>V27.0</u>	<u>658.41</u>	<u>V25.2</u>	<u>644.21</u>						<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>651.01</u>	<u>651.01</u>	<u>644.21</u>	<u>652.21</u>	<u>V27.2</u>	<u>V25.2</u>							<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>658.41</u>	<u>652.21</u>	<u>V27.0</u>	<u>658.01</u>	<u>656.21</u>	<u>659.71</u>	<u>V25.2</u>				<u>74.1</u>

2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>							<u>75.69</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>V27.0</u>	<u>V02.51</u>								<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>663.31</u>	<u>V25.2</u>							<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>									<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>669.51</u>	<u>654.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>72.79</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.6</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>669.51</u>	<u>V25.2</u>	<u>V27.0</u>								<u>72.71</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>648.91</u>	<u>647.61</u>	<u>V02.51</u>	<u>663.31</u>	<u>664.01</u>	<u>78.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>662.11</u>	<u>662.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.6</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.01</u>	<u>668.11</u>	<u>644.21</u>	<u>V27.0</u>	<u>652.21</u>	<u>V25.2</u>				<u>66.32</u>	
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.91</u>	<u>663.31</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.41</u>	<u>V25.2</u>	<u>216.5</u>	<u>V27.0</u>							<u>72.71</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>661.31</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.6</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>648.41</u>	<u>305.93</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>665.51</u>	<u>665.51</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V02.51</u>								<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.6</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>635.92</u>	<u>635.92</u>	<u>655.83</u>									<u>96.49</u>
2000Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>789</u>	<u>635.92</u>	<u>642.51</u>	<u>659.61</u>	<u>648.41</u>	<u>300</u>	<u>V27.1</u>					<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>617</u>	<u>617</u>	<u>788.2</u>	<u>620.1</u>	<u>616</u>	<u>625.4</u>						<u>68.4</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>618.1</u>	<u>618.1</u>	<u>625.6</u>	<u>625.3</u>	<u>626.2</u>	<u>622.1</u>	<u>278</u>	<u>V25.2</u>	<u>401.9</u>	<u>615.1</u>		<u>68.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>285.9</u>						<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>642.41</u>	<u>663.31</u>	<u>652.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>				<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.51</u>	<u>644.21</u>	<u>642.51</u>	<u>654.21</u>	<u>V25.2</u>	<u>V02.51</u>	<u>659.61</u>	<u>656.71</u>	<u>648.41</u>	<u>305.1</u>		<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>710</u>	<u>648.91</u>	<u>553.1</u>	<u>646.11</u>	<u>648.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>		<u>74.1</u>

2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>642.41</u>	<u>644.21</u>	<u>648.41</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock		<u>650</u>	<u>641.21</u>	<u>70.54</u>	<u>305.6</u>	<u>648.22</u>	<u>285.1</u>	<u>V23.7</u>	<u>646.61</u>	<u>614.6</u>	<u>658.01</u>	<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>710</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>				<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>652.21</u>	<u>648.61</u>	<u>648.11</u>	<u>648.21</u>	<u>648.91</u>	<u>654.21</u>	<u>V61.5</u>	<u>V27.0</u>		<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>641.31</u>	<u>641.31</u>	<u>287.5</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>242</u>	<u>648.11</u>	<u>642.91</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>998.2</u>	<u>669.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>655.73</u>	<u>651.01</u>	<u>648.21</u>	<u>654.21</u>	<u>642.91</u>	<u>642.71</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.2</u>		<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>668.82</u>	<u>648.81</u>	<u>652.61</u>	<u>651.11</u>	<u>644.21</u>	<u>V25.2</u>	<u>646.11</u>	<u>380.1</u>	<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>644.21</u>	<u>648.61</u>	<u>425.4</u>	<u>659.71</u>	<u>795.79</u>	<u>654.51</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>641.21</u>	<u>652.21</u>	<u>641.11</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>642.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.71</u>	<u>661.21</u>	<u>659.71</u>	<u>658.41</u>	<u>652.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.13</u>	<u>661.11</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>651.01</u>	<u>652.21</u>	<u>V27.2</u>	<u>V25.2</u>					<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>652.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V02.51</u>	<u>663.31</u>	<u>V27.0</u>					<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>652.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.11</u>	<u>661.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>647.61</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>54.1</u>					<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>652.21</u>	<u>652.21</u>	<u>648.91</u>	<u>493.9</u>	<u>V23.2</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V64.2</u>	<u>V25.2</u>	<u>V07.2</u>					<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>658.01</u>	<u>654.21</u>	<u>V27.0</u>	<u>644.21</u>	<u>V25.2</u>	<u>V07.2</u>				<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>658.01</u>	<u>656.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.2</u>	<u>654.11</u>	<u>218.2</u>				<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.61</u>	<u>659.61</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.51</u>	<u>659.71</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>663.31</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>656.61</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>

2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>663.31</u>	<u>664.21</u>	<u>654.21</u>	V25.2	<u>V27.0</u>							<u>73.6</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>646.61</u>	<u>41.02</u>	V25.2	<u>V27.0</u>								<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>V27.0</u>	<u>V02.51</u>	V25.2								<u>75.69</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>663.31</u>	<u>663.31</u>	V25.2	<u>V27.0</u>									<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>642.31</u>	<u>V27.0</u>	V25.2									<u>73.6</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.21</u>	<u>287.5</u>	<u>648.41</u>	<u>305.1</u>	V25.2	<u>V27.0</u>						<u>73.6</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>661.31</u>	<u>661.31</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	V25.2							<u>73.6</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	V25.2									<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>641.31</u>	<u>287.5</u>	<u>V27.0</u>	V25.2							<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>648.21</u>	<u>V27.0</u>	V25.2									<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>669.81</u>	<u>669.81</u>	V25.2	<u>V27.0</u>									<u>72.71</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.71</u>	<u>648.71</u>	<u>301.59</u>	<u>659.71</u>	<u>648.41</u>	V25.2	<u>V27.0</u>						<u>72.71</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>647.61</u>	<u>287.5</u>	<u>646.81</u>	<u>54.1</u>	<u>664.01</u>	<u>V27.0</u>	V25.2				<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>669.51</u>	<u>669.51</u>	<u>V27.0</u>	V25.2									<u>72.79</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V61.5</u>									<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock		<u>648.41</u>	<u>648.41</u>	<u>305.93</u>	<u>V27.0</u>	V25.2								<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.31</u>	V25.2	<u>V27.0</u>									<u>73.6</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	V25.2									<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>642.41</u>	<u>648.01</u>	<u>250.01</u>	<u>644.21</u>	<u>V27.0</u>	V25.2						<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	V25.2									<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>656.61</u>	<u>656.61</u>	<u>V27.0</u>	V25.2	<u>654.21</u>	<u>648.81</u>							<u>73.6</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>661.31</u>	<u>661.31</u>	<u>V27.0</u>	V25.2									<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>656.81</u>	V25.2	<u>V27.0</u>									<u>73.6</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V02.51</u>	V25.2	<u>V27.0</u>								<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.91</u>	<u>659.51</u>	<u>664.01</u>	<u>648.21</u>	<u>285.9</u>	<u>663.31</u>	V25.2	<u>V27.0</u>				<u>72.79</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>642.31</u>	<u>664.01</u>	V25.2	<u>V27.0</u>								<u>75.69</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	V25.2									<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V27.0</u>	V25.2									<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>669.51</u>	<u>648.21</u>	<u>V27.0</u>	V25.2								<u>72.71</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>660.41</u>	V25.2	<u>V27.0</u>								<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	V25.2									<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>659.61</u>	V25.2	<u>V27.0</u>								<u>73.6</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V23.2</u>	V25.2	<u>V27.0</u>								<u>73.59</u>
2000Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>635.92</u>	635.92	<u>648.93</u>	<u>196.3</u>	<u>174.9</u>	<u>V58.61</u>	<u>V12.52</u>						<u>69.93</u>

2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>641.31</u>	<u>644.21</u>	<u>287.5</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock		<u>658.13</u>	<u>658.21</u>	<u>305.7</u>	<u>658.41</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>			<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>959.9</u>	<u>641.21</u>	<u>682.6</u>	<u>644.21</u>	<u>810.02</u>	<u>647.81</u>	<u>891.1</u>	<u>41</u>	<u>41.1</u>	<u>648.21</u>		<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>655.73</u>	<u>648.81</u>	<u>641.91</u>	<u>642.01</u>	<u>V25.2</u>	<u>654.11</u>	<u>218.9</u>	<u>V23.2</u>	<u>659.71</u>	<u>659.61</u>		<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>642.41</u>	<u>998.59</u>	<u>647.82</u>	<u>642.31</u>	<u>652.31</u>	<u>656.81</u>	<u>651.01</u>	<u>V25.2</u>		<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>656.61</u>	<u>648.01</u>	<u>V61.5</u>	<u>V25.2</u>	<u>V27.0</u>	<u>786.2</u>					<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>560.1</u>	<u>666.12</u>	<u>285.1</u>	<u>V02.51</u>	<u>V25.2</u>	<u>669.42</u>	<u>642.31</u>		<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>644.21</u>	<u>560.1</u>	<u>654.21</u>	<u>648.91</u>	<u>648.81</u>	<u>493.9</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>659.61</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>646.61</u>	<u>651.01</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.2</u>	<u>652.31</u>				<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>644.21</u>	<u>276.5</u>	<u>648.81</u>	<u>654.21</u>	<u>669.01</u>	<u>646.11</u>	<u>669.42</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.1</u>	<u>280</u>	<u>656.51</u>	<u>642.31</u>	<u>456.5</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>671.42</u>	<u>652.81</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>663.31</u>	<u>280.9</u>	<u>280</u>	<u>674.32</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>654.11</u>	<u>218.9</u>	<u>648.91</u>	<u>V02.51</u>	<u>V15.82</u>	<u>V61.5</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V23.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>651.03</u>	<u>644.21</u>	<u>651.01</u>	<u>658.11</u>	<u>V27.2</u>	<u>659.71</u>						<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>642.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>	<u>568</u>						<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>652.21</u>	<u>658.11</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>354</u>							<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>652.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>657.01</u>	<u>656.61</u>	<u>652.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>656.51</u>	<u>656.51</u>	<u>648.81</u>	<u>655.11</u>	<u>655.81</u>	<u>656.71</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>658.01</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.13</u>	<u>644.21</u>	<u>657.01</u>	<u>658.01</u>	<u>651.01</u>	<u>652.81</u>	<u>658.41</u>	<u>V25.2</u>	<u>V27.2</u>			<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V02.51</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V02.51</u>	<u>654.11</u>	<u>218.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>656.61</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>						<u>74.1</u>

2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.31</u>	<u>648.81</u>	<u>642.91</u>	<u>648.41</u>	<u>659.51</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>642.31</u>	<u>659.61</u>	<u>652.21</u>	<u>655.71</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>652.51</u>	<u>652.51</u>	<u>656.81</u>	<u>659.71</u>	<u>620.8</u>	<u>V27.0</u>				<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>648.91</u>	<u>278</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.91</u>	<u>654.21</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>659.61</u>	<u>V27.0</u>					<u>74.99</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.41</u>	<u>305.1</u>	<u>656.71</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>652.21</u>	<u>752.2</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>645.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>656.83</u>	<u>648.81</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>							<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>701.4</u>	<u>V23.4</u>	<u>V27.0</u>				<u>74.1</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>655.73</u>	<u>642.61</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>666.12</u>	<u>V25.2</u>	<u>656.71</u>	<u>V27.0</u>				<u>73.6</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.71</u>	<u>647.81</u>	<u>659.81</u>	<u>41.02</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>664.11</u>	<u>V27.0</u>						<u>75.69</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>658.11</u>	<u>644.21</u>	<u>657.01</u>	<u>V27.0</u>	<u>664.01</u>				<u>75.69</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>664.11</u>	<u>695.4</u>	<u>646.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>686.1</u>		<u>66.32</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>648.81</u>	<u>659.61</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>			<u>73.6</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>663.31</u>	<u>663.31</u>	<u>656.61</u>	<u>V27.0</u>						<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.03</u>	<u>644.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>112.3</u>				<u>73.6</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.81</u>	<u>648.81</u>	<u>659.71</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>	<u>701.4</u>		<u>72.71</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.9</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>						<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.21</u>	<u>280.9</u>	<u>V27.0</u>						<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>

2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>669.51</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.9</u>	<u>V25.2</u>							<u>73.6</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>V23.2</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.6</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>										<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>656.51</u>	<u>656.51</u>	<u>646.61</u>	<u>614.1</u>	<u>663.31</u>	<u>654.41</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>								<u>72.71</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>655.73</u>	<u>663.31</u>	<u>658.01</u>	<u>655.71</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.6</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>V25.2</u>	<u>V02.51</u>	<u>V27.0</u>								<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.6</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>								<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>660.41</u>	<u>648.21</u>	<u>646.61</u>	<u>614.1</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>										<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>656.61</u>	<u>656.61</u>	<u>641.21</u>	<u>648.81</u>	<u>652.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>72.79</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.6</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.71</u>	<u>659.71</u>	<u>661.31</u>	<u>V25.2</u>	<u>663.31</u>	<u>652.81</u>	<u>V27.0</u>						<u>72.71</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>663.31</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.31</u>	<u>780.39</u>	<u>646.81</u>	<u>663.31</u>	<u>V27.0</u>							<u>73.6</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>702.19</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>							<u>73.6</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.31</u>	<u>648.91</u>	<u>V27.1</u>	<u>V02.51</u>	<u>V25.2</u>							<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.6</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>642.31</u>	<u>V27.0</u>	<u>648.21</u>	<u>280.9</u>	<u>V25.2</u>							<u>66.39</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>663.91</u>	<u>648.21</u>	<u>671.22</u>	<u>V25.2</u>	<u>216.5</u>	<u>451</u>	<u>V27.0</u>				<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.01</u>	<u>659.21</u>	<u>666.14</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2001Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.31</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>278.01</u>	<u>648.91</u>	<u>V02.51</u>					<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>648.91</u>	<u>331.4</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>642.41</u>	<u>659.61</u>	<u>644.21</u>	<u>648.11</u>	<u>244.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>644.21</u>	<u>642.51</u>	<u>656.51</u>	<u>648.81</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>645.21</u>	<u>645.21</u>	<u>674.12</u>	<u>V23.4</u>	<u>V25.2</u>	<u>654.41</u>	<u>614.8</u>	<u>V27.0</u>					<u>74</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>659.71</u>						<u>74.1</u>

2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>641.31</u>	<u>652.21</u>	<u>648.81</u>	<u>648.11</u>	<u>658.41</u>	<u>287.5</u>	<u>244.9</u>	<u>V27.0</u>	<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V23.89</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>					<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>642.41</u>	<u>651.01</u>	<u>652.61</u>	<u>278</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.2</u>		<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>661.01</u>	<u>668.82</u>	<u>V27.0</u>	<u>653.51</u>	<u>659.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>349</u>	<u>V25.2</u>	<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>642.71</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>652.21</u>	<u>668.82</u>	<u>V27.0</u>	<u>349</u>	<u>V25.2</u>					<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>654.51</u>	<u>659.61</u>	<u>285.1</u>	<u>671.81</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.81</u>	<u>648.81</u>	<u>250.01</u>	<u>V25.2</u>	<u>V23.4</u>	<u>V02.51</u>	<u>V27.0</u>				<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.61</u>	<u>424</u>	<u>648.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.2</u>	<u>305.1</u>		<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V23.4</u>	<u>656.31</u>	<u>997.4</u>	<u>V23.4</u>	<u>V23.5</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>780.39</u>	<u>654.21</u>	<u>654.51</u>	<u>648.91</u>	<u>648.41</u>	<u>311</u>	<u>656.51</u>	<u>V25.2</u>	<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.93</u>	<u>644.21</u>	<u>642.61</u>	<u>642.01</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.21</u>	<u>70.54</u>	<u>663.11</u>	<u>659.51</u>	<u>646.11</u>	<u>648.41</u>	<u>647.61</u>	<u>305.1</u>	<u>V27.0</u>	<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>641.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>657.01</u>	<u>646.61</u>	<u>652.31</u>	<u>653.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>614.6</u>			<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>644.21</u>	<u>518</u>	<u>652.21</u>	<u>669.42</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>660.01</u>	<u>652.21</u>	<u>644.21</u>	<u>651.01</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.2</u>			<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>656.51</u>	<u>654.21</u>	<u>V27.0</u>	<u>656.51</u>	<u>654.11</u>	<u>218.9</u>					<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>661.21</u>	<u>653.41</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>661.11</u>	<u>663.01</u>	<u>652.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>617.9</u>				<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.53</u>	<u>642.51</u>	<u>654.21</u>	<u>658.01</u>	<u>659.61</u>	<u>654.41</u>	<u>644.21</u>	<u>V27.0</u>	<u>V23.5</u>		<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>661.21</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>	<u>530.81</u>					<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>653.41</u>	<u>654.41</u>	<u>V25.2</u>					<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.53</u>	<u>642.51</u>	<u>642.01</u>	<u>656.51</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.43</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>					<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.83</u>	<u>657.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.81</u>	<u>654.21</u>	<u>656.61</u>	<u>642.31</u>	<u>644.21</u>		<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>647.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>78.1</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.9</u>	<u>642.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>659.61</u>	<u>663.31</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>			<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V23.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>278.01</u>	<u>V25.2</u>				<u>74.1</u>
2001Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>652.81</u>	<u>652.81</u>	<u>654.21</u>	<u>V25.2</u>	<u>V02.51</u>	<u>V27.0</u>					<u>74.1</u>

2001Q4	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>662.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.6</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>562.11</u>	<u>562.11</u>	<u>578.1</u>	<u>535.4</u>	<u>280.9</u>	<u>250</u>	<u>V25.9</u>	<u>455</u>	<u>455.3</u>	<u>530.11</u>	<u>45.23</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>218.2</u>	<u>218.2</u>	<u>617</u>	<u>627.1</u>	<u>614.6</u>	<u>621</u>	<u>616</u>				<u>68.4</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>626.2</u>	<u>626.2</u>	<u>218.9</u>	<u>493.9</u>	<u>625.3</u>	<u>618.2</u>	<u>625.6</u>				<u>68.51</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>618.4</u>	<u>618.4</u>	<u>616</u>	<u>617</u>	<u>V10.83</u>	<u>272</u>					<u>68.4</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V25.2</u>	<u>V25.2</u>	<u>V61.5</u>	<u>305.1</u>							<u>66.32</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>661.11</u>	<u>648.21</u>	<u>658.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>660.01</u>	<u>648.21</u>	<u>652.51</u>	<u>659.71</u>	<u>659.61</u>	<u>648.91</u>	<u>564.1</u>	<u>553.3</u>	<u>V27.0</u>	<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>658.03</u>	<u>658.01</u>	<u>642.41</u>	<u>656.61</u>	<u>490</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.81</u>	<u>648.81</u>	<u>673.21</u>	<u>648.41</u>	<u>642.31</u>	<u>644.21</u>	<u>661.21</u>	<u>V58.61</u>	<u>669.01</u>	<u>305.1</u>	<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.91</u>	<u>424</u>	<u>446.2</u>	<u>648.61</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>644.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>285.9</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.31</u>	<u>654.21</u>	<u>642.71</u>	<u>401.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>346.9</u>	<u>676.22</u>			<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.73</u>	<u>659.71</u>	<u>648.22</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>642.41</u>	<u>666.32</u>	<u>287.5</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>				<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>710</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.93</u>	<u>641.21</u>	<u>648.21</u>	<u>710</u>	<u>644.21</u>	<u>663.01</u>	<u>652.71</u>	<u>658.01</u>	<u>285.9</u>	<u>349</u>	<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>285.9</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>710</u>	<u>648.91</u>	<u>646.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>			<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>652.31</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>285.9</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>658.01</u>	<u>642.01</u>	<u>654.21</u>	<u>659.71</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>669.71</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>660.01</u>	<u>642.91</u>	<u>652.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.33</u>	<u>642.31</u>	<u>655.71</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>647.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>41.02</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>701.4</u>						<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>656.31</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>654.11</u>	<u>648.41</u>	<u>311</u>	<u>218.9</u>	<u>V23.2</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>656.51</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>						<u>74.1</u>

2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>671.81</u>	<u>V27.0</u>	<u>456.8</u>			<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>654.21</u>	<u>659.61</u>	<u>648.92</u>	<u>462</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>651.01</u>	<u>651.01</u>	<u>644.21</u>	<u>652.61</u>	<u>V25.2</u>	<u>V27.2</u>			<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>651.01</u>	<u>651.01</u>	<u>644.21</u>	<u>652.61</u>	<u>655.71</u>	<u>V25.2</u>	<u>V27.2</u>		<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>648.81</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>		<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>305.1</u>	<u>V25.2</u>				<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V62.6</u>	<u>V25.2</u>	<u>648.91</u>	<u>285.9</u>	<u>V27.0</u>		<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>669.81</u>	<u>220</u>	<u>614.6</u>	<u>663.31</u>	<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>641.21</u>	<u>658.11</u>	<u>652.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>660.01</u>	<u>660.01</u>	<u>654.21</u>	<u>652.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.61</u>	<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>652.03</u>	<u>657.01</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>569</u>		<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>656.31</u>	<u>659.71</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>654.51</u>	<u>V25.2</u>	<u>648.41</u>	<u>300</u>	<u>V27.0</u>		<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.33</u>	<u>642.31</u>	<u>654.21</u>	<u>V25.2</u>	<u>659.61</u>	<u>V27.0</u>			<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>641.21</u>	<u>V27.0</u>	<u>659.61</u>	<u>663.21</u>	<u>V25.2</u>	<u>623.8</u>	<u>786.59</u>	<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>648.91</u>	<u>493.9</u>	<u>V27.0</u>			<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>795.79</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>111.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>656.53</u>	<u>656.51</u>	<u>652.21</u>	<u>658.01</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.21</u>	<u>648.21</u>	<u>670.02</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>654.51</u>		<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>664.01</u>	<u>642.91</u>	<u>661.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>75.69</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.71</u>	<u>646.81</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.59</u>

2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V45.2</u>								<u>73.6</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>667.02</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.61</u>	<u>659.61</u>	<u>641.31</u>	<u>653.21</u>	<u>287.5</u>	<u>666.12</u>	<u>660.11</u>	<u>663.21</u>	<u>V25.2</u>	<u>V23.2</u>			<u>72.71</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>244.9</u>	<u>V25.2</u>							<u>66.32</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.61</u>	<u>642.01</u>	<u>V27.0</u>	<u>401.9</u>	<u>V25.2</u>	<u>285.9</u>						<u>66.32</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.71</u>	<u>659.71</u>	<u>664.01</u>	<u>660.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>72.1</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>660.41</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.6</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.81</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>658.03</u>	<u>658.01</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>665.51</u>	<u>V27.0</u>	<u>V25.2</u>								<u>75.69</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>663.31</u>								<u>66.32</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.01</u>	<u>752.3</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>75.69</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.53</u>	<u>659.51</u>	<u>648.21</u>	<u>664.01</u>	<u>648.91</u>	<u>648.41</u>	<u>V02.51</u>	<u>V25.2</u>	<u>305.1</u>	<u>654.51</u>			<u>75.69</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.61</u>	<u>659.61</u>	<u>648.61</u>	<u>424</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.2</u>								<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>660.41</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.6</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.81</u>	<u>648.91</u>	<u>278.01</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>656.51</u>	<u>648.21</u>	<u>663.31</u>	<u>648.91</u>	<u>305.1</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>73.4</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>648.91</u>	<u>592</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>666.12</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>								<u>73.6</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.41</u>	<u>648.41</u>	<u>674.32</u>	<u>305.1</u>	<u>V25.2</u>	<u>300.01</u>	<u>V27.0</u>						<u>73.6</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.33</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>663.21</u>								<u>73.4</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>659.71</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>669.51</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2002Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.41</u>	<u>642.41</u>	<u>659.61</u>	<u>663.31</u>	<u>669.81</u>	<u>659.71</u>	<u>654.11</u>	<u>218.9</u>	<u>V25.2</u>	<u>658.01</u>			<u>72.79</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>648.21</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>285.9</u>	<u>V45.2</u>				<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.71</u>	<u>642.41</u>	<u>V27.0</u>									<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>646.11</u>	<u>V02.51</u>	<u>V27.0</u>					<u>74.1</u>

2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.41</u>	<u>642.41</u>	<u>250.01</u>	<u>648.81</u>	<u>648.21</u>	<u>652.21</u>	<u>278.01</u>	<u>654.21</u>	<u>659.71</u>	<u>644.21</u>	<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>658.01</u>	<u>648.01</u>	<u>V27.0</u>	<u>250.01</u>	<u>654.21</u>	<u>V25.2</u>				<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>648.22</u>	<u>V27.0</u>	<u>V25.2</u>	<u>285.9</u>					<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>648.22</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.11</u>	<u>340</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>648.22</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.03</u>	<u>642.51</u>	<u>287.5</u>	<u>648.21</u>	<u>997.1</u>	<u>560.1</u>	<u>V27.2</u>	<u>644.21</u>	<u>651.01</u>	<u>658.01</u>	<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>656.61</u>	<u>648.01</u>	<u>250.01</u>	<u>648.21</u>	<u>668.81</u>	<u>V27.0</u>	<u>V25.2</u>	<u>285.9</u>	<u>349</u>	<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.01</u>	<u>648.22</u>	<u>285.1</u>	<u>659.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>648.22</u>	<u>V27.0</u>	<u>648.81</u>	<u>V25.2</u>	<u>646.11</u>	<u>656.61</u>	<u>674.32</u>	<u>V45.89</u>	<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>653.51</u>	<u>285.9</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>658.03</u>	<u>654.21</u>	<u>658.01</u>	<u>654.01</u>	<u>644.21</u>	<u>656.51</u>	<u>648.91</u>	<u>V27.0</u>	<u>V23.5</u>	<u>493.9</u>	<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.71</u>	<u>663.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.33</u>	<u>642.41</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>654.21</u>	<u>648.91</u>	<u>620.8</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>658.41</u>						<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>653.51</u>	<u>V27.0</u>	<u>659.61</u>	<u>654.21</u>	<u>V25.2</u>					<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>652.21</u>	<u>654.21</u>	<u>659.71</u>	<u>V27.0</u>	<u>648.41</u>	<u>305.1</u>	<u>656.51</u>	<u>V25.2</u>		<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.43</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>658.01</u>						<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>614.6</u>						<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>659.61</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>660.11</u>	<u>V23.4</u>	<u>V25.2</u>	<u>648.11</u>	<u>244.9</u>	<u>661.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>652.31</u>	<u>V25.2</u>	<u>663.21</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>654.51</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V12.51</u>	<u>648.91</u>	<u>218.9</u>	<u>V25.2</u>				<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>658.01</u>	<u>V25.2</u>						<u>74.1</u>
2002Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>656.61</u>	<u>652.71</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>					<u>74.1</u>

2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>648.01</u>	<u>646.61</u>	<u>658.41</u>	<u>599</u>	<u>278.01</u>	<u>250</u>	<u>V25.2</u>	<u>674.32</u>	<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>646.61</u>	<u>642.31</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>		<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>674.12</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.71</u>	<u>287.5</u>	<u>648.21</u>	<u>V27.0</u>	<u>641.21</u>	<u>V25.2</u>	<u>648.91</u>			<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>V25.2</u>	<u>614.6</u>	<u>305.1</u>	<u>648.41</u>	<u>648.81</u>	<u>V27.0</u>		<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>656.31</u>	<u>656.31</u>	<u>648.01</u>	<u>642.41</u>	<u>V27.0</u>	<u>654.21</u>	<u>644.21</u>	<u>659.71</u>	<u>642.31</u>	<u>656.51</u>	<u>75.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.22</u>	<u>644.21</u>	<u>658.01</u>	<u>656.51</u>	<u>355.8</u>	<u>646.41</u>	<u>656.71</u>	<u>674.32</u>	<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>648.61</u>	<u>424</u>	<u>641.01</u>	<u>648.41</u>	<u>305.1</u>	<u>648.91</u>	<u>493.9</u>	<u>V27.0</u>	<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.51</u>	<u>648.01</u>	<u>658.01</u>	<u>655.81</u>	<u>644.21</u>	<u>652.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>648.61</u>	<u>648.21</u>	<u>424</u>	<u>665.51</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>666.32</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>680.5</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>647.62</u>	<u>644.21</u>	<u>659.71</u>	<u>79.99</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>656.31</u>	<u>V25.2</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>652.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>653.41</u>	<u>698.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>663.31</u>				<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.51</u>	<u>654.51</u>	<u>V25.2</u>	<u>V23.4</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>658.01</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.63</u>	<u>659.61</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>663.31</u>	<u>V25.2</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.1</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>653.41</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>642.01</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.03</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>658.41</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>			<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>654.11</u>	<u>648.91</u>	<u>530.81</u>				<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.61</u>	<u>648.81</u>	<u>644.21</u>	<u>659.71</u>	<u>656.61</u>	<u>642.31</u>	<u>672.02</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>654.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>656.61</u>	<u>656.61</u>	<u>218.9</u>	<u>V23.4</u>	<u>V25.2</u>	<u>654.11</u>	<u>V23.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>656.61</u>	<u>V27.0</u>	<u>659.61</u>	<u>648.81</u>	<u>V25.2</u>					<u>74.1</u>

2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.93</u>	<u>648.91</u>	<u>V02.51</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.03</u>	<u>644.21</u>	<u>648.22</u>	<u>V27.0</u>	<u>V25.2</u>	<u>285.9</u>							<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.6</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>645.13</u>	<u>645.11</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>665.51</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.91</u>	<u>648.91</u>	<u>664.01</u>	<u>V02.51</u>	<u>V27.0</u>							<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>653.51</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.6</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock		<u>656.53</u>	<u>656.51</u>	<u>V23.7</u>	<u>305.02</u>	<u>648.21</u>	<u>658.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>648.41</u>	<u>285.9</u>			<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>658.11</u>	<u>658.11</u>	<u>648.11</u>	<u>648.91</u>	<u>V02.51</u>	<u>654.21</u>	<u>V27.0</u>	<u>244.9</u>	<u>V25.2</u>				<u>73.6</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.6</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>654.21</u>							<u>75.69</u>	
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.01</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>75.69</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>658.11</u>	<u>658.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>73.6</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>663.31</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>								<u>73.6</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.6</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>									<u>75.69</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>671.22</u>	<u>671.02</u>	<u>648.91</u>	<u>553.1</u>	<u>V27.0</u>							<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.21</u>	<u>644.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>653.51</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.61</u>	<u>646.11</u>	<u>V25.2</u>				<u>73.6</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>V27.0</u>										<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.43</u>	<u>642.41</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>641.21</u>	<u>V25.2</u>	<u>654.21</u>	<u>V27.0</u>								<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>									<u>75.69</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>665.41</u>	<u>665.41</u>	<u>666.12</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V23.2</u>						<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.6</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.31</u>	<u>664.11</u>	<u>V27.0</u>									<u>73.59</u>
2002Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.01</u>	<u>340</u>	<u>659.61</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>						<u>73.59</u>

2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>659.61</u>	<u>V25.2</u>						<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>651.01</u>	<u>648.21</u>	<u>280</u>	<u>V27.2</u>	<u>652.21</u>	<u>656.51</u>	<u>V25.2</u>				<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>652.21</u>	<u>648.61</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.62</u>	<u>428</u>	<u>642.31</u>	<u>652.61</u>	<u>644.21</u>	<u>659.61</u>	<u>648.91</u>	<u>550.9</u>		<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>642.41</u>	<u>287.5</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V23.2</u>				<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.71</u>	<u>644.21</u>	<u>661.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V23.2</u>	<u>V25.2</u>				<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>656.53</u>	<u>642.71</u>	<u>656.51</u>	<u>658.01</u>	<u>659.71</u>	<u>654.21</u>	<u>V25.2</u>	<u>644.21</u>	<u>V27.0</u>			<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.41</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>651.01</u>	<u>648.81</u>	<u>648.41</u>	<u>311</u>	<u>305.1</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>		<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>642.91</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>660.01</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.0</u>	<u>659.71</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>641.11</u>	<u>659.61</u>	<u>652.81</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>644.21</u>				<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>669.82</u>	<u>787.3</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>654.11</u>	<u>218.9</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.01</u>	<u>642.01</u>	<u>648.91</u>	<u>401.9</u>	<u>V23.2</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>655.73</u>	<u>655.71</u>	<u>658.01</u>	<u>V27.0</u>	<u>659.61</u>	<u>V25.2</u>						<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.01</u>	<u>659.71</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V23.2</u>					<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.71</u>							<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.03</u>	<u>644.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>646.81</u>	<u>54.1</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.81</u>	<u>V25.2</u>	<u>659.61</u>					<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>646.81</u>	<u>54.1</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.81</u>	<u>V25.2</u>	<u>659.61</u>					<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>656.61</u>	<u>659.61</u>	<u>648.81</u>	<u>V25.2</u>	<u>646.11</u>				<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>652.51</u>	<u>V25.2</u>	<u>656.81</u>	<u>V15.82</u>	<u>V27.0</u>					<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>648.91</u>	<u>574.2</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.51</u>	<u>642.51</u>	<u>644.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.92</u>					<u>74.1</u>

2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>658.11</u>	<u>654.21</u>	<u>648.41</u>	<u>646.11</u>	<u>644.21</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V23.2</u>		<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>656.61</u>	<u>659.61</u>	<u>658.01</u>	<u>654.51</u>	<u>646.31</u>	<u>648.41</u>	<u>305.1</u>	<u>648.81</u>	<u>V25.2</u>		<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>656.21</u>	<u>V25.2</u>						<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.81</u>	<u>V27.0</u>	<u>664.01</u>	<u>V25.2</u>							<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.01</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.91</u>	<u>710</u>	<u>663.41</u>	<u>663.31</u>	<u>664.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>75.69</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>					<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.11</u>	<u>664.11</u>	<u>663.31</u>	<u>V27.0</u>								<u>73.6</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.13</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>								<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>656.63</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.91</u>	<u>V27.0</u>	<u>493.9</u>	<u>V02.51</u>	<u>V23.2</u>	<u>V25.2</u>					<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>657.01</u>	<u>657.01</u>	<u>664.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>								<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.61</u>	<u>V27.0</u>	<u>V23.2</u>	<u>V25.2</u>							<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.11</u>	<u>648.11</u>	<u>244.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>664.01</u>							<u>75.69</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.01</u>	<u>659.61</u>	<u>656.81</u>	<u>V25.2</u>	<u>V27.0</u>						<u>75.69</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>665.51</u>	<u>648.41</u>	<u>305.1</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.2</u>	<u>V61.5</u>				<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>655.71</u>	<u>655.71</u>	<u>664.01</u>	<u>782.1</u>	<u>490</u>	<u>663.31</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>			<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.01</u>	<u>V27.0</u>	<u>V61.5</u>	<u>V25.2</u>							<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.6</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.91</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.6</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>670.02</u>	<u>998.59</u>	<u>682.2</u>	<u>648.42</u>	<u>311</u>	<u>305.1</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V17.0</u>		<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>664.01</u>	<u>V27.1</u>	<u>V25.2</u>								<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>674.82</u>	<u>674.82</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V23.2</u>							<u>73.6</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.0</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>								<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.41</u>	<u>642.41</u>	<u>354</u>	<u>663.41</u>	<u>648.91</u>	<u>V27.0</u>	<u>V23.2</u>					<u>73.6</u>

2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.41</u>	<u>646.11</u>	<u>V15.82</u>	<u>296.7</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.61</u>	<u>664.11</u>	<u>663.31</u>	<u>V07.2</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.31</u>	<u>659.71</u>	<u>663.31</u>	<u>V23.41</u>	<u>V23.2</u>	<u>V25.2</u>	<u>V27.0</u>			<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V23.2</u>	<u>V27.0</u>					<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>664.01</u>	<u>664.01</u>	<u>663.21</u>	<u>V25.2</u>	<u>493.9</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>			<u>73.6</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.31</u>	<u>661.31</u>	<u>V23.41</u>	<u>V27.0</u>	<u>644.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>		<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>						<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>73.59</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>							<u>66.32</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>646.31</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2003Q1	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F											<u>69.01</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V25.2</u>	<u>V25.2</u>	<u>614.6</u>	<u>V64.4</u>	<u>787.02</u>						<u>66.69</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.01</u>	<u>648.22</u>	<u>656.61</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.41</u>	<u>648.01</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>574.1</u>	<u>652.81</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>651.01</u>	<u>651.01</u>	<u>648.61</u>	<u>424</u>	<u>648.21</u>	<u>285.9</u>	<u>652.61</u>	<u>V25.2</u>	<u>V27.2</u>		<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>654.51</u>	<u>250</u>	<u>648.91</u>	<u>V02.51</u>	<u>V23.41</u>	<u>V25.2</u>	<u>646.11</u>	<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>640.91</u>	<u>644.21</u>	<u>641.21</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>568</u>				<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.1</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>671.42</u>	<u>671.02</u>	<u>669.42</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>780.39</u>	<u>659.61</u>	<u>648.91</u>	<u>646.81</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>285.9</u>					<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.03</u>	<u>646.21</u>	<u>646.61</u>	<u>V27.2</u>	<u>599</u>	<u>591</u>	<u>651.01</u>	<u>V25.2</u>	<u>644.21</u>	<u>V44.6</u>	<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>646.61</u>	<u>590.8</u>	<u>648.21</u>	<u>592.1</u>	<u>661.11</u>	<u>659.71</u>	<u>285.9</u>	<u>648.91</u>	<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>641.21</u>	<u>641.21</u>	<u>648.22</u>	<u>657.01</u>	<u>922.1</u>	<u>659.71</u>	<u>646.11</u>	<u>278</u>	<u>V25.2</u>	<u>285.9</u>	<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.21</u>	<u>653.41</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.41</u>	<u>642.51</u>	<u>710</u>	<u>654.21</u>	<u>648.91</u>	<u>648.11</u>	<u>244.9</u>	<u>644.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>663.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>651.03</u>	<u>651.01</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.2</u>						<u>74.1</u>

2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.01</u>	<u>648.81</u>	<u>654.11</u>	<u>218.9</u>	<u>656.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>651.01</u>	<u>651.01</u>	<u>663.21</u>	<u>644.21</u>	<u>652.61</u>	<u>V04.3</u>	<u>V27.2</u>		<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.71</u>	<u>663.31</u>	<u>648.81</u>		<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.71</u>	<u>659.61</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>654.21</u>	<u>V27.0</u>	<u>642.31</u>	<u>V25.2</u>			<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>648.41</u>	<u>305.1</u>	<u>648.81</u>	<u>658.01</u>	<u>V27.0</u>	<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V07.2</u>	<u>V25.2</u>				<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>646.81</u>	<u>646.11</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.91</u>	<u>659.61</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>	<u>663.31</u>		<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V23.2</u>	<u>V25.2</u>	<u>V07.2</u>			<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.21</u>	<u>V27.0</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>		<u>74.1</u>		
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>661.21</u>	<u>661.21</u>	<u>648.91</u>	<u>493.9</u>	<u>646.11</u>	<u>278.01</u>	<u>698.9</u>	<u>648.92</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>669.51</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>644.13</u>	<u>644.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>493.9</u>	<u>V25.2</u>	<u>564</u>	<u>648.41</u>	<u>305.1</u>	<u>784.1</u>	<u>V27.0</u>	<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.91</u>	<u>493.9</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.31</u>	<u>654.21</u>	<u>V27.0</u>	<u>654.41</u>	<u>621.5</u>	<u>V25.2</u>	<u>659.61</u>	<u>669.02</u>	<u>276.8</u>	<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>656.11</u>	<u>644.21</u>	<u>659.61</u>	<u>646.31</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.81</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.61</u>	<u>642.61</u>	<u>V27.0</u>	<u>659.51</u>	<u>354</u>	<u>V25.2</u>	<u>644.21</u>			<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.11</u>	<u>V27.0</u>	<u>654.11</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>654.11</u>	<u>218.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.2</u>			<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.01</u>	<u>659.61</u>	<u>648.91</u>	<u>659.71</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>	<u>701.4</u>				<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>658.03</u>	<u>658.01</u>	<u>V27.0</u>	<u>V25.2</u>	<u>655.81</u>					<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.91</u>	<u>782.1</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.01</u>	<u>658.01</u>	<u>659.71</u>	<u>652.81</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.11</u>	<u>244.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	

2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>										<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>465.9</u>	<u>568</u>						<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>641.21</u>	<u>641.21</u>	<u>658.01</u>	<u>300</u>	<u>648.41</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.61</u>	<u>656.61</u>	<u>642.01</u>	<u>401.9</u>	<u>648.41</u>	<u>300.4</u>	<u>V23.2</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.1</u>	<u>V25.2</u>								<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V07.2</u>	<u>V25.2</u>								<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>652.61</u>	<u>654.21</u>	<u>646.81</u>	<u>614.6</u>	<u>V27.2</u>	<u>V25.2</u>						<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.01</u>	<u>644.21</u>	<u>663.31</u>	<u>648.91</u>	<u>729.1</u>	<u>737.3</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.71</u>	<u>654.51</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>						<u>74.1</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.93</u>	<u>664.11</u>	<u>661.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>						<u>75.69</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock		<u>V22.1</u>	<u>644.21</u>	<u>648.91</u>	<u>648.41</u>	<u>655.51</u>	<u>305.03</u>	<u>V23.41</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>			<u>66.32</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>641.01</u>	<u>V25.2</u>										<u>66.32</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.91</u>	<u>648.91</u>	<u>V01.1</u>	<u>V23.2</u>	<u>V25.2</u>	<u>V27.0</u>							<u>73.59</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.39</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>669.51</u>	<u>669.51</u>	<u>V27.0</u>	<u>V25.2</u>									<u>72.71</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.71</u>	<u>663.31</u>	<u>V23.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V07.2</u>						<u>66.32</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>644.21</u>	<u>642.31</u>	<u>663.31</u>	<u>V23.41</u>	<u>V23.2</u>	<u>V25.2</u>						<u>66.32</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>646.11</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V04.3</u>								<u>66.32</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>665.51</u>	<u>648.91</u>	<u>V23.41</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>66.32</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>665.61</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.2</u>								<u>66.32</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.71</u>	<u>648.21</u>	<u>654.21</u>	<u>285.9</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>73.4</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>656.11</u>	<u>V27.0</u>	<u>V25.2</u>									<u>66.32</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V23.2</u>								<u>66.32</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.93</u>	<u>648.91</u>	<u>493.9</u>	<u>V02.51</u>	<u>648.41</u>	<u>V25.2</u>	<u>311</u>	<u>300.14</u>	<u>V27.0</u>				<u>66.32</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.91</u>	<u>710</u>	<u>663.31</u>	<u>659.71</u>	<u>644.21</u>	<u>V25.2</u>	<u>V57.0</u>					<u>66.32</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.41</u>	<u>642.41</u>	<u>658.01</u>	<u>648.91</u>	<u>493.9</u>	<u>V25.2</u>	<u>389.9</u>	<u>V27.0</u>					<u>73.59</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>									<u>73.59</u>
2003Q2	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>647.61</u>	<u>648.91</u>	<u>V10.83</u>	<u>54.9</u>	<u>V15.41</u>	<u>V27.0</u>	<u>V25.2</u>				<u>66.32</u>

2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>648.11</u>	<u>648.11</u>	<u>671.31</u>	<u>242.9</u>	<u>644.21</u>	<u>646.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.21</u>	<u>V27.0</u>	<u>663.31</u>	<u>V25.2</u>				<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.61</u>	<u>424</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.31</u>	<u>642.31</u>	<u>641.31</u>	<u>648.21</u>	<u>287.5</u>	<u>V25.2</u>	<u>644.21</u>	<u>285.9</u>	<u>V27.0</u>	<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>648.21</u>	<u>648.31</u>	<u>304</u>	<u>644.21</u>	<u>285.9</u>	<u>648.41</u>	<u>311</u>	<u>646.11</u>	<u>74.1</u>
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>652.21</u>	<u>648.01</u>	<u>V27.0</u>	<u>644.21</u>	<u>795.79</u>	<u>V25.2</u>			<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>670.02</u>	<u>216.5</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.81</u>	<u>654.31</u>	<u>659.61</u>	<u>V27.0</u>					<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>620.2</u>					<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.91</u>	<u>620</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>654.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>659.71</u>	<u>659.71</u>	<u>V25.2</u>	<u>648.41</u>	<u>305.1</u>	<u>V23.49</u>	<u>V27.0</u>			<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>659.61</u>	<u>652.01</u>	<u>652.91</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>641.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>659.61</u>					<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.91</u>	<u>714</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.41</u>	<u>305.1</u>	<u>648.91</u>	<u>251.2</u>	<u>493.9</u>	<u>V23.41</u>	<u>V27.0</u>	<u>V25.2</u>	<u>74.1</u>
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>646.11</u>	<u>648.41</u>	<u>V15.82</u>	<u>V27.0</u>	<u>V23.2</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>663.31</u>	<u>V27.0</u>	<u>654.21</u>	<u>V25.2</u>					<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>349</u>	<u>V27.0</u>					<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.11</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.0</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>			<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>648.91</u>	<u>493.9</u>	<u>646.11</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.53</u>	<u>642.51</u>	<u>644.21</u>	<u>648.91</u>	<u>555.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>642.33</u>	<u>642.31</u>	<u>654.21</u>	<u>665.72</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.11</u>	<u>218.9</u>	<u>644.21</u>	<u>654.61</u>	<u>V27.0</u>	<u>568</u>	<u>V25.2</u>		<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>					<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>	
2003Q3	465000	Covenant Medical Center	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>650</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>	

2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>668.82</u>	<u>V27.0</u>	<u>V25.2</u>	<u>646.21</u>	<u>582.1</u>	<u>648.91</u>	<u>V02.51</u>	<u>74.1</u>	
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>654.51</u>	<u>646.11</u>	<u>278.01</u>	<u>648.41</u>	<u>300</u>	<u>V27.0</u>	<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>658.01</u>	<u>648.22</u>	<u>V27.0</u>	<u>642.91</u>	<u>659.41</u>	<u>V25.2</u>	<u>654.21</u>	<u>654.41</u>		<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>648.22</u>	<u>280</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.01</u>	<u>250.41</u>	<u>583.81</u>	<u>V27.0</u>	<u>644.21</u>	<u>642.21</u>	<u>401.9</u>	<u>V25.2</u>	<u>654.21</u>	<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>642.91</u>	<u>V27.0</u>	<u>648.71</u>	<u>278.01</u>	<u>V25.2</u>				<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>	<u>648.91</u>	<u>V02.51</u>				<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>644.03</u>	<u>652.61</u>	<u>644.21</u>	<u>654.21</u>	<u>651.01</u>	<u>V27.2</u>	<u>V25.2</u>				<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>657.01</u>	<u>659.61</u>	<u>654.21</u>	<u>648.91</u>	<u>215.5</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>659.71</u>	<u>V27.2</u>	<u>644.21</u>	<u>V25.2</u>					<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.99</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V61.5</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>648.91</u>	<u>493.9</u>	<u>V27.0</u>				<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>648.81</u>	<u>663.31</u>	<u>V25.2</u>				<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>642.33</u>	<u>642.51</u>	<u>V27.0</u>	<u>671.01</u>	<u>642.31</u>	<u>V25.2</u>	<u>659.61</u>				<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>650</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>654.41</u>	<u>614.6</u>	<u>659.61</u>	<u>669.51</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.0</u>	<u>661.11</u>	<u>660.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V23.2</u>	<u>V23.5</u>	<u>V23.41</u>	<u>V27.0</u>				<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>								<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>644.03</u>	<u>658.11</u>	<u>654.01</u>	<u>654.21</u>	<u>651.01</u>	<u>644.21</u>	<u>648.93</u>	<u>359.3</u>	<u>V27.2</u>	<u>V25.2</u>	<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.71</u>	<u>V27.0</u>						<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>654.21</u>	<u>654.21</u>	<u>244.9</u>	<u>V25.2</u>	<u>648.11</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>658.01</u>	<u>V27.0</u>	<u>644.21</u>	<u>663.91</u>						<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>V22.1</u>	<u>661.21</u>	<u>V27.0</u>	<u>659.41</u>	<u>V25.2</u>	<u>663.31</u>					<u>74.1</u>
2003Q4	465000	COVENANT MEDICAL CENTER	St. Joseph	Lubbock	Lubbock	F	<u>658.01</u>	<u>658.01</u>	<u>220</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>648.91</u>	<u>493.9</u>	<u>654.41</u>	<u>729.5</u>	<u>74.1</u>

2000Q3	497000	Seton Medical Center	Ascension	Austin	Austin	F	<u>654.41</u>	<u>654.41</u>	<u>581.9</u>	<u>648.91</u>	<u>620.2</u>	<u>642.41</u>	<u>652.11</u>	<u>V23.3</u>	<u>V27.0</u>	<u>66.39</u>	
2000Q4	497000	Seton Medical Center	Ascension	Austin	Austin	F	<u>180.9</u>	<u>180.9</u>	<u>560.1</u>	<u>250</u>						<u>68.6</u>	
2000Q4	497000	Seton Medical Center	Ascension	Austin	Austin	F	<u>218.1</u>	<u>218.1</u>	<u>616</u>	<u>617</u>	<u>620.8</u>	<u>285.8</u>				<u>68.4</u>	
2001Q1	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>618.2</u>	<u>618.2</u>	<u>998.2</u>	<u>276.1</u>	<u>625.6</u>	<u>276.8</u>	<u>617</u>			<u>68.59</u>	
2001Q1	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>633.1</u>	<u>633.1</u>	<u>614.6</u>							<u>66.01</u>	
2001Q2	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>626.2</u>	<u>617</u>	<u>218.1</u>	<u>617.2</u>	<u>620.8</u>	<u>616</u>	<u>626.2</u>	<u>401.9</u>		<u>68.4</u>	
2001Q2	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>218.9</u>	<u>218.9</u>	<u>401.9</u>							<u>68.4</u>	
2001Q2	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>642.51</u>	<u>642.51</u>	<u>654.21</u>	<u>287.3</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q2	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>644.21</u>	<u>644.21</u>	<u>665.11</u>	<u>654.21</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q3	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>180</u>	<u>180</u>	<u>218.1</u>	<u>305.1</u>						<u>68.4</u>	
2001Q3	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>642.51</u>	<u>642.51</u>	<u>644.21</u>	<u>654.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2001Q4	497000	Seton Medical Center	Ascension	Austin	Austin	F	<u>182</u>	<u>182</u>	<u>197.2</u>	<u>311</u>	<u>197.6</u>					<u>68.4</u>	
2001Q4	497000	Seton Medical Center	Ascension	Austin	Austin	F	<u>625.9</u>	<u>625.3</u>	<u>998.2</u>	<u>V25.2</u>	<u>626.2</u>	<u>625</u>	<u>616</u>			<u>68.4</u>	
2001Q4	497000	Seton Medical Center	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>659.61</u>	<u>654.41</u>	<u>646.61</u>	<u>663.31</u>	<u>V27.0</u>	<u>V02.51</u>	<u>V25.2</u>		<u>74.1</u>	
2002Q1	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>626.2</u>	<u>218.1</u>	<u>285.1</u>	<u>626.2</u>	<u>617.2</u>					<u>68.4</u>	
2002Q1	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>654.21</u>	<u>V27.0</u>	<u>648.01</u>						<u>74.1</u>	
2002Q2	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>654.21</u>	<u>654.21</u>	<u>V23.7</u>	<u>648.01</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2002Q2	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>625.9</u>	<u>633.1</u>								<u>69.09</u>	
2002Q3	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>218.9</u>	<u>218.1</u>	<u>V25.2</u>							<u>68.29</u>	
2002Q3	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>625.3</u>	<u>218.2</u>	<u>625.3</u>	<u>626.2</u>	<u>614.1</u>					<u>68.3</u>	
2002Q3	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>V22.1</u>	<u>642.71</u>	<u>648.01</u>	<u>642.31</u>	<u>642.01</u>	<u>654.21</u>	<u>654.41</u>	<u>644.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>74.1</u>
2002Q3	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>642.73</u>	<u>642.71</u>	<u>642.51</u>	<u>V23.82</u>	<u>646.31</u>	<u>652.31</u>	<u>V27.0</u>	<u>698.9</u>	<u>522.5</u>	<u>74.1</u>	
2002Q3	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>V23.4</u>	<u>642.51</u>	<u>V27.0</u>	<u>780.39</u>	<u>518.81</u>	<u>648.91</u>	<u>648.01</u>			<u>74.1</u>	
2002Q3	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>V23.89</u>	<u>642.71</u>	<u>V27.0</u>	<u>648.92</u>	<u>648.91</u>	<u>486</u>	<u>781</u>	<u>698.9</u>	<u>V25.2</u>	<u>654.21</u>	<u>74.1</u>
2002Q4	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>218.1</u>	<u>218.1</u>	<u>614.1</u>	<u>614.6</u>	<u>626.2</u>					<u>68.29</u>	
2003Q1	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>618.3</u>	<u>618.3</u>								<u>68.59</u>	
2003Q1	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>626.9</u>	<u>614.1</u>	<u>626.9</u>	<u>530.81</u>	<u>305.1</u>	<u>244.9</u>				<u>68.59</u>	
2003Q1	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>218.9</u>	<u>218</u>	<u>218.2</u>	<u>621.5</u>	<u>614.6</u>	<u>614.1</u>	<u>626.2</u>	<u>625.3</u>	<u>285.9</u>	<u>V64.4</u>	<u>68.29</u>
2003Q1	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>789.03</u>	<u>614.9</u>	<u>V25.42</u>							<u>99.21</u>	
2003Q3	497000	Daughters of Charity Seton Medical Center	Ascension	Austin	Austin	F	<u>218.9</u>	<u>218.9</u>	<u>614.1</u>	<u>617.1</u>	<u>401.9</u>					<u>68.4</u>	
2003Q4	497000	SETON MEDICAL CENTER	Ascension	Austin	Austin	F	<u>626.2</u>	<u>218.9</u>	<u>626.2</u>	<u>710</u>	<u>401.9</u>					<u>68.4</u>	
2003Q4	497000	SETON MEDICAL CENTER	Ascension	Austin	Austin	F	<u>626.9</u>	<u>626.8</u>	<u>518</u>	<u>424</u>	<u>493.9</u>					<u>68.4</u>	
2003Q4	497000	SETON MEDICAL CENTER	Ascension	Austin	Austin	F	<u>218.9</u>	<u>218.9</u>	<u>701.9</u>							<u>68.59</u>	
2003Q4	497000	SETON MEDICAL CENTER	Ascension	Austin	Austin	F	<u>625.3</u>	<u>218.1</u>	<u>625.3</u>	<u>614.1</u>						<u>68.59</u>	

2002Q3	497001	Daughters of Charity Seton Southwest	Ascension	Austin	Austin	F	<u>614.1</u>	<u>614.1</u>	<u>614.6</u>	<u>560.1</u>							<u>66.51</u>
2000Q2	497002	Seton Northwest Hospital	Ascension	Austin	Austin	F	<u>789</u>	<u>997.4</u>	<u>569.62</u>	<u>997.3</u>	<u>518</u>	<u>614.6</u>	<u>698.9</u>	<u>V25.2</u>	<u>V12.79</u>	<u>620.1</u>	<u>59.02</u>
2000Q2	497002	Seton Northwest Hospital	Ascension	Austin	Austin	F	<u>626.2</u>	<u>626.2</u>	<u>285.9</u>	<u>621.2</u>	<u>625.3</u>	<u>997.4</u>	<u>560.1</u>				<u>68.59</u>
2000Q2	497002	Seton Northwest Hospital	Ascension	Austin	Austin	F	<u>621</u>	<u>621</u>	<u>621.3</u>	<u>780.6</u>	<u>218.2</u>	<u>622.7</u>					<u>69.09</u>
2001Q1	497002	Daughters of Charity Seton Northwest	Ascension	Austin	Austin	F	<u>623.8</u>	<u>635.11</u>	<u>780.6</u>								<u>69.52</u>
2001Q2	497002	Daughters of Charity Seton Northwest	Ascension	Austin	Austin	F	<u>614.6</u>	<u>614.6</u>	<u>614.1</u>	<u>997.4</u>	<u>285.9</u>	<u>244.9</u>	<u>593.9</u>	<u>401.9</u>			<u>68.4</u>
2001Q2	497002	Daughters of Charity Seton Northwest	Ascension	Austin	Austin	F	<u>634.91</u>	<u>635.11</u>	<u>656.11</u>	<u>V27.1</u>							<u>69.52</u>
2002Q3	497002	Daughters of Charity Seton Northwest	Ascension	Austin	Austin	F	<u>633.1</u>	<u>633.1</u>	<u>568.81</u>								<u>66.01</u>
2003Q1	497002	Daughters of Charity Seton Northwest	Ascension	Austin	Austin	F	<u>614.2</u>	<u>614.2</u>	<u>614.6</u>								<u>66.51</u>
2003Q2	497002	Daughters of Charity Seton Northwest	Ascension	Austin	Austin	F	<u>233.1</u>	<u>233.1</u>	<u>V25.2</u>								<u>68.59</u>
2003Q2	497002	Daughters of Charity Seton Northwest	Ascension	Austin	Austin	F	<u>625.9</u>	<u>614.1</u>	<u>568</u>	<u>401.9</u>	<u>285.9</u>	<u>V64.4</u>					<u>66.51</u>
2003Q2	497002	Daughters of Charity Seton Northwest	Ascension	Austin	Austin	F	<u>625.6</u>	<u>626.2</u>	<u>625.6</u>	<u>618</u>	<u>218.1</u>	<u>617</u>	<u>244.9</u>	<u>401.9</u>			<u>68.59</u>
2003Q2	497002	Daughters of Charity Seton Northwest	Ascension	Austin	Austin	F	<u>633.9</u>	<u>633.9</u>	<u>621.6</u>	<u>568.81</u>	<u>614.6</u>	<u>V64.4</u>					<u>66.51</u>
2000Q2	600000	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>625.9</u>	<u>617</u>	<u>617.2</u>	<u>625.9</u>	<u>795.1</u>						<u>68.4</u>
2000Q2	600000	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>789</u>	<u>218.9</u>	<u>455.2</u>	<u>620.2</u>	<u>275.41</u>						<u>68.4</u>
2000Q3	600000	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>614.6</u>	<u>568</u>	<u>614.6</u>	<u>709.2</u>	<u>693</u>	<u>493.9</u>					<u>54.59</u>
2001Q1	600000	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>218.9</u>	<u>218.1</u>	<u>625.9</u>								<u>68.4</u>
2001Q2	600000	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>617.9</u>	<u>617.1</u>	<u>617</u>	<u>614.6</u>	<u>616</u>	<u>622.1</u>	<u>620.8</u>	<u>757.6</u>			<u>68.4</u>
2001Q3	600000	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>459</u>	<u>218.2</u>	<u>614.6</u>	<u>614.1</u>	<u>626.2</u>						<u>68.4</u>
2001Q4	600000	Christus St John Hospital	Christus	Nassau Bay	Houston	F	<u>614.6</u>	<u>614.1</u>	<u>620.8</u>	<u>614.6</u>	<u>633.1</u>	<u>620.1</u>	<u>614.2</u>				<u>66.51</u>
2001Q4	600000	Christus St John Hospital	Christus	Nassau Bay	Houston	F	<u>666.02</u>	<u>635.71</u>									
2002Q1	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>789</u>	<u>633.8</u>	<u>V15.82</u>								<u>69.09</u>
2002Q2	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>218.9</u>	<u>218.1</u>	<u>219.9</u>	<u>620</u>	<u>617.2</u>	<u>285.9</u>	<u>625.9</u>				<u>68.4</u>
2002Q3	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>620.2</u>	<u>614.6</u>	<u>218</u>	<u>617.9</u>	<u>614.1</u>	<u>620.2</u>	<u>752.2</u>				<u>65.25</u>
2002Q4	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>218.9</u>	<u>218.1</u>	<u>626.2</u>	<u>625.9</u>	<u>620.8</u>	<u>620</u>	<u>614.6</u>				<u>68.4</u>
2003Q1	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>789.39</u>	<u>220</u>	<u>614.1</u>	<u>568</u>	<u>614.6</u>	<u>620.8</u>	<u>617.9</u>	<u>625.9</u>	<u>285.9</u>		<u>66.51</u>
2003Q1	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>620.2</u>	<u>617</u>	<u>218.9</u>	<u>616</u>	<u>620</u>	<u>614.6</u>					<u>68.4</u>
2003Q1	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>626.8</u>	<u>618.1</u>	<u>620.8</u>	<u>616</u>	<u>625.3</u>						<u>68.59</u>
2003Q2	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>626.2</u>	<u>218.1</u>	<u>617</u>	<u>614.6</u>	<u>625.3</u>	<u>626.2</u>					<u>68.4</u>
2003Q2	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>789</u>	<u>625.3</u>	<u>626.2</u>	<u>622.1</u>	<u>617</u>	<u>617.2</u>	<u>617.1</u>	<u>614.6</u>			<u>68.4</u>
2003Q2	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>634.91</u>	<u>635.01</u>	<u>493.9</u>								<u>69.52</u>
2003Q3	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>626.8</u>	<u>616</u>	<u>998.2</u>	<u>621.2</u>	<u>617</u>	<u>620.1</u>	<u>626.2</u>	<u>285.9</u>	<u>614.6</u>	<u>753.4</u>	<u>68.4</u>
2003Q3	600001	CHRISTUS St John Hospital	Christus	Nassau Bay	Houston	F	<u>620.2</u>	<u>218.1</u>	<u>626.8</u>	<u>752.11</u>	<u>621.5</u>	<u>617</u>	<u>620.1</u>				<u>68.4</u>
2003Q4	600001	CHRISTUS ST. JOHN HOSP	Christus	Nassau Bay	Houston	F	<u>625.6</u>	<u>218.1</u>	<u>617.3</u>	<u>617</u>	<u>617.1</u>	<u>618.1</u>	<u>625.6</u>	<u>244.9</u>			<u>68.4</u>

2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>642.71</u>	<u>401.9</u>	<u>593.89</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>592.1</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>599</u>	<u>41.4</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>651.01</u>	<u>V27.2</u>	<u>V25.2</u>				<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>663.31</u>	<u>663.31</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>				<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q3	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q4	788000	Christus St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2001Q4	788000	Christus St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>642.92</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2001Q4	788000	Christus St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q4	788000	Christus St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>652.21</u>	<u>V27.2</u>					<u>74.1</u>	
2001Q4	788000	Christus St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q4	788000	Christus St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2001Q4	788000	Christus St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2002Q1	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>648.41</u>	<u>648.41</u>	<u>296.34</u>	<u>663.31</u>	<u>642.01</u>	<u>401.9</u>	<u>300.4</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2002Q1	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>648.81</u>	<u>648.81</u>	<u>654.41</u>	<u>V25.2</u>	<u>V26.51</u>	<u>V27.0</u>			<u>74.1</u>	
2002Q1	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>648.91</u>	<u>654.21</u>	<u>648.91</u>	<u>V27.0</u>	<u>V02.51</u>				<u>74.1</u>	
2002Q1	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>659.71</u>	<u>659.71</u>	<u>659.61</u>	<u>661.21</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2002Q1	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2002Q1	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2002Q1	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>646.81</u>	<u>V25.2</u>	<u>V27.2</u>				<u>74.1</u>	
2002Q1	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>	
2002Q1	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>658.11</u>	<u>658.11</u>	<u>644.21</u>	<u>652.61</u>	<u>663.31</u>	<u>V27.2</u>			<u>74.1</u>	
2002Q1	788000	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>659.61</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>659.71</u>	<u>659.71</u>	<u>642.71</u>	<u>648.81</u>	<u>401.9</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>	
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>652.61</u>	<u>652.61</u>	<u>648.21</u>	<u>285.9</u>	<u>V27.2</u>	<u>V25.2</u>			<u>74.1</u>	

2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>661.21</u>	<u>661.21</u>	<u>670.02</u>	<u>654.21</u>	<u>659.71</u>	<u>615.9</u>	<u>648.82</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>655.81</u>	<u>654.11</u>	<u>218.9</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>669.41</u>	<u>669.41</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V12.51</u>					<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>652.61</u>	<u>652.61</u>	<u>786.09</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.2</u>				<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>642.71</u>	<u>642.71</u>	<u>654.21</u>	<u>401.9</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V02.51</u>			<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>553.2</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>614.6</u>	<u>614.6</u>	<u>625.9</u>	<u>617.9</u>	<u>220</u>	<u>596.8</u>	<u>568</u>	<u>305.1</u>		<u>68.4</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>642.71</u>	<u>642.71</u>	<u>648.01</u>	<u>250.01</u>	<u>401.9</u>	<u>659.61</u>	<u>V25.2</u>			<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>655.71</u>	<u>655.71</u>	<u>661.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>648.21</u>	<u>648.21</u>	<u>285.9</u>	<u>654.51</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>658.11</u>	<u>658.11</u>	<u>648.81</u>	<u>656.61</u>	<u>V27.0</u>					<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>652.31</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>656.61</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>642.01</u>	<u>642.01</u>	<u>401.9</u>	<u>659.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q4	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>618.8</u>	<u>618.8</u>	<u>625.6</u>	<u>620.8</u>	<u>627.1</u>					<u>68.4</u>
2002Q4	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>682.2</u>	<u>674.32</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>

2003Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>659.11</u>	<u>659.11</u>	<u>648.11</u>	<u>244.9</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>654.41</u>	<u>646.81</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74</u>
2003Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>652.21</u>	<u>642.01</u>	<u>401.9</u>	<u>654.01</u>	<u>658.11</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2003Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q2	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>560.1</u>	<u>V25.2</u>	<u>621.5</u>	<u>669.41</u>	<u>V27.0</u>				<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>592.1</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>642.51</u>	<u>659.71</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>652.21</u>	<u>652.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>642.71</u>	<u>642.71</u>	<u>401.9</u>	<u>663.31</u>	<u>652.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>642.01</u>	<u>642.01</u>	<u>401.9</u>	<u>648.81</u>	<u>648.91</u>	<u>656.51</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>622.1</u>	<u>620.2</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q3	788001	CHRISTUS St Michael Health System	Christus	Texarkana Tyler	F	<u>642.41</u>	<u>642.41</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>285.1</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>641.11</u>	<u>641.11</u>	<u>648.22</u>	<u>659.61</u>	<u>648.91</u>	<u>644.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>	<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q4	788001	CHRISTUS ST. MICHAEL	Christus	Texarkana Tyler	F	<u>635.12</u>	<u>635.12</u>	<u>285.1</u>	<u>244</u>							<u>99.04</u>
2003Q3	797600	DCHS-Austin-Seton Northwest Hospital	Ascension	Austin Austin	F	<u>622.1</u>	<u>622.1</u>	<u>617.1</u>	<u>218.9</u>	<u>219.1</u>	<u>620.1</u>	<u>V64.4</u>	<u>617.3</u>	<u>701.9</u>		<u>68.4</u>

2003Q4	797600	SETON NORTHWEST HOSPITAL	Ascension	Austin	Austin	F	<u>625.9</u>	<u>617.2</u>	<u>625.3</u>	<u>752.11</u>	<u>614.6</u>	<u>626.2</u>	<u>614.1</u>				<u>68.3</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>648</u>	<u>648.01</u>	<u>642.41</u>	<u>654.21</u>	<u>V25.2</u>	<u>278</u>	<u>V27.0</u>				<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>644.2</u>	<u>644.21</u>	<u>642.41</u>	<u>654.21</u>	<u>659.71</u>	<u>648.81</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>651.03</u>	<u>660.01</u>	<u>642.41</u>	<u>669.71</u>	<u>652.61</u>	<u>V25.2</u>	<u>V27.2</u>	<u>462</u>			<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>656.63</u>	<u>656.61</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>648.91</u>	<u>656.61</u>	<u>V27.0</u>	<u>V02.51</u>					<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.2</u>	<u>654.21</u>	<u>659.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.2</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>652.81</u>	<u>652.81</u>	<u>660.01</u>	<u>655.81</u>	<u>658.41</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>218.9</u>	<u>218.9</u>	<u>625.9</u>	<u>626.2</u>							<u>68.4</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>642.43</u>	<u>659.61</u>	<u>642.41</u>	<u>648.81</u>	<u>660.01</u>	<u>652.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.2</u>	<u>654.21</u>	<u>642.71</u>	<u>644.21</u>	<u>656.51</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>642.4</u>	<u>642.41</u>	<u>648.01</u>	<u>250.01</u>	<u>659.41</u>	<u>V27.0</u>					<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>648.21</u>	<u>646.61</u>	<u>599.7</u>	<u>659.11</u>	<u>285.9</u>	<u>653.51</u>	<u>648.91</u>	<u>592</u>	<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>646.61</u>	<u>659.61</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>	<u>701.4</u>			<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.2</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.2</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>648.11</u>	<u>244.9</u>	<u>642.91</u>	<u>V27.0</u>					<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>659.61</u>	<u>656.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>658.13</u>	<u>658.11</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>644.03</u>	<u>644.21</u>	<u>655.81</u>	<u>659.71</u>	<u>V27.0</u>						<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>665.01</u>	<u>644.21</u>	<u>654.01</u>	<u>752.3</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>665.11</u>	<u>648.81</u>	<u>657.01</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>646.61</u>	<u>599</u>	<u>642.01</u>	<u>401.9</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>646.61</u>	<u>654.11</u>	<u>218.9</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>

2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>659.43</u>	<u>659.41</u>	<u>V23.89</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>644.13</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>644.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>		<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.2</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>656.11</u>	<u>V27.0</u>					<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>642.31</u>	<u>642.31</u>	<u>658.01</u>	<u>654.21</u>	<u>V25.2</u>	<u>669.21</u>	<u>V27.0</u>				<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.2</u>	<u>654.21</u>	<u>648.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.2</u>	<u>654.21</u>	<u>642.01</u>	<u>V26.51</u>	<u>V27.0</u>						<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>648.91</u>	<u>796.2</u>	<u>300</u>	<u>493.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>648.81</u>	<u>642.01</u>	<u>401.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>642.03</u>	<u>642.01</u>	<u>401.9</u>	<u>654.21</u>	<u>658.01</u>	<u>642.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>659.63</u>	<u>659.61</u>	<u>659.71</u>	<u>659.11</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>642.71</u>	<u>648.81</u>	<u>401.9</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>642.33</u>	<u>654.21</u>	<u>644.21</u>	<u>648.81</u>	<u>642.01</u>	<u>401.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>644.03</u>	<u>644.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>644.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>644.03</u>	<u>644.21</u>	<u>660.11</u>	<u>661.11</u>	<u>653.41</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>648.81</u>	<u>642.01</u>	<u>671.81</u>	<u>455.2</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.2</u>	<u>654.21</u>	<u>659.61</u>	<u>658.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>648.81</u>	<u>V27.0</u>		<u>74.1</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>650</u>	<u>659.41</u>	<u>648.41</u>	<u>296.7</u>	<u>V25.2</u>	<u>V27.0</u>					<u>66.51</u>
2000Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>644.03</u>	<u>644.21</u>	<u>648.81</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>				<u>66.32</u>
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>626.6</u>	<u>218.9</u>	<u>626.6</u>	<u>625.9</u>	<u>285.9</u>						<u>68.4</u>
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>218.9</u>	<u>617</u>	<u>218.9</u>	<u>553.1</u>	<u>614.6</u>						<u>68.4</u>
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>625.9</u>	<u>614.1</u>	<u>620.1</u>	<u>614.6</u>	<u>493.9</u>						<u>65.25</u>
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>642.43</u>	<u>642.41</u>	<u>V23.82</u>	<u>644.21</u>	<u>648.81</u>	<u>654.41</u>	<u>V27.2</u>	<u>620.8</u>			<u>74.1</u>
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>V23.82</u>	<u>648.01</u>	<u>250.01</u>	<u>659.61</u>	<u>654.21</u>	<u>646.11</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V23.82</u>	<u>648.01</u>	<u>648.91</u>	<u>250</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V02.51</u>		<u>74.1</u>
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>741.9</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>	<u>785.2</u>				<u>74.1</u>

2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.93</u>	<u>654.21</u>	<u>666.32</u>	<u>287.5</u>	<u>671.81</u>	<u>455.3</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.2</u>	<u>654.21</u>	<u>648.61</u>	<u>V45.01</u>	<u>V27.0</u>				<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>658.13</u>	<u>659.71</u>	<u>V23.7</u>	<u>658.21</u>	<u>654.21</u>	<u>648.81</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74</u>
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>641.11</u>	<u>648.21</u>	<u>644.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>644.13</u>	<u>648.91</u>	<u>714.3</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>780.39</u>	<u>648.91</u>	<u>V27.0</u>	<u>V25.2</u>			<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>642.01</u>	<u>401.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>659.83</u>	<u>659.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>648.11</u>	<u>244.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>659.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>652.21</u>	<u>654.21</u>	<u>659.71</u>	<u>642.31</u>	<u>V25.2</u>	<u>V27.0</u>		<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>651.01</u>	<u>651.01</u>	<u>V27.2</u>	<u>654.21</u>	<u>V25.2</u>	<u>550.91</u>	<u>568.89</u>	<u>614.6</u>	<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.23</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>V22.1</u>	<u>650</u>	<u>V27.0</u>	<u>V25.2</u>					<u>73.6</u>	
2000Q4	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>646.63</u>	<u>635.72</u>	<u>658.41</u>	<u>V27.1</u>						
2001Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>660.01</u>	<u>652.21</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2001Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>654.91</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>	
2001Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>648.81</u>	<u>653.51</u>	<u>646.11</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>	
2001Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>	
2001Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.31</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>	
2001Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>	
2001Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>633.2</u>	<u>633.2</u>	<u>620.2</u>						<u>65.09</u>	
2001Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>633.1</u>	<u>633.1</u>							<u>66.51</u>	
2001Q1	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>635.02</u>	<u>635.02</u>							<u>96.49</u>	
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>182</u>	<u>182</u>	<u>401.9</u>	<u>V45.77</u>					<u>68.4</u>	
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>621.2</u>	<u>621.2</u>	<u>616</u>	<u>620.8</u>	<u>626.2</u>	<u>401.9</u>	<u>300.01</u>		<u>68.59</u>	
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>648.01</u>	<u>250.01</u>	<u>659.51</u>	<u>657.01</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>

2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>648.01</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>250</u>	<u>653.41</u>				<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>648.01</u>	<u>250.01</u>	<u>653.51</u>	<u>659.41</u>	<u>648.42</u>	<u>311</u>	<u>V25.2</u>		<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>641.11</u>	<u>641.11</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>648.61</u>	<u>648.61</u>	<u>673.21</u>	<u>642.51</u>	<u>428</u>	<u>648.81</u>	<u>V27.0</u>	<u>644.21</u>	<u>416.8</u>	<u>V25.2</u>		<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>642.41</u>	<u>648.81</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V27.0</u>				<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>660.01</u>	<u>660.01</u>	<u>648.21</u>	<u>285.1</u>	<u>647.61</u>	<u>54.9</u>	<u>658.21</u>	<u>644.21</u>	<u>652.61</u>	<u>V25.2</u>		<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>641.11</u>	<u>641.11</u>	<u>648.01</u>	<u>674.12</u>	<u>250.01</u>	<u>654.21</u>	<u>646.11</u>	<u>V25.2</u>				<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.11</u>	<u>244.9</u>						<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>663.31</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>	<u>V12.51</u>					<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>663.01</u>	<u>659.71</u>	<u>648.11</u>	<u>244.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>	<u>V61.5</u>	<u>656.71</u>						<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>653.51</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>669.51</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>648.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>652.21</u>	<u>652.21</u>	<u>645.11</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>239.2</u>							<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.11</u>	<u>659.41</u>	<u>653.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>651.01</u>	<u>651.01</u>	<u>654.21</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.2</u>						<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>661.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>651.01</u>	<u>651.01</u>	<u>V27.2</u>	<u>652.31</u>	<u>V25.2</u>	<u>644.21</u>	<u>642.01</u>	<u>401.9</u>	<u>648.81</u>			<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2001Q2	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>V25.2</u>	<u>V15.89</u>	<u>V12.51</u>							<u>66.32</u>
2001Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>780.39</u>	<u>659.41</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2001Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2001Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>280</u>	<u>660.01</u>	<u>652.61</u>	<u>V25.2</u>	<u>V27.2</u>				<u>74.1</u>
2001Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>644.21</u>	<u>648.91</u>	<u>616.1</u>	<u>V25.2</u>	<u>V02.51</u>	<u>V27.0</u>			<u>74.1</u>
2001Q3	826000	CHRISTUS Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>663.31</u>	<u>614.6</u>			<u>74.1</u>

2001Q4	826000	Christus Spohn Hospital South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>416.8</u>	<u>416.8</u>	<u>710</u>	<u>446.2</u>	<u>V25.2</u>								<u>54.19</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>218.2</u>	<u>218.2</u>	<u>250.01</u>	<u>616</u>	<u>614.6</u>	<u>620.1</u>	<u>596.8</u>						<u>68.4</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>617</u>	<u>617</u>	<u>616</u>	<u>626.2</u>	<u>620.8</u>	<u>625</u>							<u>68.4</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>641.01</u>	<u>659.41</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>614.6</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>648.21</u>	<u>646.11</u>	<u>648.91</u>	<u>285.9</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>282.5</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>648.81</u>	<u>654.21</u>	<u>659.61</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>661.11</u>	<u>661.11</u>	<u>660.11</u>	<u>659.11</u>	<u>653.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>646.11</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>656.11</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.01</u>	<u>401.9</u>	<u>646.11</u>	<u>663.31</u>	<u>648.91</u>	<u>659.61</u>	<u>V02.51</u>	<u>V25.2</u>			<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>654.51</u>	<u>V25.2</u>								<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>660.01</u>	<u>652.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.61</u>	<u>787.3</u>					<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>658.01</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>659.41</u>	<u>659.41</u>	<u>648.01</u>	<u>660.41</u>	<u>250</u>	<u>653.51</u>	<u>656.61</u>	<u>V25.2</u>	<u>V27.0</u>				<u>66.32</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>592.1</u>	<u>648.91</u>	<u>592</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>659.61</u>	<u>654.41</u>	<u>614.6</u>	<u>620</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>648.91</u>	<u>V25.2</u>	<u>V02.51</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>666.32</u>	<u>648.21</u>	<u>285.1</u>	<u>518.81</u>	<u>666.02</u>	<u>666.12</u>	<u>654.41</u>	<u>674.82</u>			<u>74</u>

2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>646.61</u>	<u>659.71</u>	<u>654.21</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>				<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>642.51</u>	<u>642.51</u>	<u>648.01</u>	<u>250.01</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.01</u>	<u>401.9</u>	<u>646.11</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>648.71</u>	<u>722.52</u>	<u>V02.51</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>660.01</u>	<u>660.01</u>	<u>659.71</u>	<u>663.11</u>	<u>659.61</u>	<u>659.11</u>	<u>652.31</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>660.01</u>	<u>660.01</u>	<u>654.21</u>	<u>652.21</u>	<u>642.01</u>	<u>648.91</u>	<u>659.61</u>	<u>401.9</u>	<u>V02.51</u>	<u>V25.2</u>		<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>665.81</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>660.01</u>	<u>660.01</u>	<u>654.21</u>	<u>652.81</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>644.21</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.11</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>652.81</u>	<u>652.81</u>	<u>654.21</u>	<u>663.31</u>	<u>V27.0</u>	<u>V25.2</u>						<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>659.61</u>	<u>659.61</u>	<u>664.01</u>	<u>659.41</u>	<u>642.01</u>	<u>401.9</u>	<u>654.41</u>	<u>620.8</u>	<u>V25.2</u>	<u>V27.0</u>		<u>66.39</u>
2002Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>634.71</u>	<u>634.71</u>	<u>652.23</u>	<u>654.13</u>	<u>218.9</u>							<u>73.4</u>
2002Q3	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>660.01</u>	<u>660.01</u>	<u>648.21</u>	<u>654.21</u>	<u>652.21</u>	<u>281.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>646.61</u>	<u>614.6</u>	<u>659.61</u>	<u>V27.0</u>	<u>V25.2</u>					<u>74.1</u>
2002Q3	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>659.41</u>	<u>671.91</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2002Q3	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>660.21</u>	<u>660.21</u>	<u>646.61</u>	<u>654.21</u>	<u>654.01</u>	<u>752.3</u>	<u>665.81</u>	<u>614.6</u>	<u>V27.0</u>	<u>V25.2</u>		<u>74.1</u>
2002Q3	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.01</u>	<u>250.01</u>	<u>648.91</u>	<u>663.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V02.51</u>	<u>V27.0</u>		<u>74.1</u>
2002Q3	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.21</u>	<u>285.9</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2002Q3	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>70.3</u>	<u>70.51</u>	<u>647.61</u>	<u>648.91</u>	<u>592</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2002Q3	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>646.61</u>	<u>648.91</u>	<u>614.6</u>	<u>553.1</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>

2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>654.21</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>642.01</u>	<u>401.9</u>	<u>V25.2</u>	<u>V02.51</u>	<u>V27.0</u>					<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>654.11</u>	<u>659.61</u>	<u>218.2</u>	<u>646.81</u>	<u>V25.2</u>	<u>614.6</u>	<u>V27.0</u>				<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>660.01</u>	<u>660.01</u>	<u>651.01</u>	<u>652.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.2</u>						<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.71</u>	<u>663.11</u>	<u>V27.0</u>	<u>V25.2</u>							<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>659.61</u>	<u>614.6</u>	<u>663.31</u>	<u>654.41</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V27.0</u>	<u>V25.2</u>								<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>660.21</u>	<u>660.21</u>	<u>659.61</u>	<u>654.21</u>	<u>654.11</u>	<u>218.9</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>663.11</u>	<u>V25.2</u>	<u>V27.0</u>								<u>74.1</u>
2003Q1	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>659.41</u>	<u>659.41</u>	<u>661.31</u>	<u>V25.2</u>	<u>V27.0</u>								<u>66.32</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>218.2</u>	<u>218.2</u>	<u>614.6</u>	<u>614.1</u>	<u>626.2</u>	<u>625.9</u>							<u>68.3</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>625.6</u>	<u>625.6</u>	<u>788.8</u>	<u>V25.2</u>									<u>66.39</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>287.3</u>	<u>648.91</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>659.51</u>	<u>659.51</u>	<u>648.21</u>	<u>648.91</u>	<u>654.11</u>	<u>218.1</u>	<u>663.11</u>	<u>V02.51</u>	<u>285.9</u>	<u>V25.2</u>			<u>74</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>642.71</u>	<u>642.71</u>	<u>641.11</u>	<u>648.21</u>	<u>280</u>	<u>401.9</u>	<u>660.01</u>	<u>652.21</u>	<u>654.21</u>	<u>659.61</u>			<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>642.41</u>	<u>646.81</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.41</u>	<u>659.61</u>	<u>648.91</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>674.12</u>	<u>665.11</u>	<u>648.21</u>	<u>280</u>	<u>654.11</u>	<u>218.9</u>	<u>666.12</u>	<u>V25.2</u>			<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>658.11</u>	<u>658.11</u>	<u>242</u>	<u>V27.0</u>	<u>648.91</u>	<u>654.21</u>	<u>V25.2</u>						<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>									<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V27.0</u>	<u>V25.2</u>									<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>660.01</u>	<u>660.01</u>	<u>652.21</u>	<u>654.21</u>	<u>644.21</u>	<u>659.41</u>	<u>661.01</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>

2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>660.01</u>	<u>659.61</u>	<u>648.91</u>	<u>652.21</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>	<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>644.21</u>	<u>644.21</u>	<u>660.01</u>	<u>652.21</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>660.21</u>	<u>660.21</u>	<u>654.21</u>	<u>654.51</u>	<u>654.11</u>	<u>218.9</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>660.01</u>	<u>652.21</u>	<u>663.31</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>648.81</u>	<u>648.81</u>	<u>659.41</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>V25.2</u>	<u>V27.0</u>							<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>642.01</u>	<u>659.61</u>	<u>401.9</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>654.41</u>	<u>648.91</u>	<u>V02.51</u>	<u>614.6</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>648.91</u>	<u>659.61</u>	<u>648.81</u>	<u>V02.51</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>660.01</u>	<u>660.01</u>	<u>652.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>660.21</u>	<u>659.61</u>	<u>654.41</u>	<u>V25.2</u>	<u>V27.0</u>				<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>644.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>					<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.21</u>	<u>654.21</u>	<u>659.61</u>	<u>V25.2</u>	<u>V27.0</u>						<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>654.91</u>	<u>654.91</u>	<u>659.61</u>	<u>V27.0</u>							<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>642.51</u>	<u>642.51</u>	<u>660.01</u>	<u>644.21</u>	<u>652.21</u>	<u>648.81</u>	<u>V25.2</u>	<u>V27.0</u>			<u>74.1</u>
2003Q2	826000	CHRISTUS Spohn Hospital-South	Christus	Corpus Chr	Corpus Christi	F	<u>648.91</u>	<u>648.91</u>	<u>659.61</u>	<u>642.41</u>	<u>659.41</u>	<u>659.71</u>	<u>V02.51</u>	<u>V27.0</u>			<u>66.32</u>

Procedure (IPC) Codes

Other P1 Other P2 Other P3 Other P4 Other P5 Record ID

66.29
66.39
66.32 66.63 66.11

66.32
66.39
74.1 66.32

66.39
66.32
66.32
66.32
66.39

66.32 70.12
66.32
73.4 66.32
75.62 73.4 66.39
75.69 66.39

66.32
66.32 73.09
66.32
66.39
66.32
66.32

73.4 66.32
66.32
66.32

75.61 66.32
73.4 66.32
73.4 75.69 66.32

<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>	<u>75.69</u>	
<u>66.32</u>		
<u>66.39</u>	<u>73.4</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>63.73</u>		
<u>66.51</u>	<u>65.52</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>54.3</u>	<u>54.92</u>	<u>66.32</u>
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>73.4</u>	
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>54.59</u>	<u>65.49</u>	<u>66.69</u>
<u>66.32</u>		
<u>66.39</u>	<u>3.95</u>	

<u>66.32</u>	<u>86.3</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>73.4</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>75.69</u>		
<u>66.32</u>	<u>75.69</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>73.4</u>	<u>66.39</u>	
<u>66.39</u>		
<u>66.39</u>	<u>73.4</u>	<u>73.09</u>
<u>75.69</u>		
<u>66.39</u>		
<u>66.39</u>	<u>75.69</u>	
<u>75.4</u>	<u>66.32</u>	
<u>75.69</u>	<u>66.39</u>	
<u>66.32</u>		
<u>75.4</u>	<u>66.32</u>	<u>75.69</u>
<u>66.32</u>	<u>73.59</u>	
<u>66.32</u>	<u>66.61</u>	

<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>86.3</u>			
<u>66.32</u>				
<u>75.4</u>	<u>66.32</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.01</u>	<u>54.21</u>	<u>66.61</u>		
<u>66.39</u>	<u>73.4</u>			
<u>66.22</u>				
<u>68.4</u>	<u>54.4</u>	<u>40.11</u>	<u>57.34</u>	<u>34.27</u>
<u>66.61</u>	<u>66.39</u>	<u>66.4</u>		
<u>66.32</u>	<u>70.52</u>			
<u>69.49</u>	<u>66.32</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>53.49</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				

66.32
66.32
66.32
66.32
53.51 66.39
54.59 66.39 66.69
66.32

73.4 66.32
75.69 66.32
66.39
66.32
66.32
66.32
66.32
66.32
66.39
66.39
75.69 66.39 73.4
66.32
66.32
66.32 73.6
75.69 66.32
66.32 66.61
66.32
73.4 75.69
66.32
75.4 66.39
66.32
75.69 66.32
66.32
66.32
66.32

<u>75.61</u>	<u>66.32</u>	<u>75.69</u>		
<u>66.32</u>				
<u>66.32</u>				
<u>75.4</u>	<u>66.32</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>75.7</u>	<u>66.32</u>			
<u>73.59</u>	<u>66.32</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>75.69</u>	<u>66.39</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.69</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.51</u>	<u>65.39</u>	<u>65.91</u>	<u>54.59</u>	
<u>66.32</u>				
<u>83.65</u>	<u>66.32</u>	<u>86.3</u>		
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				

<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>75.69</u>	<u>73.4</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>73.6</u>	<u>66.32</u>			
<u>73.4</u>	<u>66.39</u>			
<u>66.32</u>				
<u>73.6</u>	<u>66.32</u>			
<u>71.79</u>	<u>66.39</u>			
<u>66.32</u>				
<u>75.61</u>	<u>66.39</u>			
<u>66.32</u>				
<u>75.69</u>	<u>66.32</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>73.4</u>	<u>66.39</u>	<u>53.49</u>		
<u>66.32</u>				
<u>73.4</u>	<u>66.22</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>75.69</u>	<u>66.39</u>			
<u>54.59</u>	<u>66.51</u>	<u>65.52</u>	<u>34.09</u>	<u>87.73</u>
<u>65.91</u>	<u>65.12</u>	<u>66.32</u>	<u>59.8</u>	<u>57.32</u>
<u>66.51</u>	<u>65.89</u>	<u>70.23</u>		

<u>66.51</u>	<u>59.79</u>		
<u>65.61</u>			
<u>66.39</u>			
<u>66.32</u>	<u>86.83</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>69.96</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>86.4</u>	<u>54.59</u>	
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>75.69</u>	<u>66.39</u>		
<u>66.32</u>	<u>73.09</u>	<u>73.6</u>	
<u>66.32</u>			
<u>73.6</u>	<u>66.32</u>		
<u>75.4</u>	<u>66.39</u>	<u>66.11</u>	<u>73.4</u>
<u>75.4</u>	<u>66.32</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			

<u>75.69</u>	<u>66.32</u>	<u>73.4</u>	
<u>73.59</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.22</u>	<u>73.4</u>	<u>73.09</u>	<u>73.6</u>
<u>75.69</u>	<u>66.32</u>	<u>71.3</u>	
<u>66.32</u>			
<u>66.39</u>			
<u>75.69</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>73.59</u>	<u>75.69</u>		
<u>66.39</u>			
<u>75.69</u>	<u>66.32</u>	<u>69.41</u>	
<u>66.32</u>			
<u>73.6</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>	<u>38.86</u>	<u>54.11</u>	
<u>66.29</u>	<u>73.4</u>	<u>75.34</u>	
<u>63.73</u>			
<u>63.73</u>	<u>57.17</u>	<u>57.32</u>	
<u>65.61</u>	<u>66.69</u>	<u>54.25</u>	
<u>59.79</u>	<u>66.39</u>	<u>70.52</u>	
<u>66.39</u>	<u>70.92</u>	<u>70.77</u>	
<u>66.32</u>			
<u>66.39</u>			

<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>	<u>57.81</u>	<u>3.95</u>	<u>54.59</u>
<u>66.39</u>	<u>54.12</u>		
<u>66.39</u>			
<u>66.32</u>	<u>75.34</u>		
<u>66.39</u>	<u>99.04</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>75.32</u>	<u>66.39</u>	<u>86.3</u>	
<u>66.39</u>			
<u>66.32</u>	<u>53.49</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>53.49</u>	<u>53.51</u>	<u>75.34</u>
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>73.4</u>		
<u>66.39</u>	<u>3.91</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>	<u>75.32</u>		
<u>66.39</u>			
<u>66.39</u>	<u>86.3</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>	<u>54.59</u>		
<u>75.69</u>	<u>73.4</u>		

<u>89.62</u>	<u>75.32</u>	<u>75.34</u>	<u>73.4</u>	
<u>66.39</u>	<u>75.34</u>			
<u>73.6</u>	<u>75.69</u>	<u>66.32</u>	<u>75.32</u>	
<u>75.69</u>	<u>66.32</u>	<u>73.4</u>		
<u>75.34</u>	<u>66.32</u>			
<u>66.32</u>	<u>75.34</u>	<u>73.09</u>		
<u>66.39</u>				
<u>75.69</u>	<u>3.91</u>			
<u>75.69</u>	<u>66.39</u>			
<u>75.69</u>	<u>75.32</u>	<u>66.39</u>		
<u>73.59</u>	<u>66.32</u>	<u>99.11</u>	<u>75.32</u>	
<u>66.32</u>	<u>3.91</u>	<u>3.95</u>		
<u>75.32</u>	<u>66.32</u>			
<u>73.4</u>	<u>66.32</u>	<u>75.34</u>		
<u>75.69</u>	<u>66.39</u>			
<u>73.6</u>	<u>73.4</u>	<u>66.39</u>		
<u>73.6</u>	<u>73.4</u>	<u>66.39</u>		
<u>73.4</u>	<u>73.01</u>	<u>66.39</u>		
<u>73.4</u>	<u>75.32</u>	<u>66.39</u>		
<u>66.39</u>				
<u>73.59</u>	<u>66.39</u>			
<u>66.22</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.09</u>	<u>75.34</u>		
<u>73.59</u>	<u>75.69</u>	<u>73.6</u>	<u>66.39</u>	
<u>66.22</u>				
<u>66.32</u>	<u>73.09</u>			
<u>75.32</u>	<u>66.39</u>			
<u>73.59</u>	<u>66.39</u>			
<u>73.4</u>	<u>73.6</u>	<u>75.62</u>	<u>75.32</u>	<u>66.39</u>
<u>75.69</u>	<u>75.34</u>	<u>66.39</u>	<u>73.4</u>	
<u>75.69</u>	<u>66.39</u>			
<u>75.32</u>	<u>66.39</u>			
<u>66.32</u>	<u>75.34</u>			
<u>73.59</u>				

<u>75.32</u>	<u>66.39</u>			
<u>75.69</u>	<u>66.39</u>	<u>73.59</u>		
<u>66.32</u>	<u>75.32</u>			
<u>66.32</u>	<u>75.34</u>			
<u>75.69</u>	<u>66.32</u>	<u>75.32</u>		
<u>66.32</u>	<u>75.34</u>	<u>73.09</u>		
<u>73.6</u>	<u>66.39</u>			
<u>66.22</u>	<u>75.69</u>	<u>75.34</u>		
<u>66.39</u>	<u>75.34</u>			
<u>73.6</u>	<u>66.22</u>	<u>73.4</u>	<u>73.01</u>	<u>75.34</u>
<u>73.4</u>	<u>73.6</u>	<u>75.69</u>	<u>66.39</u>	
<u>75.69</u>	<u>73.4</u>	<u>66.39</u>		
<u>56.31</u>	<u>57.32</u>	<u>63.73</u>	<u>59.8</u>	
<u>65.52</u>	<u>54.59</u>	<u>54.21</u>		
<u>96.71</u>	<u>37.22</u>	<u>88.56</u>	<u>88.53</u>	
<u>66.39</u>	<u>39.98</u>	<u>65.49</u>		
<u>66.32</u>				
<u>75.52</u>	<u>66.32</u>	<u>75.4</u>	<u>99.04</u>	<u>3.91</u>
<u>66.32</u>				
<u>68.4</u>	<u>75.32</u>	<u>99.04</u>	<u>75.5</u>	
<u>66.92</u>	<u>66.69</u>	<u>65.89</u>	<u>99.04</u>	
<u>66.39</u>				
<u>66.31</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>65.11</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>	<u>75.32</u>			
<u>66.32</u>				
<u>66.32</u>				

<u>66.39</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>			
<u>66.39</u>	<u>75.32</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>	<u>54.59</u>		
<u>66.39</u>	<u>54.59</u>		
<u>66.32</u>			
<u>66.39</u>	<u>3.9</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.1</u>		
<u>75.69</u>	<u>66.39</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>69.02</u>	<u>66.39</u>		
<u>66.39</u>			
<u>73.59</u>	<u>73.6</u>	<u>75.32</u>	<u>66.39</u>
<u>66.39</u>	<u>75.34</u>		
<u>66.39</u>			
<u>66.22</u>			
<u>73.6</u>	<u>73.59</u>	<u>66.39</u>	
<u>66.32</u>			
<u>75.69</u>	<u>66.39</u>		
<u>66.39</u>			
<u>3.91</u>	<u>66.32</u>		
<u>66.39</u>	<u>75.32</u>		
<u>75.32</u>	<u>66.32</u>		
<u>66.39</u>	<u>99.11</u>		

<u>73.6</u>	<u>75.32</u>	<u>66.39</u>	
<u>73.59</u>	<u>75.69</u>	<u>75.32</u>	<u>66.39</u>
<u>75.69</u>	<u>73.59</u>		
<u>66.39</u>			
<u>73.59</u>	<u>75.69</u>	<u>66.39</u>	
<u>66.32</u>			
<u>75.32</u>	<u>66.39</u>		
<u>75.69</u>	<u>73.6</u>	<u>73.09</u>	
<u>71.3</u>	<u>73.6</u>	<u>73.4</u>	<u>73.01</u>
<u>66.32</u>	<u>3.91</u>		
<u>75.32</u>	<u>73.4</u>	<u>66.39</u>	
<u>66.39</u>			
<u>73.59</u>	<u>66.39</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.29</u>	<u>3.91</u>		
<u>75.69</u>	<u>73.09</u>	<u>75.32</u>	<u>66.39</u>
<u>73.6</u>	<u>66.39</u>		
<u>66.32</u>	<u>3.91</u>		
<u>73.59</u>	<u>66.32</u>		
<u>66.21</u>	<u>3.91</u>		
<u>73.59</u>	<u>66.39</u>		
<u>66.32</u>	<u>73.4</u>		
<u>73.59</u>	<u>73.6</u>	<u>66.39</u>	
<u>66.39</u>	<u>75.7</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>75.32</u>	<u>75.69</u>	<u>66.39</u>	
<u>75.51</u>	<u>66.39</u>		
<u>66.39</u>			
<u>75.69</u>	<u>73.6</u>	<u>66.39</u>	<u>75.34</u>
<u>66.39</u>			
<u>66.39</u>			

<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>	<u>99.04</u>	<u>99.05</u>	<u>99.07</u>
<u>66.39</u>			
<u>75.34</u>	<u>66.32</u>		
<u>66.39</u>			
<u>66.32</u>	<u>75.61</u>	<u>73.4</u>	
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>75.34</u>	<u>66.39</u>		
<u>66.32</u>	<u>75.34</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.34</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>	<u>73.4</u>	<u>75.32</u>	<u>75.35</u>
<u>66.32</u>	<u>75.34</u>		
<u>75.34</u>	<u>66.39</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>	<u>75.32</u>		
<u>66.32</u>	<u>53.51</u>	<u>54.59</u>	<u>86.3</u>
<u>66.32</u>	<u>73.4</u>	<u>75.32</u>	<u>75.35</u>
<u>73.4</u>	<u>66.39</u>		

<u>75.69</u>	<u>75.61</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.29</u>	<u>53.21</u>	<u>53.05</u>		
<u>75.32</u>	<u>66.39</u>			
<u>66.39</u>				
<u>75.69</u>				
<u>66.32</u>	<u>75.34</u>			
<u>75.32</u>	<u>75.35</u>	<u>66.39</u>		
<u>73.4</u>	<u>73.6</u>	<u>75.32</u>	<u>66.39</u>	
<u>66.39</u>	<u>75.32</u>			
<u>66.32</u>	<u>75.34</u>	<u>73.4</u>		
<u>66.39</u>	<u>75.32</u>	<u>75.35</u>	<u>75.37</u>	
<u>73.4</u>	<u>75.34</u>	<u>66.39</u>		
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>		
<u>66.39</u>				
<u>75.69</u>	<u>75.34</u>	<u>66.39</u>		
<u>66.39</u>				
<u>75.61</u>	<u>75.69</u>			
<u>75.32</u>	<u>66.39</u>			
<u>66.22</u>	<u>3.91</u>			
<u>73.09</u>	<u>66.22</u>	<u>3.91</u>		
<u>53.49</u>	<u>66.39</u>	<u>66.69</u>	<u>75.32</u>	<u>75.35</u>
<u>66.39</u>				
<u>66.32</u>	<u>73.09</u>			
<u>66.31</u>	<u>75.34</u>			
<u>73.6</u>	<u>73.4</u>	<u>66.39</u>		
<u>73.4</u>	<u>66.39</u>			
<u>75.32</u>	<u>66.39</u>	<u>3.95</u>		
<u>66.32</u>	<u>75.32</u>	<u>73.4</u>	<u>75.35</u>	
<u>3.91</u>	<u>66.21</u>			
<u>73.6</u>	<u>75.32</u>	<u>66.39</u>		
<u>66.39</u>				
<u>66.32</u>				

<u>51.23</u>	<u>63.73</u>		
<u>47.01</u>			
<u>65.51</u>	<u>66.52</u>	<u>65.89</u>	<u>86.3</u>
<u>66.39</u>			
<u>66.32</u>	<u>75.34</u>		
<u>66.32</u>	<u>86.3</u>	<u>99.11</u>	
<u>65.49</u>	<u>66.92</u>	<u>75.34</u>	<u>99.11</u>
<u>66.39</u>	<u>66.69</u>		
<u>66.32</u>	<u>73.4</u>		
<u>66.39</u>	<u>68.4</u>	<u>99.04</u>	
<u>66.32</u>	<u>75.34</u>		
<u>66.32</u>	<u>75.34</u>	<u>75.32</u>	
<u>66.32</u>			
<u>66.39</u>	<u>73.4</u>		
<u>66.32</u>			
<u>66.22</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.32</u>	<u>75.34</u>	
<u>66.32</u>	<u>54.59</u>		
<u>66.39</u>	<u>99.11</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>	<u>75.34</u>		
<u>66.32</u>	<u>88.74</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>75.69</u>	<u>66.32</u>		
<u>3.91</u>	<u>66.32</u>	<u>99.48</u>	

120020030005
120020028761
120020025320
120020028105
120020025729
120020029375
120020026675
120020026139
120020027357
120020028269
120020026496
120020028152
120020026793
120020029060
120020026866
120020029671
120020029626
120020028258
120020025157
120020026758
120020027924
120020029074
120020030118
120020025158
120020027556
120020028762
120020029973
120020026792
120020029044
120020025823
120020025185
120020028760
120020027890
120020030145

<u>66.39</u>			
<u>66.39</u>			
<u>73.6</u>	<u>66.32</u>		
<u>66.39</u>	<u>3.91</u>		
<u>66.32</u>	<u>73.6</u>	<u>75.34</u>	<u>75.32</u>
<u>73.59</u>	<u>73.6</u>	<u>73.09</u>	<u>3.91</u>
<u>66.32</u>			
<u>66.29</u>			
<u>86.3</u>	<u>66.32</u>		
<u>73.6</u>	<u>65.49</u>	<u>66.69</u>	
<u>73.59</u>	<u>73.01</u>		
<u>73.59</u>			
<u>73.59</u>	<u>73.6</u>	<u>3.91</u>	
<u>75.62</u>	<u>66.39</u>		
<u>73.4</u>	<u>66.32</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>75.69</u>	<u>66.32</u>	<u>3.91</u>	<u>99.11</u>
<u>66.39</u>	<u>3.91</u>		
<u>66.32</u>			
<u>73.4</u>	<u>66.32</u>	<u>75.69</u>	
<u>66.32</u>			
<u>66.39</u>	<u>75.61</u>		
<u>66.32</u>	<u>75.32</u>	<u>75.34</u>	
<u>66.32</u>	<u>75.34</u>		
<u>73.6</u>			
<u>75.32</u>	<u>75.35</u>	<u>66.32</u>	
<u>75.69</u>	<u>66.32</u>		
<u>73.6</u>	<u>3.95</u>	<u>66.39</u>	
<u>73.09</u>	<u>73.4</u>	<u>66.39</u>	<u>3.91</u>
<u>75.69</u>	<u>66.29</u>	<u>3.91</u>	
<u>73.4</u>	<u>66.39</u>		
<u>66.32</u>	<u>75.34</u>		
<u>75.69</u>	<u>66.39</u>		

120020030383
120020029305
120020025224
120020025805
120020026247
120020028310
120020025781
120020029667
120020025196
120020025355
120020027757
120020028683
120020030147
120020025769
120020027794
120020028609
120020030271
120020025420
120020025174
120020026772
120020026803
120020028567
120020025845
120020026826
120020025180
120020028675
120020025156
120020026244
120020025160
120020025850
120020030213
120020025946
120020026821
120020026249

<u>73.6</u>	<u>73.4</u>	<u>75.34</u>	<u>66.32</u>
<u>75.69</u>	<u>66.32</u>		
<u>66.39</u>			
<u>66.32</u>	<u>73.4</u>		
<u>75.35</u>	<u>66.39</u>		
<u>66.32</u>			
<u>66.39</u>	<u>73.4</u>		
<u>66.51</u>	<u>65.39</u>	<u>70.5</u>	
<u>65.51</u>	<u>66.52</u>	<u>54.21</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>75.34</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.39</u>	<u>75.34</u>		
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>71.01</u>		
<u>66.32</u>	<u>86.3</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>75.34</u>	<u>66.39</u>		
<u>66.39</u>	<u>3.91</u>	<u>54.59</u>	
<u>66.32</u>	<u>3.91</u>		

120020027518
 120020026187
 120020027257
 120020028012
 120020029668
 120020029907
 120020025580
 120020029254
 220020021101
 220020023009
 220020023352
 220020020901
 220020023765
 220020025650
 220020024343
 220020023100
 220020021242
 220020021834
 220020023001
 220020022059
 220020026355
 220020021249
 220020023381
 220020024881
 220020021746
 220020021606
 220020021253
 220020024198
 220020022034
 220020020885
 220020024132
 220020020945
 220020022318
 220020024888

<u>66.32</u>			
<u>66.32</u>	<u>99.11</u>		
<u>66.32</u>	<u>54.59</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>74.1</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.39</u>			
<u>66.32</u>	<u>65.89</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.34</u>		
<u>73.4</u>	<u>66.39</u>		
<u>75.34</u>	<u>66.39</u>		
<u>66.39</u>			
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.39</u>			
<u>66.32</u>			
<u>3.91</u>			
<u>73.6</u>	<u>73.59</u>	<u>75.69</u>	<u>73.4</u>
<u>66.32</u>			
<u>72.79</u>	<u>75.69</u>		
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>		
<u>73.4</u>	<u>73.01</u>	<u>66.32</u>	<u>3.91</u>
<u>73.09</u>	<u>73.59</u>		
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>		
<u>73.59</u>	<u>75.69</u>	<u>73.6</u>	
<u>73.09</u>	<u>66.39</u>	<u>3.91</u>	
<u>73.09</u>	<u>75.69</u>	<u>66.32</u>	<u>3.91</u>

220020025734
 220020021319
 220020022199
 220020024586
 220020022091
 220020022841
 220020023756
 220020021945
 220020023791
 220020023977
 220020025285
 220020021479
 220020021775
 220020026371
 220020021014
 220020022104
 220020021255
 220020023412
 220020024138
 220020022054
 220020024991
 220020023716
 220020025353
 220020020870
 220020021631
 220020022063
 220020026278
 220020023031
 220020023965
 220020022816
 220020023058
 220020022969
 220020024638
 220020020937

<u>99.11</u>	<u>75.69</u>			
<u>66.39</u>				
<u>73.59</u>	<u>73.6</u>	<u>3.91</u>		
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>3.91</u>			
<u>73.59</u>	<u>73.6</u>	<u>73.09</u>		
<u>73.59</u>	<u>73.6</u>	<u>3.01</u>		
<u>66.32</u>	<u>3.91</u>	<u>99.48</u>		
<u>73.59</u>	<u>73.6</u>	<u>99.11</u>		
<u>66.39</u>				
<u>3.91</u>	<u>66.32</u>			
<u>75.69</u>	<u>73.09</u>	<u>66.32</u>	<u>3.91</u>	
<u>73.59</u>	<u>75.69</u>			
<u>73.59</u>	<u>75.69</u>	<u>3.91</u>		
<u>3.91</u>	<u>66.32</u>			
<u>66.32</u>	<u>3.91</u>			
<u>66.32</u>	<u>3.91</u>			
<u>73.09</u>	<u>3.91</u>	<u>66.32</u>		
<u>75.37</u>	<u>66.32</u>			
<u>66.32</u>	<u>3.91</u>	<u>71.71</u>		
<u>99.11</u>	<u>73.59</u>			
<u>73.09</u>	<u>73.59</u>	<u>99.48</u>		
<u>66.32</u>	<u>3.91</u>			
<u>3.91</u>	<u>66.32</u>			
<u>73.59</u>				
<u>73.59</u>	<u>66.32</u>			
<u>73.09</u>	<u>3.91</u>	<u>66.39</u>		
<u>73.59</u>	<u>73.6</u>			
<u>3.91</u>	<u>66.32</u>			
<u>75.51</u>	<u>66.32</u>			
<u>66.32</u>				
<u>66.39</u>	<u>75.37</u>	<u>75.32</u>	<u>75.35</u>	<u>73.09</u>
<u>3.91</u>	<u>66.32</u>			

220020023420
 220020024924
 220020020997
 220020025106
 220020023784
 220020020866
 220020022062
 220020022415
 220020020927
 220020021819
 220020022180
 220020023405
 220020023417
 220020024029
 220020025214
 220020025464
 220020026372
 220020020934
 220020021252
 220020022428
 220020023767
 220020026177
 220020023418
 220020023759
 220020024108
 220020020919
 220020025610
 220020024123
 220020020911
 220020025728
 220020021891
 220020025431
 220020020898
 220020022400

<u>73.09</u>	<u>66.32</u>	<u>3.91</u>	
<u>73.6</u>	<u>3.91</u>	<u>66.32</u>	
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>	
<u>73.09</u>	<u>66.32</u>		
<u>66.32</u>	<u>75.61</u>	<u>3.91</u>	<u>75.69</u>
<u>54.24</u>			
<u>73.59</u>	<u>73.6</u>	<u>3.01</u>	
<u>66.32</u>	<u>3.91</u>		
<u>66.4</u>	<u>53.69</u>		
<u>75.5</u>	<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>75.37</u>		
<u>66.32</u>	<u>99.11</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>86.3</u>		
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>99.48</u>		
<u>66.39</u>	<u>65.29</u>		
<u>66.32</u>			
<u>66.32</u>	<u>66.61</u>	<u>3.91</u>	
<u>66.32</u>			

220020021959
220020021874
220020022092
220020024992
220020026115
220020022986
220020714180
320020024327
320020025921
320020022992
320020023054
320020024085
320020021734
320020023385
320020023772
320020021063
320020024582
320020021191
320020022793
320020024414
320020022994
320020023924
320020023397
320020023690
320020021549
320020024572
320020023434
320020021021
320020022636
320020023414
320020023681
320020025963
320020021791
320020026321

<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>99.11</u>		
<u>75.69</u>			
<u>66.32</u>	<u>73.6</u>	<u>3.91</u>	
<u>73.59</u>	<u>3.91</u>		
<u>66.32</u>			
<u>73.09</u>	<u>3.91</u>	<u>73.59</u>	<u>99.47</u>
<u>73.09</u>	<u>66.32</u>		
<u>73.59</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>	
<u>73.09</u>	<u>73.59</u>	<u>99.47</u>	
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>	
<u>3.91</u>	<u>75.69</u>	<u>66.32</u>	
<u>66.32</u>	<u>73.01</u>	<u>3.91</u>	
<u>71.3</u>	<u>3.91</u>	<u>73.59</u>	
<u>73.09</u>	<u>73.6</u>	<u>3.91</u>	
<u>73.59</u>	<u>75.69</u>	<u>3.91</u>	
<u>75.69</u>			
<u>66.32</u>	<u>3.91</u>		
<u>73.59</u>	<u>99.11</u>		
<u>73.09</u>	<u>3.91</u>	<u>75.69</u>	
<u>66.32</u>			
<u>3.91</u>	<u>66.32</u>		
<u>66.32</u>	<u>97.64</u>	<u>73.09</u>	
<u>3.9</u>	<u>66.39</u>		
<u>66.32</u>			
<u>75.69</u>	<u>3.91</u>	<u>73.09</u>	
<u>66.32</u>	<u>3.91</u>		
<u>73.09</u>	<u>66.32</u>		
<u>73.6</u>	<u>73.09</u>	<u>3.91</u>	<u>99.47</u>
<u>3.91</u>	<u>73.59</u>	<u>73.09</u>	

320020023457
320020025211
320020022638
320020023761
320020023186
320020021051
320020024795
320020021019
320020025659
320020023287
320020023719
320020021943
320020021336
320020022782
320020022874
320020023911
320020024833
320020024089
320020021796
320020020998
320020021050
320020022971
320020024900
320020025638
320020022772
320020023465
320020024083
320020024013
320020020988
320020021713
320020022202
320020026305
320020021898
320020022140

<u>75.69</u>		
<u>3.91</u>	<u>73.6</u>	
<u>66.92</u>	<u>54.59</u>	
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>		
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>	<u>99.47</u>	
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>3.91</u>	
<u>75.1</u>	<u>66.32</u>	
<u>66.32</u>		
<u>66.39</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.32</u>	<u>3.91</u>	<u>99.48</u>
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>3.91</u>	

320020022516
320020025365
420020693058
420020694878
420020691296
420020694154
420020694650
420020694941
420020693603
420020693611
420020692541
420020695016
420020693096
420020691348
420020693594
420020694406
420020693604
420020692406
420020692219
420020693607
420020692499
420020691495
420020693608
420020694204
420020694499
420020695255
420020692769
420020694730
420020694805
420020691308
420020691986
420020694208
420020695467
420020692707

<u>3.91</u>	<u>73.6</u>			
<u>3.91</u>	<u>75.62</u>	<u>3.95</u>		
<u>66.32</u>	<u>3.91</u>			
<u>73.09</u>	<u>66.32</u>	<u>3.91</u>		
<u>73.09</u>	<u>66.32</u>			
<u>75.69</u>	<u>3.91</u>	<u>66.32</u>		
<u>73.09</u>	<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>				
<u>75.69</u>	<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>
<u>66.32</u>				
<u>66.32</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>		
<u>66.32</u>				
<u>66.32</u>	<u>73.6</u>	<u>73.09</u>	<u>3.91</u>	<u>99.48</u>
<u>3.91</u>	<u>73.09</u>	<u>73.59</u>		
<u>75.69</u>	<u>66.39</u>			
<u>3.91</u>	<u>75.69</u>			
<u>66.32</u>	<u>3.91</u>			
<u>73.6</u>	<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>		
<u>66.32</u>				
<u>3.91</u>	<u>73.6</u>			
<u>66.32</u>				
<u>73.4</u>	<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>				
<u>66.32</u>				
<u>3.91</u>	<u>73.09</u>	<u>75.69</u>		
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>73.6</u>	<u>3.91</u>		
<u>73.09</u>	<u>66.32</u>	<u>99.48</u>		
<u>66.32</u>				
<u>66.32</u>				

420020693171
420020691317
420020694202
420020692761
420020693476
420020693605
420020692068
420020691279
420020692604
420020692763
420020693474
420020693614
420020695771
420020691564
420020691983
420020693393
420020693857
420020694718
420020695330
420020695572
420020693281
420020694939
420020691751
420020691862
420020694133
420020691325
420020691981
420020695731
420020691777
420020694072
420020693487
420020695040
120030021968
120030023391

<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>69.29</u>	<u>65.49</u>	<u>75.61</u>	<u>66.32</u>
<u>83.65</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>54.59</u>		
<u>66.32</u>	<u>99.48</u>		
<u>66.39</u>			
<u>66.39</u>	<u>99.11</u>		
<u>66.32</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.92</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>	<u>99.48</u>	
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>3.91</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>3.91</u>	<u>66.32</u>		
<u>66.32</u>	<u>99.47</u>		
<u>66.32</u>			
<u>75.69</u>	<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>		
<u>3.91</u>	<u>73.09</u>	<u>73.59</u>	
<u>3.91</u>			

120030025867
120030021856
120030023958
120030022431
120030026902
120030023838
120030021081
120030022880
120030024885
120030024628
120030023717
120030022908
120030023004
120030026081
120030026332
120030022953
120030024634
120030025725
120030025844
120030021228
120030021519
120030024353
120030024612
120030026838
120030020955
120030024946
120030021109
120030023972
120030026936
120030022027
120030021796
120030020967
120030020970
120030027020

<u>66.32</u>	<u>73.09</u>	<u>3.91</u>			120030026113
<u>66.32</u>	<u>75.69</u>				120030024433
<u>3.91</u>	<u>73.09</u>				120030021056
<u>3.91</u>	<u>73.09</u>	<u>73.59</u>			120030023166
<u>75.61</u>	<u>3.91</u>	<u>73.6</u>			120030023045
<u>3.91</u>	<u>73.09</u>	<u>73.59</u>	<u>99.11</u>		120030022837
<u>66.32</u>					120030023918
<u>3.91</u>	<u>73.59</u>				120030023968
<u>66.32</u>	<u>3.91</u>				120030026361
<u>73.59</u>	<u>66.32</u>	<u>3.91</u>			120030021801
<u>75.37</u>	<u>66.39</u>	<u>3.91</u>			120030023909
<u>66.32</u>	<u>99.48</u>	<u>3.91</u>			120030022642
<u>66.39</u>	<u>3.91</u>				120030021011
<u>73.09</u>	<u>73.6</u>	<u>66.32</u>	<u>3.91</u>		120030021493
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>			120030025082
<u>66.32</u>					120030024674
<u>66.32</u>	<u>3.91</u>				120030025526
<u>3.91</u>	<u>75.69</u>				120030021577
<u>66.32</u>	<u>3.91</u>				120030022647
<u>3.91</u>	<u>73.09</u>	<u>73.59</u>			120030023418
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>			120030024222
<u>3.91</u>	<u>73.09</u>	<u>73.59</u>			120030025858
<u>73.09</u>	<u>66.32</u>				120030021520
<u>66.32</u>	<u>3.91</u>				120030026891
<u>3.91</u>	<u>73.09</u>	<u>75.69</u>	<u>99.11</u>	<u>3.95</u>	120030020993
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>			120030021553
<u>66.32</u>					120030023005
<u>66.32</u>	<u>3.91</u>				120030020975
<u>66.32</u>					120030026841
<u>73.59</u>					120030025456
<u>66.32</u>	<u>3.91</u>				120030026334
<u>66.32</u>	<u>3.91</u>	<u>99.48</u>			120030023415
<u>66.32</u>					120030023356
<u>3.91</u>	<u>73.59</u>				120030024135

<u>75.51</u>	<u>3.91</u>	
<u>66.39</u>		
<u>73.6</u>	<u>66.32</u>	<u>3.91</u>
<u>54.59</u>	<u>66.52</u>	<u>45.93</u>
<u>59.79</u>	<u>66.32</u>	
<u>65.49</u>	<u>66.39</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>		
<u>66.39</u>	<u>99.11</u>	
<u>66.32</u>		
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>		
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>		
<u>66.32</u>	<u>3.91</u>	
<u>66.39</u>	<u>99.11</u>	
<u>66.39</u>	<u>75.1</u>	
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>		
<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>47.09</u>	<u>3.91</u>
<u>3.91</u>		
<u>66.32</u>	<u>99.48</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		

120030020983
120030024950
120030023417
220030021697
220030021628
220030023201
220030024339
220030024263
220030020177
220030021163
220030023606
220030023195
220030020117
220030022410
220030022063
220030024515
220030025894
220030023605
220030024469
220030025292
220030023207
220030020575
220030023159
220030022586
220030021371
220030021164
220030022203
220030024029
220030024866
220030023422
220030024596
220030020921
220030020113
220030020439

<u>66.39</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>54.59</u>		
<u>66.32</u>	<u>3.91</u>		
<u>75.69</u>	<u>3.91</u>		
<u>66.32</u>	<u>73.6</u>	<u>75.69</u>	<u>3.91</u>
<u>66.32</u>			
<u>3.91</u>	<u>73.09</u>	<u>73.6</u>	<u>99.11</u>
<u>66.32</u>			
<u>73.6</u>			
<u>66.32</u>	<u>57</u>		
<u>3.91</u>	<u>75.69</u>		
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>		
<u>3.91</u>	<u>73.09</u>	<u>73.59</u>	<u>99.11</u>
<u>66.32</u>	<u>96.49</u>		
<u>66.32</u>	<u>73.6</u>		
<u>75.69</u>			

220030020447
220030022866
220030023608
220030024744
220030021106
220030021147
220030021280
220030023161
220030021377
220030020137
220030020479
220030023949
220030020166
220030021465
220030021634
220030025106
220030024520
220030024081
220030020184
220030021379
220030023199
220030020822
220030021953
220030025369
220030023185
220030023604
220030020172
220030023933
220030025356
220030021822
220030025350
220030020408
220030024868
220030020832

<u>3.91</u>	<u>73.21</u>	<u>72.79</u>
<u>73.59</u>	<u>66.39</u>	<u>73.6</u>
<u>66.32</u>		
<u>66.32</u>	<u>73.6</u>	<u>3.91</u>
<u>3.91</u>	<u>73.09</u>	<u>73.6</u>
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>	<u>75.92</u>	
<u>66.32</u>		
<u>75.69</u>	<u>66.39</u>	
<u>66.32</u>	<u>3.91</u>	
<u>66.39</u>	<u>3.91</u>	
<u>66.32</u>		
<u>73.59</u>	<u>66.39</u>	
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>	
<u>66.31</u>	<u>3.91</u>	
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>
<u>39.98</u>		
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>	
<u>66.39</u>		
<u>66.32</u>	<u>3.91</u>	
<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>	
<u>75.1</u>	<u>66.39</u>	

220030022161
220030020167
220030021378
220030022881
220030024470
220030024324
220030025939
220030023024
220030020909
220030021372
220030023197
220030025045
220030020257
220030020906
220030021816
220030025786
220030021900
320030019335
320030020704
320030018783
320030018813
320030019242
320030022203
320030018606
320030018770
320030020736
320030020706
320030019628
320030017568
320030017732
320030020741
320030023197
320030020246
320030018319

<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>			
<u>53.49</u>	<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>99.48</u>		
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.22</u>		
<u>66.39</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>	
<u>3.91</u>			
<u>75.69</u>	<u>3.91</u>		
<u>73.59</u>	<u>66.32</u>	<u>3.91</u>	
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>	
<u>75.69</u>			
<u>66.32</u>	<u>73.6</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>	
<u>66.32</u>			
<u>73.09</u>	<u>73.59</u>		
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>72</u>	<u>75.69</u>	<u>3.91</u>
<u>73.09</u>	<u>3.91</u>	<u>73.59</u>	
<u>3.91</u>	<u>73.59</u>		
<u>66.32</u>	<u>73.09</u>	<u>73.6</u>	<u>3.91</u>
<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>	
<u>66.32</u>	<u>53.49</u>	<u>75.69</u>	<u>3.91</u>
<u>66.32</u>	<u>3.91</u>		

320030019771
320030020608
320030017648
320030019651
320030022491
320030017564
320030017585
320030018596
320030022904
320030020768
320030018323
320030019754
320030017315
320030019035
320030017338
320030019249
320030021208
320030019264
320030020415
320030017592
320030020714
320030018324
320030017300
320030018779
320030019661
320030019917
320030022116
320030017298
320030018388
320030018751
320030018788
320030017381
320030022855
320030022593

<u>73.6</u>	<u>66.32</u>				320030017324
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>			320030019160
<u>3.91</u>	<u>73.09</u>	<u>72.79</u>			320030019547
<u>3.91</u>	<u>73.09</u>	<u>72.79</u>			320030019548
<u>66.32</u>	<u>3.91</u>				320030019605
<u>66.32</u>					320030023248
<u>66.32</u>	<u>3.91</u>				320030018285
<u>66.32</u>	<u>3.91</u>				320030022005
<u>3.91</u>	<u>75.69</u>				320030018462
<u>3.91</u>	<u>73.09</u>	<u>75.69</u>			320030020181
<u>66.32</u>	<u>72.1</u>	<u>75.4</u>	<u>75.7</u>	<u>3.91</u>	320030020251
<u>3.91</u>	<u>73.09</u>	<u>73.59</u>			320030017308
<u>66.22</u>					320030020802
<u>66.32</u>	<u>73.6</u>	<u>3.91</u>			320030021777
<u>66.32</u>	<u>3.91</u>				320030019765
<u>66.32</u>	<u>3.91</u>				320030017561
<u>3.91</u>	<u>73.09</u>	<u>75.69</u>			320030018557
<u>75.37</u>	<u>99.21</u>	<u>73.6</u>			320030018786
<u>3.91</u>	<u>73.09</u>	<u>75.69</u>			320030017611
<u>66.32</u>	<u>3.91</u>				320030018787
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>			320030020475
<u>73.59</u>	<u>72.79</u>	<u>3.91</u>			320030019266
<u>73.09</u>	<u>3.91</u>	<u>73.59</u>			320030017387
<u>66.4</u>	<u>66.92</u>	<u>3.91</u>			320030018771
<u>62.3</u>	<u>63.73</u>	<u>57.32</u>			420030020791
<u>59.79</u>					420030022113
<u>66.39</u>					420030020431
<u>66.32</u>	<u>3.91</u>				420030021302
<u>66.32</u>	<u>65.29</u>				420030022404
<u>66.32</u>					420030022412
<u>66.32</u>					420030021024
<u>66.32</u>					420030023665
<u>66.32</u>	<u>3.91</u>	<u>73.09</u>			420030019717
<u>66.31</u>	<u>3.91</u>				420030019865

<u>66.32</u>					420030020118
<u>66.32</u>					420030020126
<u>66.32</u>	<u>3.91</u>				420030021965
<u>66.39</u>					420030022868
<u>66.32</u>					420030020577
<u>66.32</u>	<u>3.91</u>				420030019868
<u>3.91</u>	<u>73.09</u>	<u>73.59</u>			420030020111
<u>54.3</u>	<u>71.3</u>	<u>3.91</u>	<u>73.09</u>	<u>73.51</u>	420030021031
<u>73.09</u>	<u>3.91</u>	<u>75.69</u>			420030021352
<u>66.39</u>	<u>3.91</u>				420030022930
<u>66.32</u>	<u>75.37</u>	<u>3.91</u>	<u>99.48</u>		420030020587
<u>66.39</u>					420030023534
<u>66.39</u>	<u>86.3</u>	<u>3.91</u>			420030021029
<u>3.91</u>	<u>73.09</u>	<u>73.6</u>			420030021664
<u>3.91</u>	<u>73.09</u>	<u>75.69</u>			420030019683
<u>66.32</u>	<u>3.91</u>				420030020017
<u>66.32</u>	<u>3.91</u>				420030022706
<u>66.32</u>	<u>3.91</u>				420030020031
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>			420030021523
<u>66.39</u>	<u>3.91</u>				420030019705
<u>75.69</u>	<u>66.32</u>	<u>3.91</u>			420030021088
<u>66.32</u>	<u>3.91</u>				420030023560
<u>66.39</u>					420030019703
<u>66.32</u>					420030021968
<u>66.32</u>	<u>3.91</u>				420030020131
<u>3.91</u>	<u>73.09</u>	<u>73.59</u>	<u>75.4</u>		420030022252
<u>3.91</u>	<u>73.09</u>	<u>75.62</u>			420030022690
<u>66.39</u>					420030020467
<u>3.91</u>	<u>73.09</u>	<u>75.69</u>			420030023293
<u>66.32</u>	<u>3.91</u>				420030022477
<u>66.32</u>	<u>3.91</u>				420030021503
<u>66.32</u>					420030023100
<u>66.02</u>	<u>65.29</u>	<u>66.32</u>			420030020323
<u>66.39</u>					

<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>	<u>73.4</u>			
<u>66.39</u>				
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		
<u>66.39</u>				
<u>66.39</u>				
<u>99.11</u>	<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>3.95</u>	<u>3.95</u>
<u>66.32</u>				
<u>73.09</u>	<u>66.39</u>			
<u>66.39</u>	<u>54.59</u>			
<u>66.39</u>				
<u>66.32</u>	<u>54.59</u>			
<u>73.4</u>	<u>73.09</u>	<u>66.39</u>		
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>	<u>73.09</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				

<u>73.59</u>				
<u>75.69</u>				
<u>73.4</u>	<u>96.49</u>	<u>73.09</u>	<u>75.69</u>	
<u>75.37</u>	<u>73.4</u>	<u>75.69</u>	<u>73.59</u>	<u>99.47</u>
<u>73.09</u>	<u>73.4</u>	<u>75.69</u>		
<u>73.59</u>				
<u>73.59</u>	<u>73.09</u>			
<u>73.4</u>				
<u>73.59</u>				
<u>73.59</u>				
<u>75.37</u>	<u>73.6</u>			
<u>75.69</u>				
<u>75.69</u>				
<u>73.59</u>				
<u>73.6</u>				
<u>73.4</u>	<u>73.6</u>			
<u>72.79</u>				
<u>72.71</u>				
<u>73.59</u>	<u>73.09</u>			
<u>73.4</u>	<u>73.09</u>	<u>73.6</u>		
<u>73.59</u>				
<u>66.32</u>				
<u>72.79</u>	<u>75.69</u>	<u>71.79</u>		
<u>73.59</u>				
<u>73.09</u>	<u>73.59</u>			
<u>75.69</u>				
<u>73.6</u>				
<u>73.6</u>				
<u>66.32</u>				
<u>66.32</u>	<u>65.29</u>	<u>73.09</u>		
<u>66.32</u>				
<u>66.32</u>	<u>3.95</u>			
<u>66.39</u>	<u>73.4</u>	<u>73.09</u>		
<u>66.39</u>				

<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>73.4</u>	<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>75.69</u>			
<u>73.59</u>			
<u>73.4</u>	<u>73.01</u>	<u>73.6</u>	
<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>	<u>73.09</u>		
<u>73.09</u>	<u>73.59</u>		
<u>73.59</u>			
<u>73.59</u>			
<u>73.4</u>	<u>73.09</u>	<u>75.37</u>	<u>75.69</u>
<u>75.69</u>			
<u>66.32</u>			
<u>73.59</u>			
<u>73.6</u>			

<u>75.69</u>	<u>73.59</u>	
<u>73.59</u>		
<u>73.01</u>	<u>73.59</u>	
<u>73.59</u>		
<u>75.69</u>	<u>73.09</u>	
<u>66.32</u>		
<u>73.4</u>	<u>75.69</u>	<u>96.49</u>
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>	<u>73.4</u>	
<u>75.69</u>		
<u>97.71</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>	<u>54.59</u>	
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>		
<u>75.61</u>	<u>66.32</u>	
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>73.09</u>	<u>66.32</u>	
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>74.1</u>	<u>86.3</u>	

66.32
66.32
66.32
66.32
66.32
66.39
66.32
66.32
66.32
66.39
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32

99.11

75.62
73.09
73.59
73.59
73.59
73.59
75.69
73.59
73.59
73.59
73.59
73.59
73.59
73.09
73.09
73.09
72.79
73.09

75.69

99.47

73.4

73.09

73.09

75.37

73.4

73.59

75.69

73.6

<u>73.59</u>	<u>73.6</u>		
<u>73.59</u>			
<u>73.4</u>	<u>73.59</u>		
<u>72.71</u>	<u>73.09</u>		
<u>73.4</u>	<u>75.69</u>		
<u>73.59</u>	<u>73.09</u>	<u>73.4</u>	
<u>73.59</u>			
<u>73.59</u>			
<u>75.69</u>	<u>73.4</u>		
<u>73.09</u>	<u>73.59</u>		
<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>75.69</u>	<u>73.4</u>		
<u>73.59</u>			
<u>72.71</u>	<u>73.09</u>		
<u>73.59</u>	<u>73.09</u>		
<u>75.69</u>			
<u>54.59</u>			
<u>73.4</u>	<u>66.39</u>	<u>73.09</u>	<u>96.49</u>
<u>66.32</u>			
<u>66.32</u>	<u>75.1</u>		
<u>66.39</u>	<u>73.4</u>		
<u>66.63</u>			
<u>66.39</u>	<u>54.59</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>99.47</u>	<u>66.39</u>		
<u>73.09</u>	<u>66.32</u>		

<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>66.69</u>	<u>75.4</u>		
<u>66.32</u>	<u>75.34</u>	<u>3.9</u>		
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>	<u>96.49</u>	<u>75.34</u>		
<u>66.32</u>	<u>99.11</u>			
<u>66.32</u>				
<u>66.39</u>	<u>68.29</u>	<u>54.59</u>	<u>65.89</u>	<u>75.52</u>
<u>66.32</u>				
<u>75.34</u>				
<u>73.59</u>				
<u>75.69</u>	<u>66.32</u>			
<u>73.09</u>	<u>73.59</u>			
<u>73.09</u>	<u>75.37</u>	<u>73.59</u>		
<u>75.37</u>	<u>73.09</u>	<u>73.59</u>		
<u>73.59</u>	<u>73.09</u>			
<u>72.79</u>				
<u>73.59</u>				
<u>73.59</u>	<u>73.09</u>			
<u>73.59</u>	<u>73.09</u>			
<u>73.59</u>				
<u>72.79</u>				
<u>73.09</u>	<u>73.59</u>			
<u>75.69</u>	<u>73.09</u>	<u>99.47</u>		
<u>73.6</u>				
<u>73.59</u>				
<u>73.09</u>	<u>73.59</u>			
<u>73.59</u>	<u>86.3</u>			
<u>73.59</u>				

<u>66.69</u>	<u>73.59</u>		
<u>73.4</u>	<u>73.09</u>	<u>73.59</u>	
<u>73.09</u>	<u>73.59</u>	<u>73.4</u>	
<u>73.09</u>	<u>73.59</u>	<u>75.69</u>	
<u>73.6</u>	<u>73.01</u>	<u>73.4</u>	<u>73.59</u>
<u>73.59</u>			
<u>73.6</u>			
<u>73.09</u>	<u>73.59</u>		
<u>73.59</u>			
<u>73.59</u>	<u>73.09</u>	<u>75.69</u>	
<u>73.59</u>			
<u>73.59</u>			
<u>73.4</u>	<u>73.09</u>	<u>73.59</u>	
<u>73.59</u>	<u>75.69</u>	<u>75.34</u>	
<u>73.59</u>			
<u>73.59</u>			
<u>73.09</u>	<u>73.59</u>		
<u>66.01</u>			
<u>54.21</u>	<u>65.39</u>	<u>47.19</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>75.34</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>75.61</u>	<u>66.39</u>	<u>54.59</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>	<u>99.47</u>		
<u>66.32</u>	<u>75.34</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>75.34</u>	<u>66.32</u>		
<u>66.32</u>			

<u>72.71</u>	<u>73.4</u>		
<u>75.69</u>	<u>73.09</u>		
<u>72.79</u>	<u>75.69</u>	<u>99.11</u>	
<u>75.69</u>	<u>73.09</u>	<u>75.37</u>	<u>73.59</u>
<u>73.59</u>	<u>73.09</u>	<u>75.69</u>	<u>75.34</u>
<u>72.79</u>			
<u>75.69</u>	<u>73.59</u>		
<u>73.59</u>	<u>75.69</u>		

<u>66.92</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>73.4</u>	<u>54.92</u>	<u>66.32</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.34</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>53.49</u>	<u>53.02</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.34</u>		
<u>66.32</u>	<u>66.69</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			

<u>66.32</u>	<u>75.34</u>	
<u>66.32</u>		
<u>73.59</u>	<u>75.69</u>	
<u>73.59</u>		
<u>73.59</u>	<u>75.69</u>	
<u>75.69</u>		
<u>73.59</u>	<u>75.32</u>	
<u>73.4</u>	<u>96.49</u>	<u>73.59</u>
<u>73.59</u>		
<u>73.59</u>	<u>73.4</u>	<u>73.09</u>
<u>73.59</u>	<u>66.32</u>	<u>69.02</u>
<u>75.69</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.6</u>	<u>73.4</u>	
<u>73.59</u>		
<u>73.59</u>	<u>73.09</u>	
<u>73.59</u>		
<u>72.79</u>		
<u>73.09</u>	<u>73.59</u>	
<u>73.59</u>		
<u>73.6</u>	<u>73.09</u>	
<u>72.79</u>	<u>73.09</u>	
<u>73.59</u>	<u>75.69</u>	
<u>73.59</u>		
<u>75.69</u>	<u>73.09</u>	
<u>73.59</u>		
<u>68.4</u>	<u>66.51</u>	<u>65.39</u>
<u>75.34</u>	<u>66.32</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>53.59</u>	<u>66.32</u>	<u>75.37</u>
<u>66.32</u>		
<u>66.32</u>		

<u>66.32</u>	
<u>66.32</u>	
<u>66.32</u>	<u>73.4</u>
<u>66.32</u>	<u>54.59</u>
<u>66.32</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.39</u>	
<u>66.32</u>	
<u>66.39</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.39</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.32</u>	<u>66.69</u>
<u>66.32</u>	
<u>72.79</u>	<u>66.32</u>
<u>66.39</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.39</u>	
<u>66.39</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.39</u>	
<u>66.32</u>	
<u>66.32</u>	

<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>96.49</u>	<u>73.4</u>		
<u>72.79</u>	<u>75.32</u>	<u>75.34</u>	<u>73.4</u>	<u>96.49</u>
<u>66.39</u>				
<u>75.34</u>	<u>66.32</u>			
<u>75.69</u>				
<u>73.59</u>	<u>75.69</u>	<u>73.59</u>		
<u>73.6</u>				
<u>73.59</u>	<u>73.09</u>			
<u>73.59</u>				
<u>73.59</u>	<u>73.09</u>	<u>99.11</u>		
<u>73.59</u>				
<u>73.59</u>				
<u>73.59</u>				
<u>72.79</u>	<u>75.69</u>			
<u>75.69</u>	<u>72.79</u>			
<u>73.01</u>	<u>96.49</u>	<u>75.69</u>	<u>73.59</u>	<u>73.6</u>
<u>73.59</u>				
<u>73.59</u>				
<u>73.4</u>	<u>73.59</u>			
<u>73.59</u>				
<u>75.69</u>				
<u>73.4</u>	<u>96.49</u>	<u>73.09</u>		
<u>73.59</u>	<u>73.09</u>	<u>75.69</u>	<u>99.11</u>	
<u>73.6</u>				
<u>73.59</u>	<u>73.09</u>	<u>99.47</u>		
<u>73.59</u>				
<u>73.4</u>	<u>73.59</u>	<u>96.49</u>		
<u>72.1</u>				
<u>73.59</u>				
<u>73.59</u>	<u>73.09</u>			

73.59

73.59 73.4

73.59 73.09

73.59

73.09 73.59

73.59 75.69

73.6

65.29

87.53 66.32

66.29

66.32

66.32

66.32

66.32

66.32

66.32

66.32 99.29

66.32 54.59

66.39

96.49 73.4 66.32

66.32

66.32

66.39

66.39

66.32

66.32

66.32

66.32

66.32

75.34 66.32

66.39 99.47

66.32 75.34

66.32

66.39

75.7

73.59

73.09 75.37 73.59

72

73.59

73.59

73.6

73.59 73.4 73.09

73.59

73.59

73.59

73.59

73.59 75.34 73.09

73.6 73.4

75.69

75.69

73.59 75.34 73.09

73.4 73.59 96.49 73.01

73.59

73.59

73.59

73.59

73.59

72.79

73.59

75.69

73.4

73.09 75.69

72.79

73.59 75.69

72.71 73.09 73.4

75.69
75.69
61 63.73
66.39
66.32
66.32
66.32 73.09 73.4
66.32
66.32
66.32 3.95
66.92
66.32
66.32
66.32
66.32 73.4
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32 75.61
66.32
66.63
66.32
66.32

120020034762
120020033367
120020033871
120020032240
120020030596
120020033900
120020034295
120020033295
120020032052
120020032263
120020031178
120020031880
120020030940
120020030771
120020032073
120020032591
120020031184
120020030502
120020030580
120020030598
120020030431
120020030454
120020033379
120020030932
120020031296
120020033821
120020030486
120020030867
120020031988
120020033699
120020031525
120020034353

73.59
73.59 73.09
73.6
75.62
73.59 75.69
73.59 73.09
73.09 73.59
73.59 73.6 75.4
75.69
75.69
73.59
73.09 73.59
73.59 99.11
75.69 73.4 75.35 73.59
72.79 75.37 73.4
73.4 73.59
73.59
73.59
73.59 73.09 73.4
73.59 73.09
73.59
73.59
73.59 73.6
73.59
75.69 73.4
73.6 73.59 73.09 99.48
73.59 73.09
73.09 73.59
73.59
73.59 73.09
75.69

120020034018
120020031045
120020032485
120020031040
120020031364
120020032504
120020032524
120020032896
120020030554
120020031817
120020030916
120020034195
120020033782
120020033841
120020033892
120020030905
120020031606
120020030535
120020031080
120020034553
120020031266
120020034806
120020033133
120020032055
120020030843
120020031319
120020031878
120020032620
120020033956
120020032871
120020032087
120020031806
220020696184
220020697435

66.51

<u>54.59</u>	<u>66.52</u>				220020697054
<u>66.32</u>	<u>86.3</u>				220020698552
<u>66.32</u>	<u>68.29</u>				220020698390
<u>66.39</u>	<u>73.4</u>	<u>75.32</u>	<u>96.59</u>		220020697776
<u>66.32</u>	<u>66.69</u>				220020697601
<u>66.32</u>	<u>99.47</u>				220020697665
<u>66.32</u>					220020697069
<u>66.32</u>					220020699048
<u>66.32</u>					220020698310
<u>66.32</u>					220020698600
<u>66.32</u>	<u>99.29</u>				220020698801
<u>66.32</u>	<u>75.32</u>	<u>75.37</u>			220020698398
<u>66.32</u>					220020699977
<u>66.32</u>	<u>75.1</u>	<u>75.1</u>			220020700262
<u>75.37</u>	<u>66.32</u>	<u>96.49</u>	<u>73.4</u>	<u>73.09</u>	220020699533
<u>66.32</u>	<u>54.59</u>				220020697070
<u>66.32</u>					220020698684
<u>66.32</u>					220020700582
<u>66.39</u>					220020698982
<u>66.32</u>					220020696535
<u>66.32</u>					220020697225
<u>66.32</u>					220020699586
<u>66.32</u>					220020697533
<u>66.32</u>	<u>99.11</u>				220020698978
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>			220020699231
<u>66.32</u>					220020698240
<u>66.32</u>	<u>73.4</u>				220020700081
<u>66.39</u>	<u>99.11</u>				220020698513
<u>66.32</u>					220020696581
<u>66.32</u>					220020699835
<u>66.32</u>	<u>53.49</u>				220020700309
<u>66.32</u>					220020700452
<u>66.32</u>					220020698023
<u>66.32</u>	<u>99.47</u>				220020697408

<u>96.49</u>	<u>73.59</u>				220020697242
<u>73.59</u>					220020699694
<u>73.59</u>					220020700392
<u>73.59</u>					220020700503
<u>73.59</u>	<u>73.09</u>				220020700485
<u>75.61</u>	<u>73.09</u>				220020699830
<u>73.59</u>	<u>99.11</u>				220020697850
<u>73.59</u>	<u>73.09</u>	<u>73.4</u>	<u>96.49</u>	<u>97.64</u>	220020697339
<u>73.59</u>	<u>73.4</u>				220020697554
<u>73.59</u>	<u>75.69</u>	<u>73.6</u>	<u>99.11</u>		220020698004
<u>73.59</u>	<u>73.4</u>	<u>73.09</u>			220020699726
<u>73.59</u>	<u>73.4</u>				220020700575
<u>73.59</u>					220020697486
<u>73.59</u>	<u>73.09</u>				220020696554
<u>73.59</u>	<u>73.09</u>				220020697927
<u>73.59</u>	<u>73.09</u>				220020699650
<u>73.6</u>	<u>73.09</u>	<u>73.4</u>			220020700194
<u>73.59</u>	<u>75.61</u>				220020697020
<u>75.69</u>	<u>73.59</u>	<u>73.4</u>			220020697340
<u>73.4</u>	<u>72.79</u>				220020697350
<u>73.59</u>	<u>73.09</u>				220020696215
<u>73.09</u>	<u>73.59</u>	<u>73.4</u>			220020698058
<u>72.79</u>	<u>73.59</u>				220020699425
<u>73.59</u>	<u>73.01</u>	<u>73.4</u>	<u>96.49</u>	<u>99.47</u>	220020700030
<u>75.37</u>	<u>73.59</u>				220020700605
<u>72.71</u>	<u>96.49</u>	<u>73.4</u>			220020698789
<u>75.69</u>	<u>73.09</u>	<u>99.11</u>			220020700360
<u>73.59</u>					220020698606
<u>65.91</u>	<u>65.81</u>	<u>66.01</u>	<u>65.25</u>		220020698542
<u>66.32</u>	<u>75.34</u>				320020029963
<u>66.32</u>					320020029095
<u>66.32</u>					320020030831
<u>99.47</u>	<u>66.32</u>				320020027374
<u>66.32</u>					320020031110

<u>66.32</u>	<u>75.34</u>		
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	
<u>66.32</u>	<u>66.69</u>	<u>3.9</u>	
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.34</u>		
<u>66.32</u>	<u>73.4</u>	<u>75.37</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>75.34</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>73.4</u>	<u>96.49</u>	<u>73.01</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>66.69</u>		
<u>66.32</u>	<u>66.69</u>		

320020030724
320020028557
320020027208
320020027149
320020027982
320020030905
320020026534
320020029696
320020030087
320020026669
320020030245
320020027572
320020028078
320020028191
320020028638
320020027505
320020030072
320020030659
320020027101
320020030239
320020026426
320020026900
320020027927
320020030946
320020026498
320020028613
320020028137
320020028742
320020029980
320020026387
320020027665
320020026523
320020027584
320020027636

<u>66.32</u>					320020027646
<u>66.32</u>					320020026483
<u>66.32</u>					320020027194
<u>66.32</u>					320020027644
<u>73.59</u>	<u>75.37</u>	<u>99.21</u>			320020029672
<u>73.59</u>	<u>96.49</u>	<u>73.09</u>			320020028270
<u>73.59</u>	<u>73.09</u>	<u>75.69</u>			320020026423
<u>73.59</u>					320020026919
<u>73.09</u>	<u>75.32</u>	<u>73.59</u>			320020027967
<u>73.59</u>	<u>73.09</u>				320020028568
<u>73.59</u>	<u>96.49</u>	<u>73.4</u>	<u>73.09</u>	<u>99.48</u>	320020030679
<u>73.59</u>	<u>75.32</u>	<u>75.34</u>			320020030212
<u>73.59</u>	<u>75.69</u>	<u>75.34</u>			320020027849
<u>75.69</u>	<u>73.09</u>	<u>73.4</u>			320020027863
<u>72</u>					320020030791
<u>73.59</u>					320020030949
<u>73.59</u>					320020026768
<u>72.79</u>	<u>73.4</u>				320020027004
<u>73.59</u>					320020029365
<u>73.59</u>	<u>73.4</u>	<u>73.09</u>			320020030811
<u>73.59</u>					320020030975
<u>73.59</u>	<u>75.37</u>	<u>73.09</u>	<u>72.79</u>	<u>75.69</u>	320020026514
<u>73.59</u>	<u>73.4</u>				320020027242
<u>73.59</u>	<u>73.09</u>				320020027555
<u>73.59</u>					320020028797
<u>73.59</u>					320020028959
<u>73.09</u>	<u>73.59</u>	<u>75.69</u>			320020026805
<u>73.6</u>					320020026467
<u>73.59</u>	<u>73.4</u>	<u>75.4</u>			320020027973
<u>73.59</u>	<u>73.09</u>				320020029540
<u>72.71</u>					320020030629
<u>73.59</u>	<u>73.09</u>	<u>75.69</u>			320020027215
<u>73.59</u>	<u>99.11</u>				320020027361
<u>73.59</u>					320020027225

<u>73.59</u>	<u>73.09</u>				320020028085
<u>73.4</u>	<u>75.69</u>	<u>73.09</u>	<u>75.69</u>		320020028308
<u>75.69</u>	<u>73.4</u>	<u>96.49</u>	<u>73.01</u>		320020028741
<u>73.59</u>	<u>73.09</u>				320020026441
<u>73.59</u>					320020029770
<u>73.59</u>	<u>75.37</u>	<u>99.11</u>	<u>73.09</u>		320020026499
<u>73.59</u>	<u>73.4</u>	<u>73.01</u>	<u>75.34</u>	<u>75.32</u>	320020031024
<u>73.59</u>	<u>73.09</u>	<u>75.37</u>	<u>75.69</u>		320020029596
<u>46.75</u>	<u>73.59</u>				320020027791
<u>59.79</u>	<u>66.29</u>				420020025845
<u>66.32</u>					420020029342
<u>66.32</u>	<u>73.09</u>				420020029361
<u>66.32</u>					420020025792
<u>66.32</u>					420020025830
<u>66.32</u>	<u>99.47</u>				420020026441
<u>66.32</u>					420020025971
<u>66.32</u>					420020026021
<u>66.32</u>					420020028429
<u>66.32</u>					420020025757
<u>75.61</u>	<u>66.92</u>				420020028563
<u>73.4</u>	<u>66.32</u>				420020028580
<u>66.32</u>					420020026899
<u>66.32</u>					420020030084
<u>66.32</u>	<u>75.34</u>				420020026933
<u>66.32</u>					420020029297
<u>66.32</u>					420020025878
<u>66.32</u>					420020025636
<u>66.32</u>	<u>99.11</u>	<u>99.47</u>			420020027168
<u>66.32</u>					420020025741
<u>66.32</u>					420020026505
<u>66.32</u>					420020027779
<u>66.32</u>					420020025621
<u>66.32</u>					420020026512
<u>66.32</u>					420020026557

66.32
66.32 99.47
66.32
66.32
66.32
66.32
66.32
73.59
73.59 96.49
75.69
73.59 75.69 73.4 96.49
73.59 96.49 73.09
73.59 96.49 73.09
72.71 73.09
73.59 73.4 73.09
73.59 73.09
73.6 73.09 99.11
73.59 73.09
73.4 73.09 75.69
75.69 73.09
73.59
73.59 73.09
75.69 73.09
73.59
73.59
73.59 73.01 75.34
73.6
73.59
73.59
72 73.4 73.09 75.69
73.6 73.4
72.79 73.4 73.09
66.32

420020027718
420020028053
420020027828
420020027413
420020026537
420020025740
420020026826
420020027725
420020025717
420020028730
420020027427
420020027820
420020026870
420020025915
420020027868
420020028192
420020029972
420020026576
420020027711
420020030015
420020028652
420020027651
420020027801
420020028621
420020029746
420020026738
420020026560
420020027431
420020029617
420020028826
420020029736
420020026137
420020029957
120030030475

<u>66.39</u>				120030027796
<u>66.32</u>				120030029818
<u>66.32</u>	<u>65.89</u>			120030029271
<u>66.32</u>				120030031592
<u>66.32</u>				120030031391
<u>66.39</u>				120030030427
<u>66.32</u>	<u>3.95</u>			120030027969
<u>66.32</u>				120030029748
<u>66.32</u>				120030028169
<u>66.32</u>				120030028671
<u>66.32</u>				120030031421
<u>66.32</u>				120030031627
<u>66.32</u>				120030028324
<u>66.32</u>				120030027202
<u>66.32</u>				120030027806
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>75.5</u>	120030029395
<u>66.32</u>				120030029830
<u>66.32</u>				120030028248
<u>66.32</u>				120030030791
<u>66.32</u>				120030027349
<u>66.32</u>				120030028109
<u>66.32</u>				120030027189
<u>66.32</u>				120030029768
<u>66.32</u>	<u>99.11</u>			120030029777
<u>66.32</u>				120030027861
<u>66.32</u>				120030027795
<u>66.32</u>				120030030664
<u>66.32</u>				120030030838
<u>99.11</u>	<u>66.32</u>			120030028751
<u>66.32</u>				120030027025
<u>66.39</u>				120030027028
<u>66.32</u>				120030031285
<u>66.32</u>				120030027100
<u>66.32</u>	<u>99.47</u>			120030027461

<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>99.29</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>73.59</u>	<u>73.09</u>	<u>73.4</u>	<u>99.47</u>	
<u>73.59</u>				
<u>73.59</u>				
<u>73.59</u>				
<u>75.69</u>				
<u>73.59</u>				
<u>73.59</u>	<u>73.4</u>			
<u>75.69</u>	<u>73.4</u>	<u>73.09</u>		
<u>73.59</u>	<u>96.49</u>			
<u>75.69</u>				
<u>72.79</u>	<u>75.69</u>			
<u>73.59</u>				
<u>73.59</u>				
<u>73.59</u>				
<u>99.11</u>	<u>66.63</u>	<u>75.69</u>		
<u>73.59</u>				
<u>73.59</u>	<u>96.49</u>	<u>73.4</u>	<u>73.09</u>	<u>99.11</u>
<u>72.79</u>	<u>75.69</u>	<u>99.47</u>		
<u>72.79</u>				
<u>75.69</u>				
<u>73.59</u>				
<u>75.69</u>				
<u>73.59</u>				
<u>73.59</u>				
<u>73.59</u>				

120030027219
120030029301
120030029454
120030029837
120030028989
120030027156
120030027190
120030029486
120030028013
120030031326
120030029308
120030027725
120030030997
120030030711
120030028353
120030030111
120030028716
120030027764
120030028327
120030028502
120030028331
120030029421
120030027538
120030029306
120030027922
120030029510
120030029880
120030031113
120030030797
120030031373
120030029692
120030030298
120030030453
120030028195

<u>73.6</u>		
<u>73.59</u>		
<u>75.69</u>	<u>73.09</u>	<u>73.4</u>
<u>73.59</u>		
<u>73.4</u>	<u>99.47</u>	
<u>73.59</u>	<u>73.09</u>	<u>73.4</u>
<u>67.2</u>		
<u>54.59</u>	<u>86.84</u>	
<u>66.51</u>	<u>70.51</u>	<u>70.92</u>
<u>66.51</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>99.11</u>	<u>66.32</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>39.31</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>	<u>73.4</u>	
<u>66.32</u>	<u>75.61</u>	
<u>66.39</u>		
<u>66.32</u>	<u>86.3</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		

120030029533
120030028186
120030031025
120030031428
120030029668
120030030942
220030026941
220030028080
220030028253
220030027852
220030027453
220030028331
220030028350
220030029815
220030026938
220030028492
220030028687
220030026430
220030029593
220030030550
220030026012
220030028212
220030030349
220030027964
220030030109
220030026053
220030028670
220030026317
220030029330
220030029086
220030028905
220030030329
220030026384
220030026016

<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>53.11</u>		
<u>66.32</u>			
<u>73.59</u>			
<u>73.59</u>	<u>66.69</u>	<u>75.69</u>	
<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>	<u>73.09</u>		
<u>73.59</u>	<u>96.49</u>	<u>73.4</u>	
<u>86.3</u>	<u>73.59</u>		
<u>73.59</u>	<u>73.4</u>	<u>73.09</u>	<u>96.49</u>
<u>73.59</u>			
<u>73.59</u>	<u>73.09</u>		
<u>75.69</u>			
<u>66.32</u>	<u>73.59</u>		
<u>75.69</u>			
<u>86.3</u>	<u>73.09</u>	<u>73.4</u>	<u>75.69</u>

220030027338
 220030027510
 220030027207
 220030026495
 220030027693
 220030030599
 220030030162
 220030029861
 220030030050
 220030030382
 220030029299
 220030028280
 220030029233
 220030030465
 220030026331
 220030028325
 220030027099
 220030027671
 220030027021
 220030026108
 220030026423
 220030027349
 220030029247
 220030030271
 220030030588
 220030030314
 220030026752
 220030030333
 220030027276
 220030028898
 220030027995
 220030030396
 220030028592
 220030029523

66.32
66.32
66.32
66.32
66.32
66.32
66.39
66.32
66.32 75.61
66.39
66.32 53.51
66.32
66.32
66.32 99.11
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32

72.79 73.4
73.4 96.49 73.59 73.09
73.59
73.59 73.09 75.37
72.79
73.59 99.11
75.69
72
75.69
73.4 73.59
75.69 73.09 75.37
73.6 96.49

320030027512
320030023640
320030026334
320030026700
320030025514
320030024243
320030025934
320030025090
320030026685
320030025515
320030026570
320030023476
320030023737
320030023893
320030024714
320030026360
320030023815
320030026356
320030024020
320030027842
320030026641
320030023333
320030026965
320030024094
320030027303
320030026238
320030025212
320030024943
320030026442
320030025533
320030026663
320030026821
320030026544
320030027667

<u>72.79</u>	<u>75.69</u>	<u>73.4</u>	<u>73.09</u>
<u>75.69</u>			
<u>75.69</u>	<u>73.4</u>		
<u>73.59</u>	<u>75.32</u>	<u>75.35</u>	<u>73.09</u>
<u>72.71</u>			
<u>73.59</u>			
<u>73.91</u>	<u>73.59</u>		
<u>72.54</u>	<u>73.59</u>		
<u>73.59</u>	<u>73.4</u>	<u>73.09</u>	<u>75.35</u>
<u>73.6</u>			
<u>73.59</u>	<u>73.09</u>		
<u>73.59</u>			
<u>73.59</u>			
<u>73.09</u>	<u>73.59</u>		
<u>73.59</u>	<u>73.09</u>	<u>99.47</u>	
<u>75.69</u>	<u>53.49</u>		
<u>73.09</u>	<u>73.59</u>		
<u>73.59</u>			
<u>73.59</u>	<u>75.37</u>		
<u>73.59</u>	<u>73.09</u>		
<u>75.4</u>			
<u>69.09</u>	<u>66.39</u>	<u>65.49</u>	
<u>70.92</u>	<u>54.51</u>		
<u>70.79</u>	<u>54.59</u>		
<u>73.09</u>	<u>73.4</u>	<u>66.32</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>75.35</u>	<u>96.49</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			

320030026392
320030026681
320030024044
320030027155
320030027209
320030025148
320030026314
320030024011
320030027914
320030025440
320030026333
320030027935
320030023444
320030023542
320030024197
320030024325
320030025575
320030026866
320030027598
320030023369
320030024013
420030025917
420030026861
420030026343
420030024940
420030027206
420030025172
420030027103
420030025159
420030028228
420030025186
420030025225
420030024445
420030026268

66.32
66.32
66.32
66.32
66.32
66.32
66.39
66.39
66.32
66.32
66.32
66.32
66.32
73.59 96.49
75.69
73.59 75.69
73.59 73.4 99.11
73.59
73.59 73.09 99.47
73.59
73.59
73.59
75.69
73.59
73.59 73.4
72.79 75.69 73.4 73.01
66.39 73.09 72.54
75.69
72.79 73.4
73.59
73.6 73.09 73.09
73.59 73.4
73.6
96.49 99.47 99.29 73.59

420030028308
420030026434
420030024597
420030025358
420030027590
420030024959
420030026812
420030024675
420030027328
420030027473
420030027669
420030024533
420030024758
420030024296
420030024705
420030025518
420030024387
420030026510
420030026646
420030027965
420030027997
420030024964
420030027233
420030027652
420030027641
420030026459
420030024561
420030025401
420030026675
420030027082
420030025964
420030026610
420030025005
420030025444

<u>73.59</u>	<u>73.4</u>				420030027890
<u>73.59</u>					420030027639
<u>73.59</u>					420030024409
<u>73.4</u>	<u>73.6</u>				420030025457
<u>73.59</u>					420030026146
<u>96.49</u>	<u>73.4</u>	<u>75.69</u>			420030028095
<u>73.6</u>	<u>73.09</u>				420030027606
<u>73.59</u>					420030025998
<u>73.59</u>					420030028326
					420030028589
					420030026041
<u>54.21</u>	<u>66.92</u>				
<u>66.51</u>	<u>65.52</u>	<u>54.4</u>	<u>89.26</u>	<u>54.23</u>	
<u>66.51</u>	<u>65.52</u>	<u>89.26</u>			
<u>66.51</u>	<u>65.52</u>				
<u>66.01</u>	<u>54.21</u>				
<u>66.51</u>	<u>65.52</u>	<u>89.26</u>			
<u>66.51</u>	<u>65.52</u>				
<u>70</u>	<u>54.21</u>				
<u>66.51</u>	<u>65.52</u>	<u>40.11</u>			
<u>54.21</u>	<u>66.01</u>				
<u>65.39</u>					
<u>66.51</u>	<u>65.39</u>				
<u>65.52</u>	<u>66.51</u>	<u>86.83</u>			120020042874
<u>54.59</u>	<u>66.51</u>	<u>65.52</u>			220020041928
					320020042510
<u>70.52</u>	<u>66.51</u>	<u>65.29</u>			120030039886
<u>66.01</u>					120030039705
					120030039187
<u>66.52</u>	<u>54.4</u>	<u>54.51</u>			220030038330
<u>66.51</u>					220030040351
<u>66.51</u>	<u>65.39</u>	<u>57.89</u>			320030034679
					320030037941
<u>66.51</u>	<u>65.39</u>	<u>54.59</u>	<u>57.81</u>	<u>59.5</u>	420030037926

<u>66.51</u>	<u>65.52</u>		
<u>65.51</u>	<u>66.52</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>99.11</u>		
<u>65.89</u>			
<u>66.32</u>	<u>54.59</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>	<u>68.29</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>53.51</u>		
<u>66.39</u>			
<u>66.39</u>	<u>69.02</u>	<u>68.4</u>	<u>99.04</u>
<u>75.1</u>	<u>66.39</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>	<u>65.29</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>65.39</u>	<u>66.51</u>		

420030039112

120020067230
220020061936
320030059926
420030060477
420030060093
420030060606
420030060458
420030060549

66.39
66.32
66.39
66.32
66.39
66.32
66.39
66.39
66.39
66.39
66.51

86.3

66.39

54.59

66.39

66.39

66.39

66.39

66.39

53.49

66.39

66.39

66.39

66.39

66.32

66.32

66.32

66.32

66.32

73.59

66.39

66.32

66.39

66.39

86.3

66.32

66.32

<u>66.32</u>	<u>86.84</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.29</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>	<u>86.06</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				

<u>66.51</u>	<u>65.52</u>	<u>54.59</u>	<u>70.5</u>	<u>57.32</u>
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>	<u>54.59</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				

<u>66.39</u>				120020068078
<u>66.39</u>				120020067809
<u>66.32</u>	<u>99.04</u>			120020069182
<u>66.39</u>				120020069488
<u>66.39</u>				120020067664
<u>66.39</u>				120020069960
<u>66.39</u>				120020068255
<u>66.39</u>				120020068248
<u>66.39</u>	<u>3.95</u>			120020069150
<u>66.32</u>				120020068013
<u>66.32</u>				120020068332
<u>66.32</u>				120020068523
<u>66.39</u>				120020069889
<u>66.39</u>	<u>86.84</u>			120020067652
<u>66.39</u>	<u>54.59</u>			120020068792
<u>66.32</u>				120020068834
				120020068009
<u>66.51</u>	<u>86.22</u>	<u>54</u>	<u>47.09</u>	220020062640
<u>66.39</u>				220020064429
<u>66.39</u>				220020064537
<u>66.32</u>				220020063109
<u>66.32</u>	<u>54.59</u>			220020063271
<u>66.39</u>				220020062776
<u>66.39</u>				320020065881
<u>66.39</u>				320020066081
<u>66.39</u>				320020064757
<u>66.32</u>				320020066175
<u>66.32</u>				320020065367
<u>66.39</u>				320020066021
<u>66.39</u>				320020066131
<u>66.32</u>				320020064506
<u>66.32</u>				320020065237
<u>66.32</u>				320020066556

<u>66.32</u>		320020064818
<u>66.39</u>		320020065631
<u>66.32</u>		320020065313
<u>66.32</u>		320020065531
<u>66.39</u>		320020064819
<u>66.32</u>		320020064054
<u>66.32</u>		420020061950
<u>66.32</u>		420020064456
<u>66.32</u>		420020063361
<u>66.32</u>		420020062342
<u>66.39</u>		420020062670
<u>66.39</u>		420020064165
<u>66.39</u>		420020061803
<u>66.39</u>		420020064331
<u>66.39</u>		420020062599
<u>66.32</u>		420020063773
<u>53.49</u>	<u>66.32</u>	420020063801
<u>66.32</u>		420020064447
<u>66.32</u>		420020064129
<u>66.39</u>		420020061846
<u>66.32</u>		420020063466
<u>66.32</u>		420020061990
<u>66.51</u>	<u>65.52</u>	120030065307
<u>66.32</u>		120030064536
<u>66.32</u>		120030063726
<u>66.32</u>		120030063551
<u>66.32</u>		120030062972
<u>66.32</u>		120030064539
<u>66.32</u>		120030064887
<u>66.39</u>		120030063678
<u>66.39</u>		120030064015
<u>66.32</u>		120030065137
<u>66.51</u>	<u>54.59</u>	120030064466
<u>66.39</u>		120030064468

<u>66.32</u>			
<u>66.32</u>			
<u>66.51</u>			
<u>66.32</u>			
<u>54.59</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>	<u>86.3</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>75.37</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>68.3</u>	<u>73.4</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.22</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>65.51</u>	<u>66.52</u>		
<u>66.32</u>			
<u>66.32</u>	<u>54.59</u>	<u>86.01</u>	<u>99.11</u>
<u>66.32</u>	<u>3.95</u>		

- 120030062890
- 120030064406
- 220030062068
- 220030062924
- 220030063744
- 220030063502
- 220030063739
- 220030061601
- 220030061688
- 220030062577
- 220030062050
- 220030062028
- 220030063659
- 220030061662
- 220030063209
- 220030063564
- 220030061669
- 220030064009
- 220030061983
- 320030062323
- 320030062488
- 320030060225
- 320030062190
- 320030061227
- 320030061634
- 320030061269
- 320030060547
- 320030062451
- 320030060381
- 320030061531
- 420030060739
- 420030062219
- 420030061325
- 420030062222

<u>66.32</u>					420030061132
<u>66.32</u>					420030062807
<u>66.32</u>	<u>75.1</u>				420030062475
<u>66.32</u>					420030061879
<u>66.32</u>					420030062441
<u>66.32</u>					420030062774
<u>86.3</u>	<u>99.11</u>				420030061720
<u>66.32</u>					420030063487
<u>66.32</u>					420030062896
<u>66.32</u>					420030061283
<u>66.32</u>					420030063490
<u>66.32</u>					420030060808
<u>96.49</u>					420030060839
<u>66.51</u>					
<u>66.51</u>	<u>65.52</u>	<u>70.52</u>	<u>59.5</u>		
<u>97.71</u>					
<u>66.51</u>	<u>47.19</u>				
<u>65.51</u>	<u>66.52</u>				
<u>66.51</u>					420020092506
<u>66.32</u>					120030093880
<u>66.51</u>	<u>70.51</u>	<u>70.71</u>	<u>70.92</u>	<u>59.4</u>	
<u>66.51</u>	<u>54.51</u>	<u>70.5</u>			
<u>75.4</u>	<u>73.4</u>				120020102418
<u>66.51</u>					220020096590
<u>66.51</u>					220020096522
<u>66.51</u>					220020097300
<u>39.32</u>	<u>66.51</u>	<u>59.79</u>	<u>57.32</u>		320020096449
<u>66.51</u>					320020096993
<u>66.51</u>	<u>65.09</u>				420020093659
<u>66.51</u>					420020093406
<u>66.51</u>					420020093657
<u>66.51</u>					120030095616

<u>66.51</u>	<u>65.39</u>				120030095365
<u>66.51</u>					120030095363
<u>66.51</u>	<u>70.52</u>	<u>70.92</u>	<u>59.79</u>	<u>57.32</u>	120030095669
<u>66.51</u>	<u>65.09</u>				120030095384
<u>65.39</u>	<u>66.51</u>	<u>47.19</u>			220030094470
<u>66.51</u>					220030094342
<u>66.51</u>					220030094384
<u>66.51</u>	<u>65.39</u>	<u>59.8</u>			220030094223
<u>68.59</u>	<u>66.51</u>	<u>70.92</u>	<u>59.79</u>	<u>57.32</u>	320030092517
<u>66.51</u>					320030092478
<u>66.51</u>					320030092722
<u>66.51</u>	<u>59.5</u>				320030092690
<u>66.51</u>	<u>65.89</u>	<u>54.59</u>			320030093041
<u>66.51</u>	<u>65.39</u>				420030093427
<u>66.51</u>	<u>65.39</u>	<u>47.19</u>			420030093610
<u>66.51</u>	<u>65.39</u>				420030093458
<u>66.51</u>	<u>65.39</u>				420030093663
<u>65.49</u>	<u>66.52</u>	<u>59.5</u>	<u>99.04</u>		
<u>66.51</u>	<u>59.5</u>	<u>57.32</u>	<u>70.77</u>		
<u>54.59</u>					
<u>70.77</u>	<u>65.39</u>	<u>70.52</u>	<u>59.5</u>	<u>57.32</u>	
<u>66.51</u>	<u>65.25</u>				
<u>47.01</u>	<u>68.16</u>				
<u>68.3</u>	<u>66.51</u>	<u>70.52</u>	<u>57.32</u>	<u>71.79</u>	
<u>66.63</u>					
<u>54.23</u>	<u>54.59</u>	<u>40.3</u>	<u>66.51</u>	<u>65.52</u>	120020107450
<u>66.51</u>	<u>65.52</u>				120020106709
<u>66.29</u>					120020105963
<u>65.49</u>					320020100528
<u>66.51</u>	<u>59.79</u>	<u>47.01</u>	<u>70.32</u>	<u>57.32</u>	420020097044
<u>66.51</u>					120030098268
<u>66.51</u>					120030097993
<u>65.63</u>	<u>54.51</u>				120030098263

<u>66.51</u>	<u>59.79</u>	<u>57.32</u>	<u>65.89</u>	<u>99.77</u>	220030097159
<u>65.53</u>	<u>66.52</u>				220030096766
<u>66.51</u>					220030097109
<u>54.51</u>	<u>59.79</u>	<u>65.25</u>	<u>66.51</u>		220030096602
<u>68.3</u>	<u>54.4</u>				220030097289
<u>68.3</u>	<u>59.79</u>	<u>66.51</u>			320030094933
<u>66.51</u>					320030095904
<u>59.79</u>	<u>66.51</u>	<u>65.25</u>			320030095447
<u>66.51</u>	<u>99.77</u>				320030096030
<u>66.51</u>	<u>65.39</u>	<u>54.59</u>			320030095214
<u>66.51</u>	<u>47.11</u>	<u>54.51</u>			320030095529
<u>66.51</u>	<u>65.31</u>	<u>54.51</u>			320030095340
<u>68.29</u>	<u>69.22</u>	<u>59.79</u>	<u>57.32</u>	<u>54.23</u>	320030095237
<u>59.79</u>	<u>47.01</u>	<u>54.51</u>	<u>66.51</u>		320030095674
<u>66.51</u>	<u>59.79</u>	<u>57.32</u>	<u>70.32</u>	<u>69.19</u>	320030094804
<u>65.61</u>	<u>59.5</u>	<u>70.92</u>			320030095068
<u>65.61</u>	<u>59.5</u>				420030095709
<u>66.51</u>					420030096095
<u>66.91</u>					420030095624
<u>66.39</u>					
<u>66.32</u>					
<u>66.39</u>					
<u>66.32</u>					
<u>66.32</u>					
<u>66.39</u>					
<u>66.39</u>					
<u>73.59</u>					
<u>75.69</u>					
<u>73.59</u>	<u>54.59</u>	<u>66.01</u>			
<u>73.6</u>					
<u>75.69</u>	<u>73.09</u>				
<u>73.59</u>					
<u>96.49</u>	<u>73.59</u>				
<u>73.59</u>	<u>66.71</u>				

<u>73.6</u>				
<u>73.59</u>				
<u>73.6</u>	<u>73.4</u>	<u>73.01</u>		
<u>73.01</u>	<u>73.59</u>			
<u>75.69</u>	<u>72.79</u>			
<u>66.39</u>				
<u>66.32</u>	<u>3.95</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>	<u>99.47</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>73.59</u>				
<u>73.6</u>				
<u>75.69</u>				
<u>73.59</u>				
<u>75.69</u>				
<u>75.69</u>				
<u>75.69</u>	<u>96.49</u>	<u>73.01</u>		
<u>75.69</u>				
<u>73.59</u>				
<u>75.69</u>				
<u>72.79</u>				
<u>75.69</u>				
<u>73.59</u>				
<u>65.61</u>	<u>70.92</u>	<u>69.19</u>	<u>47.19</u>	<u>69.29</u>
<u>66.39</u>	<u>99.47</u>	<u>93.96</u>	<u>99.04</u>	<u>99.04</u>
<u>66.39</u>	<u>66.32</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				

<u>66.32</u>	<u>73.4</u>	
<u>75.69</u>	<u>53.49</u>	
<u>73.59</u>		
<u>72.71</u>	<u>96.49</u>	
<u>75.69</u>	<u>54.59</u>	
<u>73.59</u>	<u>73.4</u>	<u>73.01</u>
<u>73.59</u>		
<u>75.69</u>	<u>66.61</u>	
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>75.69</u>		
<u>96.49</u>	<u>73.59</u>	
<u>72.79</u>	<u>99.47</u>	<u>75.69</u>
<u>73.59</u>		
<u>73.6</u>	<u>73.01</u>	<u>73.4</u>
<u>66.32</u>		
<u>66.39</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.39</u>	<u>54.59</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>	<u>54.59</u>	<u>69.49</u>
<u>66.32</u>		
<u>53.51</u>	<u>66.39</u>	
<u>66.39</u>		
<u>72.79</u>	<u>69.02</u>	
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>96.49</u>	<u>72.79</u>	
<u>75.69</u>		

<u>73.59</u>			
<u>73.59</u>			
<u>75.69</u>			
<u>73.59</u>	<u>73.4</u>	<u>73.01</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>96.04</u>	<u>96.71</u>	
<u>53.59</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>99.11</u>	<u>99.47</u>	<u>93.96</u>
<u>66.39</u>			
<u>66.32</u>			
<u>73.59</u>			
<u>75.69</u>			
<u>73.59</u>	<u>53.49</u>		
<u>73.59</u>			
<u>72.71</u>	<u>73.4</u>	<u>73.01</u>	
<u>73.59</u>	<u>53.59</u>		
<u>71.3</u>	<u>73.59</u>		
<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>	<u>99.47</u>		
<u>75.69</u>			
<u>73.59</u>			
<u>72.79</u>			
<u>53.59</u>	<u>73.59</u>		
<u>73.59</u>			
<u>73.59</u>	<u>96.49</u>	<u>73.01</u>	
<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>75.69</u>			

<u>66.32</u>	<u>3.95</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>73.6</u>			
<u>73.51</u>	<u>73.59</u>	<u>73.01</u>	<u>73.4</u>
<u>75.69</u>	<u>96.49</u>	<u>73.01</u>	
<u>73.59</u>			
<u>96.49</u>	<u>75.69</u>		
<u>73.59</u>	<u>99.11</u>		
<u>73.59</u>			
<u>73.59</u>			
<u>75.69</u>			
<u>75.69</u>			
<u>73.59</u>			
<u>75.69</u>	<u>65.91</u>		
<u>65.29</u>	<u>66.61</u>	<u>99.04</u>	<u>99.04</u>
<u>86.3</u>	<u>66.32</u>	<u>99.47</u>	
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>54.59</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>72.79</u>			

<u>73.6</u>	<u>58.91</u>		
<u>72.79</u>			
<u>73.4</u>	<u>73.6</u>		
<u>73.59</u>	<u>53.49</u>		
<u>73.6</u>	<u>53.49</u>		
<u>73.59</u>			
<u>75.69</u>	<u>3.95</u>		
<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>	<u>65.89</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>65.29</u>	<u>66.32</u>	<u>54.59</u>	<u>65.89</u>
<u>66.63</u>	<u>66.32</u>	<u>99.11</u>	<u>93.94</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>86.3</u>		
<u>73.6</u>	<u>75.69</u>		
<u>75.69</u>			
<u>73.59</u>			
<u>73.59</u>	<u>66.69</u>	<u>53.49</u>	
<u>73.59</u>			
<u>75.69</u>			
<u>73.59</u>	<u>99.47</u>		
<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>66.32</u>	<u>99.04</u>		
<u>66.32</u>			
<u>66.32</u>	<u>66.39</u>	<u>99.04</u>	<u>93.96</u>
<u>66.32</u>			

120020169751
120020170418
120020169765
120020170066

<u>66.32</u>	<u>75.61</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>54.4</u>	<u>93.94</u>	<u>93.96</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>72.79</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>73.51</u>	<u>72.79</u>		
<u>75.69</u>			
<u>75.69</u>	<u>72.79</u>		
<u>75.69</u>			
<u>75.69</u>			
<u>75.69</u>			
<u>72.79</u>			
<u>73.59</u>	<u>66.69</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>75.69</u>	<u>99.04</u>	<u>99.04</u>	<u>99.04</u>
<u>72.71</u>	<u>73.01</u>	<u>73.4</u>	
<u>75.69</u>	<u>75.4</u>	<u>99.11</u>	
<u>73.59</u>			
<u>73.59</u>	<u>66.69</u>		
<u>73.59</u>	<u>99.47</u>		
<u>73.59</u>	<u>96.49</u>	<u>73.01</u>	
<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>73.4</u>	<u>73.59</u>		
<u>73.59</u>	<u>73.4</u>	<u>73.01</u>	

120020170237
120020170243
120020170200
120020170339
120020169960
120020169771
120020170249
120020170171
120020169864
120020170381
120020170321
120020169936
120020170337
120020169757
120020169742
120020169865
120020169927
120020170190
120020170062
220020165397
220020165507
220020166021
220020165821
220020165431
220020165937
220020165883
220020165919
220020165433
220020166003
220020165632
220020166016
220020166094
220020165553
220020165639

<u>66.32</u>	<u>86.3</u>				320020165814
<u>66.39</u>					320020165780
<u>66.32</u>	<u>99.11</u>				320020165384
<u>66.32</u>					320020165544
<u>66.32</u>					320020165511
<u>66.32</u>					320020165269
<u>66.32</u>					320020165288
<u>66.32</u>					320020165848
<u>66.32</u>	<u>68.29</u>				320020165704
<u>66.32</u>	<u>54.59</u>				320020165862
<u>66.32</u>	<u>65.89</u>	<u>66.61</u>	<u>73.01</u>	<u>75.37</u>	320020165971
<u>66.32</u>					320020165601
<u>66.32</u>	<u>86.3</u>				320020165785
<u>72.79</u>	<u>75.69</u>				320020165533
<u>73.59</u>					320020165890
<u>96.49</u>	<u>73.59</u>				320020165976
<u>73.59</u>					320020165765
<u>73.6</u>					320020165892
<u>73.59</u>					320020165915
<u>72.71</u>	<u>57.94</u>				320020165514
<u>73.59</u>	<u>53.49</u>				320020165683
<u>73.4</u>	<u>73.6</u>				320020165185
<u>73.51</u>	<u>73.59</u>				320020165818
<u>75.69</u>	<u>69.29</u>				320020165614
<u>73.59</u>	<u>54.92</u>	<u>54.21</u>			320020165672
<u>73.59</u>					320020165736
<u>73.59</u>					320020165292
<u>75.69</u>					320020165312
<u>75.69</u>					320020165447
<u>73.6</u>	<u>75.69</u>				320020165562
<u>71.09</u>	<u>75.69</u>	<u>73.4</u>			320020165616
<u>73.59</u>					320020165980
<u>73.4</u>	<u>75.69</u>	<u>72.79</u>			320020165206
<u>75.69</u>					320020165583

66.32 54.59
66.32
66.32
66.32
66.32 99.47
66.32
66.32 86.3
66.32
66.32
66.32 99.47
75.69
73.59
73.59
72.79 75.69
73.59
75.69
75.69
72.71 73.4
75.69 96.49
73.4 73.6
75.69 99.47
73.59
66.32
3.91 86.3 83.65 66.32
66.32 66.11
66.32
66.32
66.32
66.32
66.32
73.4 75.69
73.59
73.6

420020162502
420020162524
420020162027
420020162064
420020162375
420020161996
420020162219
420020162583
420020162604
420020162365
420020162015
420020162407
420020162057
420020162241
420020162434
420020162011
420020162336
420020162550
420020162627
420020162652
420020162367
420020162138
420020162566
120030162032
120030162124
120030161898
120030161813
120030161867
120030162066
120030161950
120030161612
120030161553
120030162018
120030162029

<u>73.59</u>					120030162160
<u>73.59</u>					120030161597
<u>73.6</u>	<u>75.69</u>				120030161839
<u>73.01</u>	<u>73.4</u>	<u>75.69</u>			120030161873
<u>75.37</u>	<u>75.69</u>				120030161915
<u>75.69</u>					120030162036
<u>72.79</u>	<u>75.69</u>				120030162262
<u>66.32</u>	<u>96.49</u>	<u>3.91</u>			220030162997
<u>66.32</u>					220030163179
<u>66.32</u>	<u>86.3</u>	<u>3.91</u>			220030162819
<u>86.3</u>	<u>65.29</u>	<u>66.32</u>			220030162520
<u>3.91</u>	<u>72.79</u>	<u>66.32</u>			220030162884
<u>3.91</u>	<u>66.32</u>				220030162885
<u>86.3</u>	<u>66.32</u>	<u>3.91</u>			220030163098
<u>66.32</u>	<u>3.91</u>				220030163190
<u>73.59</u>					220030162518
<u>73.59</u>	<u>3.91</u>				220030163204
<u>96.49</u>	<u>75.4</u>	<u>75.69</u>	<u>3.91</u>	<u>72.79</u>	220030162859
<u>69.19</u>	<u>73.59</u>	<u>96.49</u>			220030163243
<u>73.59</u>	<u>3.91</u>				220030162523
<u>73.59</u>					220030162977
<u>75.69</u>	<u>69.29</u>				220030162455
<u>73.59</u>					220030162467
<u>75.69</u>					220030162528
<u>96.49</u>	<u>75.69</u>	<u>72.79</u>			220030162597
<u>96.49</u>	<u>75.69</u>	<u>72.79</u>	<u>3.91</u>		220030162728
<u>73.4</u>	<u>73.01</u>	<u>75.69</u>			220030162935
<u>73.59</u>					220030162965
<u>73.6</u>	<u>3.91</u>				220030163246
<u>73.4</u>	<u>73.59</u>				220030162675
<u>73.59</u>	<u>3.91</u>				220030162610
<u>73.59</u>					220030162854
<u>72.71</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>		220030162506
<u>66.51</u>	<u>93.96</u>				320030161309

<u>66.32</u>		
<u>66.69</u>		
<u>66.32</u>	<u>86.3</u>	
<u>66.32</u>		
<u>66.32</u>	<u>99.47</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>54.59</u>	<u>66.32</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>73.59</u>		
<u>72.71</u>	<u>3.91</u>	
<u>73.59</u>		
<u>73.59</u>	<u>73.4</u>	
<u>73.6</u>	<u>99.47</u>	
<u>73.59</u>		
<u>73.6</u>		
<u>73.6</u>	<u>3.91</u>	
<u>73.59</u>		
<u>75.69</u>	<u>3.91</u>	<u>99.47</u>
<u>72.79</u>	<u>3.91</u>	
<u>73.4</u>	<u>73.59</u>	
<u>73.59</u>	<u>56.89</u>	
<u>73.4</u>	<u>73.59</u>	<u>3.91</u>
<u>73.59</u>		
<u>73.59</u>	<u>96.04</u>	
<u>73.59</u>		
<u>73.59</u>	<u>3.91</u>	
<u>72.79</u>		
<u>75.69</u>		
<u>73.4</u>	<u>73.59</u>	
<u>73.59</u>	<u>3.91</u>	
<u>73.59</u>	<u>3.91</u>	

320030160809
320030160912
320030160811
320030161338
320030160904
320030161086
320030161111
320030161474
320030161537
320030160947
320030160960
320030161395
320030161414
320030161551
320030160869
320030161244
320030161518
320030160956
320030160815
320030161302
320030161349
320030160855
320030160920
320030161014
320030161107
320030161141
320030161167
320030161233
320030161277
320030161425
320030161446
320030161530
320030161125
320030161421

<u>66.32</u>	<u>99.11</u>	
<u>66.32</u>		
<u>66.32</u>	<u>99.04</u>	
<u>66.32</u>	<u>99.47</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>93.96</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>86.3</u>	
<u>66.32</u>		
<u>73.01</u>	<u>73.4</u>	<u>73.59</u>
<u>73.59</u>		
<u>73.59</u>	<u>3.91</u>	
<u>75.69</u>		
<u>73.59</u>	<u>65.89</u>	
<u>73.59</u>	<u>3.91</u>	
<u>73.6</u>	<u>73.01</u>	<u>73.4</u>
<u>73.59</u>		
<u>75.69</u>		
<u>75.69</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>75.69</u>	<u>3.91</u>	
<u>75.69</u>		
<u>73.01</u>	<u>73.4</u>	<u>73.59</u>
<u>73.59</u>		
<u>73.59</u>	<u>3.91</u>	
<u>73.59</u>	<u>3.91</u>	
<u>53.49</u>	<u>66.39</u>	
<u>66.39</u>		

420030160262
420030159932
420030160065
420030160152
420030160206
420030160220
420030160567
420030159953
420030159909
420030159941
420030160003
420030160030
420030160257
420030159961
420030159978
420030160017
420030160156
420030159992
420030160096
420030159924
420030159948
420030159974
420030160116
420030160381
420030160655
420030160672
420030160681
420030160593
420030159943
420030160102
420030160606
420030160217

66.32

66.32

73.59

66.39

66.32

54.59

66.39

66.39

66.39

69.96

66.39

66.39

66.39

73.59

75.69

66.32

66.39

73.59

54.59

66.39

73.59

73.59

73.09

73.59

66.32

66.39

66.39

66.39

66.39

66.39

66.39

66.32

73.59

73.09

73.4

69.51

54.19

66.51

70.5

<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>	<u>53.49</u>			
<u>66.39</u>				
<u>73.6</u>				
<u>66.69</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>				120020218755
<u>51.23</u>	<u>66.32</u>			120020218933
<u>73.4</u>	<u>73.09</u>	<u>66.32</u>		120020217523
<u>66.39</u>				120020217146
<u>66.32</u>				120020215232
<u>66.32</u>				120020218526
<u>66.32</u>				120020218935
<u>75.69</u>				120020218931
<u>66.92</u>				220020212997
<u>66.39</u>				220020209858
<u>51.23</u>	<u>53.49</u>	<u>99.04</u>	<u>66.32</u>	220020211486
<u>66.39</u>				220020210948
<u>66.32</u>				220020210020
<u>66.39</u>	<u>73.4</u>			220020212605
<u>66.39</u>				220020213084
<u>66.39</u>				220020209836
<u>66.32</u>				320020215897
<u>66.32</u>				320020214925
<u>66.32</u>				320020214152
<u>66.39</u>				320020216508
<u>75.69</u>	<u>99.04</u>			320020215976
<u>66.39</u>	<u>45.62</u>			420020215238

<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>73.59</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>	<u>75.1</u>			
<u>73.59</u>	<u>73.09</u>			
<u>73.6</u>				
<u>73.6</u>	<u>73.09</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>54.59</u>	<u>75.1</u>	<u>45.62</u>	
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>99.04</u>			
<u>73.59</u>				
<u>47.11</u>				
<u>66.51</u>	<u>65.52</u>			
<u>54.59</u>				
<u>68.3</u>	<u>67.4</u>	<u>66.32</u>	<u>75.61</u>	<u>99.05</u>
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>75.99</u>	<u>66.39</u>			
<u>66.39</u>				
<u>66.32</u>	<u>66.63</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>75.69</u>	<u>75.37</u>	<u>73.59</u>		
<u>99.04</u>				
<u>66.51</u>				

420020215363
420020211572
420020213151
420020213246
120030210549
120030210849
120030212407
120030214417
120030212088
120030213492
120030214018
120030212482
220030213284
220030213454
220030214636
220030211343
220030214449
220030214486
220030214013
320030205418
320030207857
320030206163
320030207258
320030207572
320030207596
320030209251
320030208686
320030207232
320030206201
320030208267
320030206579
320030205918
320030208614

<u>66.39</u>	
<u>66.39</u>	
<u>66.39</u>	
<u>66.39</u>	
<u>66.29</u>	<u>73.4</u>
<u>66.39</u>	
<u>66.39</u>	
<u>66.39</u>	
<u>66.39</u>	
<u>73.59</u>	<u>73.4</u>
<u>66.29</u>	
<u>66.39</u>	
<u>65.51</u>	<u>66.52</u>
<u>66.32</u>	<u>66.39</u>
<u>66.32</u>	
<u>66.32</u>	
<u>73.59</u>	
<u>73.59</u>	
<u>73.6</u>	
<u>70.5</u>	<u>66.51</u>
<u>53.7</u>	<u>66.39</u>
<u>66.39</u>	<u>66.32</u>
<u>66.39</u>	<u>66.32</u>
<u>66.32</u>	
<u>66.32</u>	
<u>66.39</u>	<u>66.32</u>
<u>66.39</u>	
<u>66.39</u>	
<u>66.39</u>	<u>66.32</u>
<u>66.32</u>	
<u>66.32</u>	
<u>73.6</u>	<u>66.32</u>
<u>59.5</u>	<u>66.51</u>
<u>54.59</u>	<u>54.21</u>

66.32
66.32
66.39
66.39 66.32
66.39
73.6
73.59
73.59
54.59 86.3
66.32 54.59
66.32
66.32 66.69 65.89
66.39
66.39 65.49
75.69
73.6 75.69 73.4
66.29 66.22
72.71
66.39
66.32
66.39
66.32
66.32
99.04
66.32
66.32
66.32
66.39 54.59
66.32
66.39
66.32
75.69
73.59
73.6 75.4

120020230305
120020230187
120020231597
120020230090
120020230858
120020231012
120020231482
120020230573
120020230146
120020231210

66.39
66.32 86.83

66.39
66.32
66.32 86.83
66.32
73.59
73.59
73.59
73.6 73.1
94.62 66.32
66.32
66.32
66.32 68.29 73.4
66.39
66.32
66.32
66.32
66.32
66.32
66.32
66.39
66.32 53.49 86.83
73.1 66.32
73.59
73.59 73.1
73.59 73.1
75.69
73.59
73.59 75.69
75.69 73.4
66.32 99.11
75.1 88.78 66.32
66.32

220020224750
220020225176
220020224562
220020224694
220020224832
220020225445
220020225518
220020224440
220020224661
220020224882
220020225359
320020229553
320020229397
320020229565
320020229527
320020229107
320020229384
320020229552
320020229198
320020229353
320020229756
320020229801
320020229898
320020229875
320020230110
320020229275
320020229927
320020229047
320020229206
320020229241
320020230377
420020226300
420020227388
420020227438

<u>66.32</u>			
<u>66.32</u>	<u>54.4</u>	<u>53.61</u>	<u>54.59</u>
<u>66.32</u>			
<u>66.32</u>	<u>86.83</u>		
<u>66.32</u>	<u>53.05</u>		
<u>73.6</u>			
<u>75.69</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>			
<u>66.32</u>	<u>86.3</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>73.59</u>			
<u>75.69</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>66.32</u>	<u>86.3</u>	<u>99.11</u>	
<u>66.32</u>	<u>73.1</u>		
<u>66.22</u>			
<u>66.32</u>	<u>53.59</u>		
<u>66.32</u>			
<u>66.32</u>	<u>65.89</u>		
<u>66.32</u>			
<u>66.32</u>	<u>54.59</u>	<u>86.3</u>	
<u>66.32</u>			
<u>66.39</u>			
<u>75.69</u>	<u>73.1</u>		
<u>73.59</u>	<u>53.49</u>		
<u>75.69</u>			
<u>73.59</u>	<u>73.1</u>		
<u>73.59</u>	<u>73.1</u>		
<u>66.39</u>			

420020226453
420020226151
420020226468
420020226910
420020227087
420020227598
420020227074
120030227163
120030225980
120030225649
120030225732
120030225754
120030226364
120030225876
120030226135
120030225594
120030227035
120030227072
220030226481
220030227124
220030226884
220030227239
220030226121
220030226100
220030226318
220030226252
220030226418
220030227016
220030227074
220030227140
220030226414
220030227365
220030227338
220030226847

<u>66.32</u>	<u>75.1</u>	<u>88.78</u>
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>	<u>99.04</u>	
<u>66.39</u>		
<u>66.32</u>	<u>86.3</u>	
<u>66.32</u>		
<u>75.69</u>	<u>73.1</u>	
<u>73.59</u>	<u>73.1</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>86.3</u>	
<u>66.32</u>		
<u>66.32</u>	<u>54.51</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>54</u>	<u>73.1</u>	
<u>66.22</u>	<u>70.51</u>	
<u>66.32</u>	<u>72.79</u>	<u>73.09</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>72.79</u>	
<u>54.59</u>	<u>66.39</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>72.79</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>67.39</u>	<u>66.32</u>	<u>53.49</u>
<u>66.32</u>	<u>69.02</u>	

320030221609
320030221149
320030221620
320030220997
320030221299
320030221532
320030221630
320030221334
320030221398
320030221392
420030222709
420030222338
420030223144
420030222420
420030222681
420030223048
420030223107
420030223108
420030222746
420030222828

<u>66.32</u>		
<u>54.59</u>	<u>66.39</u>	
<u>66.32</u>	<u>73.09</u>	
<u>73.6</u>	<u>66.32</u>	<u>73.09</u>
<u>66.39</u>		
<u>66.32</u>	<u>68.29</u>	
<u>66.39</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	<u>72.79</u>
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	<u>99.47</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>72.79</u>	
<u>66.32</u>		
<u>66.32</u>	<u>72.79</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>72.79</u>	
<u>66.32</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>
<u>66.32</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>	
<u>66.39</u>		
<u>66.32</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.09</u>	<u>75.7</u>
<u>66.39</u>		

<u>66.39</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.39</u>	<u>75.69</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>			
<u>66.32</u>	<u>75.7</u>		
<u>66.39</u>			
<u>66.32</u>	<u>66.69</u>	<u>53.49</u>	<u>73.09</u>
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>86.3</u>		
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>75.37</u>
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>99.47</u>
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		

<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	<u>73.4</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>			
<u>69.02</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>54.59</u>	<u>72.79</u>	
<u>66.32</u>	<u>54.59</u>	<u>99.48</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>75.37</u>	
<u>66.32</u>	<u>54.59</u>	<u>72.79</u>	<u>53.59</u>
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>68.29</u>		
<u>66.32</u>			
<u>66.39</u>	<u>73.4</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>68.29</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			

<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>73.09</u>	
<u>73.4</u>	<u>66.32</u>	
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>72.8</u>	
<u>66.32</u>		
<u>66.32</u>	<u>53.49</u>	
<u>66.32</u>		
<u>54.59</u>	<u>66.32</u>	
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>		
<u>66.32</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.4</u>	
<u>66.32</u>	<u>66.69</u>	

<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.7</u>		
<u>66.32</u>			
<u>66.32</u>	<u>75.69</u>	<u>75.4</u>	<u>73.09</u>
<u>66.32</u>			
<u>66.32</u>	<u>99.48</u>	<u>73.4</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>	<u>99.11</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>	<u>75.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>75.7</u>
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			

<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.39</u>				
<u>66.32</u>	<u>75.69</u>	<u>75.7</u>		
<u>66.32</u>	<u>53.49</u>			
<u>66.32</u>	<u>73.59</u>	<u>99.47</u>		
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>	<u>73.6</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>99.47</u>	
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>72.79</u>	
<u>66.32</u>	<u>73.4</u>			
<u>66.32</u>	<u>75.69</u>			
<u>66.32</u>	<u>73.59</u>			
<u>66.32</u>	<u>75.69</u>	<u>99.47</u>		
<u>66.32</u>	<u>75.69</u>			
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	<u>73.4</u>	<u>75.7</u>
<u>66.32</u>	<u>73.4</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>	<u>75.69</u>			

<u>66.32</u>	<u>73.4</u>		
<u>66.39</u>	<u>73.09</u>		
<u>66.39</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>99.11</u>		
<u>66.32</u>	<u>99.11</u>	<u>99.48</u>	
<u>66.32</u>	<u>73.6</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>99.48</u>	<u>99.11</u>
<u>66.32</u>	<u>73.09</u>	<u>75.7</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>99.48</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.59</u>		
<u>66.39</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>	<u>75.69</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.59</u>	<u>99.11</u>
<u>66.32</u>			
<u>66.32</u>	<u>73.59</u>		
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.09</u>	<u>66.69</u>	
<u>66.32</u>	<u>73.59</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.51</u>	<u>69.02</u>	<u>99.04</u>	
<u>66.69</u>			
<u>66.32</u>			
<u>66.32</u>	<u>54.59</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.51</u>			
<u>66.32</u>	<u>72.79</u>	<u>86.04</u>	<u>93.32</u>

<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>38.98</u>	<u>99.11</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>53.49</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	<u>99.11</u>
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>	<u>99.11</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>99.47</u>	
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>3.95</u>	
<u>74.1</u>	<u>66.32</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>65.09</u>	
<u>66.32</u>	<u>53.49</u>	

<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>69.19</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>54.59</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>73.59</u>	<u>99.47</u>
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.39</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>		

<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>73.59</u>	<u>99.47</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>73.59</u>	
<u>66.32</u>			
<u>66.22</u>	<u>73.4</u>		
<u>66.39</u>			
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.32</u>	<u>73.51</u>	<u>73.4</u>	<u>73.09</u>
<u>66.32</u>	<u>72.71</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>73.59</u>	<u>99.47</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			

<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		
<u>66.32</u>	<u>75.69</u>			
<u>66.32</u>				
<u>66.32</u>	<u>73.59</u>			
<u>66.32</u>				
<u>66.32</u>	<u>75.7</u>	<u>73.4</u>		
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>		
<u>66.32</u>				
<u>66.32</u>	<u>99.11</u>			
<u>66.39</u>				
<u>66.32</u>	<u>68.29</u>			
<u>66.32</u>	<u>54.59</u>	<u>54.4</u>	<u>99.04</u>	
<u>66.32</u>	<u>99.04</u>	<u>69.02</u>		
<u>66.32</u>	<u>54.51</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>59.11</u>			
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>	<u>99.47</u>		
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>68.4</u>				
<u>66.32</u>	<u>99.48</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>53.49</u>	<u>69.02</u>	<u>75.51</u>	<u>75.7</u>
<u>68.29</u>	<u>66.32</u>			

<u>66.32</u>		
<u>66.39</u>	<u>75.35</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>73.4</u>	
<u>66.32</u>	<u>53.49</u>	<u>99.47</u>
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	<u>3.95</u>
<u>66.32</u>	<u>99.11</u>	
<u>72.79</u>	<u>66.32</u>	
<u>66.32</u>	<u>68.29</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.39</u>	<u>99.47</u>	
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>54.59</u>	<u>99.47</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.39</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.32</u>	<u>73.4</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		

<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.32</u>	<u>54.59</u>		
<u>66.32</u>			
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>75.7</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.59</u>	<u>66.52</u>
<u>66.32</u>	<u>72.79</u>	<u>73.09</u>	<u>99.47</u>
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.7</u>		
<u>66.39</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.09</u>	<u>99.47</u>	
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>	<u>99.47</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.22</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>99.11</u>	
<u>66.32</u>	<u>73.09</u>	<u>75.7</u>	

<u>66.32</u>	<u>99.47</u>			
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>	<u>73.4</u>			
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>96.49</u>			
<u>66.32</u>	<u>53.49</u>			
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>53.51</u>			
<u>66.32</u>				
<u>66.32</u>	<u>68.4</u>	<u>54.59</u>	<u>99.04</u>	<u>99.07</u>
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>	<u>99.04</u>		
<u>66.32</u>	<u>96.49</u>			
<u>66.32</u>				

66.32

66.32

66.32

54.59

66.32

66.32

66.39

66.32

99.47

66.32

66.32

66.32

73.09

96.49

66.32

99.11

66.32

54.59

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>72.79</u>		
<u>53.49</u>	<u>66.32</u>	<u>66.69</u>	
<u>66.39</u>	<u>75.7</u>		
<u>66.32</u>			
<u>66.22</u>			
<u>66.39</u>	<u>75.7</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.22</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.7</u>		
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.69</u>	<u>66.4</u>		
<u>66.32</u>	<u>73.09</u>	<u>99.47</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>	<u>75.69</u>		
<u>66.32</u>	<u>96.49</u>	<u>73.09</u>	
<u>66.32</u>	<u>75.7</u>	<u>75.4</u>	<u>73.4</u>
<u>66.32</u>			

<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>73.59</u>		
<u>66.32</u>	<u>73.09</u>	<u>99.47</u>	
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.39</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.22</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>99.11</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.22</u>	<u>73.09</u>	<u>73.6</u>	
<u>66.32</u>	<u>99.47</u>		
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>			
<u>66.32</u>	<u>96.49</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.59</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>75.7</u>
<u>66.32</u>	<u>73.09</u>	<u>53.49</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>75.7</u>		

<u>66.32</u>	<u>73.09</u>	
<u>66.22</u>	<u>75.7</u>	
<u>66.32</u>	<u>75.7</u>	
<u>66.32</u>	<u>73.09</u>	
<u>66.29</u>		
<u>65.01</u>		
<u>66.52</u>	<u>54.59</u>	
<u>66.32</u>	<u>99.47</u>	
<u>66.32</u>	<u>99.04</u>	
<u>66.32</u>	<u>72.79</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>54.59</u>	<u>66.32</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>99.47</u>	

<u>66.32</u>	<u>73.09</u>	<u>73.59</u>	
<u>66.32</u>	<u>75.61</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.59</u>		
<u>66.32</u>			
<u>66.39</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>65.39</u>	<u>99.11</u>	
<u>66.39</u>	<u>73.09</u>	<u>75.7</u>	
<u>66.39</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>99.47</u>		
<u>66.32</u>	<u>73.4</u>	<u>99.47</u>	
<u>66.32</u>	<u>75.4</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>	<u>75.4</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>96.49</u>	<u>73.09</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>75.69</u>	
<u>66.32</u>	<u>75.7</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	
<u>66.32</u>	<u>73.09</u>		

<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>	<u>75.99</u>
<u>66.32</u>		
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>96.49</u>	
<u>66.39</u>		
<u>66.32</u>	<u>53.49</u>	
<u>66.32</u>	<u>73.59</u>	
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>
<u>66.32</u>		
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.4</u>	
<u>54.51</u>		
<u>66.32</u>	<u>54.59</u>	
<u>65.63</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>	<u>54.59</u>	
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>99.47</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>		

66.39

66.32

66.32 68.29

66.32 99.11

66.39

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.39

66.32

66.32

86.3 99.47 99.11

66.32

66.39 71.3

66.32 99.47

66.32 99.47

66.32

66.39 73.09

66.32

66.32

<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.32</u>	<u>73.01</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>99.11</u>		
<u>66.32</u>			
<u>66.32</u>	<u>72.79</u>	<u>75.7</u>	<u>73.09</u>
<u>66.32</u>	<u>73.09</u>		
<u>66.39</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.01</u>		
<u>66.32</u>	<u>99.47</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.1</u>	<u>73.01</u>
<u>66.32</u>	<u>73.09</u>	<u>75.7</u>	<u>75.4</u>
<u>66.32</u>	<u>96.49</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.32</u>	<u>75.7</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.39</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.51</u>	<u>73.4</u>	<u>73.01</u>
<u>66.32</u>	<u>73.09</u>		

<u>66.32</u>	<u>73.6</u>		
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>			
<u>66.32</u>	<u>99.11</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>99.11</u>		
<u>66.39</u>	<u>73.59</u>		
<u>66.39</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>	<u>75.7</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>	<u>73.59</u>	
<u>66.32</u>	<u>73.4</u>	<u>99.47</u>	<u>75.7</u>
<u>66.32</u>	<u>73.59</u>		
<u>66.32</u>	<u>53.49</u>	<u>99.47</u>	
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.39</u>	<u>73.09</u>		
<u>66.32</u>	<u>99.47</u>		
<u>66.39</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>	<u>75.7</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			

120020284341
120020282576
120020285788
120020281718
120020282795

<u>66.39</u>					120020283680
<u>66.32</u>	<u>53.49</u>				120020283913
<u>66.32</u>					120020284732
<u>66.39</u>	<u>73.4</u>	<u>72.79</u>			120020284159
<u>66.39</u>					120020282676
<u>66.32</u>	<u>72.79</u>				120020285084
<u>66.32</u>					120020284547
<u>73.09</u>					120020284474
<u>66.32</u>	<u>73.09</u>				120020285320
<u>66.32</u>	<u>72.79</u>	<u>73.4</u>	<u>73.51</u>	<u>73.09</u>	120020285224
<u>66.32</u>					120020282783
<u>66.32</u>	<u>75.7</u>	<u>73.09</u>			120020283070
<u>66.32</u>					120020283564
<u>66.32</u>	<u>73.09</u>				120020281609
<u>66.32</u>	<u>73.4</u>	<u>75.37</u>			120020282400
<u>66.32</u>					120020282919
<u>66.32</u>	<u>73.09</u>	<u>75.7</u>			120020283392
<u>66.32</u>	<u>75.92</u>	<u>73.4</u>			120020283584
<u>66.32</u>					120020283798
<u>66.32</u>	<u>73.09</u>				120020283927
<u>66.32</u>	<u>73.09</u>				120020284268
<u>66.32</u>	<u>73.09</u>				120020284384
<u>66.32</u>					120020284788
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>			120020284768
<u>66.32</u>					120020285427
<u>66.32</u>	<u>73.09</u>				120020282571
<u>66.32</u>	<u>73.09</u>				120020283221
<u>66.32</u>	<u>73.09</u>				120020284063
<u>66.32</u>	<u>53.49</u>	<u>73.09</u>			120020282586
<u>66.32</u>	<u>73.09</u>	<u>73.59</u>			120020281663
<u>66.32</u>	<u>73.09</u>				120020282817
<u>66.32</u>	<u>73.4</u>				120020283880
<u>66.32</u>	<u>73.09</u>				120020284764
<u>66.32</u>	<u>73.59</u>	<u>73.4</u>	<u>73.09</u>		120020284453

<u>66.92</u>	<u>75.7</u>			120020284666
<u>66.32</u>	<u>73.4</u>			120020283418
<u>66.32</u>	<u>73.09</u>	<u>75.4</u>		120020283957
<u>66.32</u>	<u>73.4</u>	<u>75.7</u>		120020282414
<u>66.32</u>				120020283340
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		120020281835
<u>66.32</u>	<u>73.09</u>			120020284304
<u>66.32</u>				120020283708
<u>66.32</u>	<u>73.09</u>	<u>99.11</u>		120020284791
<u>66.32</u>	<u>73.09</u>	<u>99.11</u>		120020286774
<u>66.32</u>	<u>73.09</u>			120020284084
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		120020282336
<u>66.32</u>				120020282422
<u>66.32</u>	<u>73.4</u>			120020283470
<u>66.32</u>				120020284952
<u>66.32</u>	<u>73.09</u>	<u>96.49</u>	<u>73.4</u>	120020282881
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		120020283883
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		120020284081
<u>66.32</u>	<u>73.09</u>			120020284333
<u>66.39</u>	<u>73.09</u>			120020284538
<u>66.32</u>	<u>73.4</u>			120020282581
<u>66.32</u>				120020284192
<u>66.32</u>	<u>73.09</u>			120020284322
<u>66.32</u>	<u>73.09</u>			120020285074
<u>66.32</u>				120020285267
<u>66.32</u>				120020282861
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		120020284190
<u>66.32</u>	<u>73.09</u>			120020284420
<u>66.32</u>	<u>73.09</u>			120020284497
<u>66.32</u>				120020282076
<u>66.32</u>	<u>73.09</u>			120020285513
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		120020284513
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		120020285481
<u>57.17</u>	<u>66.29</u>	<u>70.5</u>		220020274156

<u>66.51</u>	<u>65.31</u>	<u>54.51</u>	<u>59.79</u>	<u>57.32</u>	220020276063
<u>66.32</u>					220020276675
<u>66.32</u>					220020275352
<u>66.32</u>					220020275716
<u>66.32</u>					220020276896
<u>66.32</u>					220020276187
<u>66.39</u>					220020274984
<u>66.32</u>	<u>54.59</u>				220020276440
<u>66.32</u>					220020277758
<u>66.32</u>					220020276274
<u>66.32</u>					220020275735
<u>66.39</u>					220020276179
<u>66.32</u>					220020277916
<u>66.32</u>					220020275702
<u>66.32</u>	<u>96.49</u>				220020275188
<u>66.39</u>					220020276081
<u>66.39</u>					220020276281
<u>66.32</u>					220020277034
<u>66.32</u>					220020275536
<u>66.32</u>					220020276001
<u>66.32</u>					220020275230
<u>66.32</u>					220020275740
<u>66.32</u>					220020276351
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>			220020275621
<u>66.39</u>					220020276003
<u>66.32</u>					220020276244
<u>66.32</u>					220020276856
<u>66.32</u>					220020276217
<u>66.32</u>					220020277843
<u>66.32</u>					220020274195
<u>66.32</u>					220020274573
<u>66.32</u>					220020277024
<u>66.32</u>					220020275876
<u>66.39</u>	<u>54.59</u>				220020276354

<u>66.32</u>		220020276526
<u>66.32</u>		220020274708
<u>66.32</u>		220020276111
<u>66.32</u>		220020276282
<u>66.39</u>		220020275903
<u>66.32</u>		220020276789
<u>66.32</u>		220020276884
<u>66.32</u>		220020273755
<u>66.32</u>		220020276539
<u>66.32</u>		220020278921
<u>66.39</u>		220020275349
<u>66.32</u>		220020276122
<u>66.39</u>		220020276256
<u>66.92</u>		220020276576
<u>66.32</u>		220020276721
<u>66.32</u>		220020275900
<u>66.32</u>		220020275600
<u>66.39</u>	<u>73.09</u>	220020274342
<u>66.32</u>		220020275913
<u>66.32</u>	<u>73.4</u>	220020276454
<u>66.32</u>		220020276210
<u>66.39</u>		220020277588
<u>66.32</u>	<u>68.29</u>	220020274659
<u>66.32</u>		220020275671
<u>66.39</u>		220020276065
<u>66.32</u>		220020277649
<u>66.39</u>		220020276883
<u>66.39</u>	<u>54.59</u>	220020278150
<u>66.32</u>		220020277667
<u>66.32</u>		220020275464
<u>66.32</u>		220020278065
<u>66.32</u>		220020275170
<u>66.39</u>	<u>73.09</u>	220020274109
<u>66.32</u>		220020275628

<u>66.32</u>	<u>73.09</u>			220020276135
<u>66.32</u>	<u>73.09</u>			220020276211
<u>66.32</u>	<u>73.09</u>			220020277666
<u>66.32</u>				220020277891
<u>66.32</u>	<u>73.4</u>			220020275236
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		220020275387
<u>66.92</u>				220020275814
<u>66.32</u>	<u>73.09</u>			220020277655
<u>66.32</u>	<u>73.09</u>	<u>75.4</u>		220020275711
<u>66.32</u>				220020276591
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>73.51</u>	220020275247
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		220020274875
<u>66.32</u>	<u>73.09</u>			220020275006
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		220020276317
<u>66.32</u>	<u>73.09</u>			220020277532
<u>66.32</u>	<u>73.09</u>			220020275857
<u>66.32</u>	<u>73.59</u>	<u>73.09</u>		220020276053
<u>66.32</u>	<u>73.4</u>			220020275141
<u>66.32</u>				220020277124
<u>66.32</u>	<u>73.09</u>			220020276398
<u>66.32</u>				220020276698
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		220020276155
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		220020276625
<u>66.32</u>				220020276787
<u>66.32</u>	<u>73.09</u>			220020277683
<u>66.32</u>				220020276716
<u>66.32</u>				220020277638
<u>66.32</u>	<u>73.91</u>	<u>73.4</u>		220020277152
<u>66.32</u>	<u>73.09</u>			220020275725
<u>66.32</u>				220020277107
<u>66.32</u>				220020276152
<u>66.32</u>				220020277609
<u>66.32</u>	<u>75.7</u>			220020275279
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>		220020276463

66.39 73.09
66.32 73.09
66.32 73.09
66.32 73.09
66.32
66.32 73.4 73.09
66.32
66.32 73.09
66.32 73.09
66.32
66.32 73.09
66.39 73.4
66.32
66.32 73.4
66.32
66.51 65.52
73.4 96.49 66.32
73.09 66.32
66.32
66.32
66.32
66.32 54.59
66.32
99.04 66.32
66.32
66.32
66.32
66.32
66.39 54.59
66.32
66.32 73.4
66.32
66.32
66.39

220020275410
220020276183
220020277887
220020275951
220020274892
220020274967
220020276678
220020275969
220020276985
220020277747
220020276149
220020276777
220020276606
220020277626
220020277092
220020275356
320020287325
320020282309
320020282755
320020283557
320020285888
320020283832
320020282570
320020285879
320020285786
320020285330
320020284643
320020283362
320020284226
320020284101
320020283508
320020286147
320020286660
320020281862

<u>99.11</u>	<u>66.32</u>	
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.32</u>	<u>73.09</u>	<u>86.3</u>
<u>66.32</u>		
<u>66.32</u>	<u>79.36</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>72.79</u>	<u>66.39</u>	
<u>66.32</u>	<u>99.47</u>	<u>96.49</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>		
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>	<u>75.7</u>
<u>66.32</u>	<u>75.7</u>	
<u>66.32</u>		
<u>66.32</u>	<u>73.09</u>	

320020282378
320020282418
320020283809
320020284937
320020284859
320020284261
320020282079
320020285132
320020283904
320020284586
320020284822
320020283530
320020284142
320020284628
320020286592
320020283543
320020283686
320020285737
320020285849
320020285909
320020284764
320020285948
320020285824
320020286263
320020283527
320020285357
320020282383
320020282193
320020282930
320020284076
320020284412
320020282150
320020284040
320020284603

<u>66.32</u>	<u>73.09</u>				320020284527
<u>66.32</u>	<u>73.4</u>				320020284548
<u>66.32</u>	<u>96.49</u>	<u>73.4</u>			320020283894
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>			320020283069
<u>66.32</u>	<u>75.7</u>				320020283173
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>			320020284017
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>75.35</u>		320020283272
<u>66.32</u>	<u>69.19</u>				320020285225
<u>66.32</u>	<u>73.09</u>				320020284150
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>			320020282562
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>			320020284210
<u>66.32</u>	<u>73.09</u>				320020285442
<u>66.32</u>	<u>73.09</u>				320020286160
<u>66.32</u>	<u>75.69</u>				320020284416
<u>66.32</u>	<u>99.11</u>				320020285453
<u>66.32</u>	<u>69.41</u>				320020284301
<u>66.32</u>	<u>73.4</u>	<u>75.7</u>	<u>73.09</u>		320020282027
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.09</u>		320020285590
<u>66.32</u>	<u>99.47</u>				320020282308
<u>66.32</u>	<u>73.09</u>				320020283075
<u>66.32</u>	<u>73.09</u>	<u>73.59</u>	<u>75.7</u>	<u>73.4</u>	320020284330
<u>66.32</u>					320020285212
<u>66.32</u>	<u>73.09</u>				320020282275
<u>66.32</u>	<u>73.59</u>	<u>73.09</u>			320020284781
<u>66.32</u>					320020285320
<u>66.32</u>	<u>73.09</u>				320020282222
<u>66.32</u>	<u>73.09</u>				320020282886
<u>66.32</u>	<u>73.09</u>				320020283179
<u>66.32</u>					320020283414
<u>66.32</u>	<u>73.09</u>				320020283818
<u>66.32</u>	<u>73.09</u>				320020284344
<u>66.32</u>					320020284375
<u>66.32</u>	<u>73.09</u>				320020285924
<u>66.32</u>					320020284853

<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>50.29</u>	<u>40.3</u>	<u>66.32</u>	<u>47.19</u>
<u>66.22</u>			
<u>65.51</u>	<u>54.59</u>	<u>66.52</u>	
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>71.22</u>		
<u>66.32</u>			
<u>66.32</u>	<u>54.59</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>73.59</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.92</u>			
<u>66.32</u>	<u>54.59</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.1</u>	<u>96.49</u>
<u>66.32</u>			
<u>66.32</u>	<u>69.96</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>73.59</u>	<u>66.32</u>		

320020285729
320020285761
320020283513
420020280805
420020280129
420020279804
420020279672
420020282624
420020279595
420020282493
420020278833
420020282281
420020282782
420020281721
420020281096
420020281419
420020279877
420020282802
420020283275
420020283154
420020282968
420020280059
420020278852
420020280293
420020281944
420020282573
420020281042
420020280626
420020281985
420020282830
420020281310
420020279778
420020281352
420020281673

<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.52</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.09</u>
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>99.47</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>96.49</u>
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.01</u>		
<u>66.32</u>	<u>73.09</u>		

420020282024
420020282236
420020282556
420020281397
420020279242
420020281248
420020282894
420020283023
420020282646
420020283197
420020280524
420020283112
420020281760
420020281317
420020280017
420020280165
420020279445
420020279849
420020281844
420020282956
420020282981
420020279901
420020280311
420020280476
420020281413
420020282643
420020279807
420020279884
420020279897
420020280182
420020280976
420020283156
420020282718
420020280777

<u>66.32</u>				420020279137
<u>66.32</u>	<u>73.09</u>			420020279649
<u>66.32</u>	<u>73.09</u>			420020282883
<u>66.32</u>	<u>75.37</u>			420020279929
<u>66.32</u>				420020281094
<u>66.32</u>				420020281160
<u>66.32</u>	<u>73.59</u>	<u>73.4</u>	<u>73.09</u>	420020282519
<u>66.32</u>				420020282967
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>99.11</u>	420020281286
<u>66.32</u>	<u>73.4</u>	<u>99.11</u>		420020282164
<u>66.32</u>				420020283062
<u>66.32</u>	<u>73.09</u>			420020280304
<u>66.32</u>				420020281270
<u>66.32</u>				420020282125
<u>66.32</u>	<u>73.4</u>			420020281002
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>69.19</u>	420020281990
<u>66.32</u>	<u>73.09</u>			420020279533
<u>66.32</u>				420020282274
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>75.37</u>	420020281319
<u>66.32</u>				420020281776
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>		420020282479
<u>66.32</u>				420020280273
<u>66.32</u>	<u>73.09</u>			420020282204
<u>66.32</u>				420020279124
<u>66.32</u>	<u>73.09</u>			420020281448
<u>66.32</u>	<u>73.4</u>			420020279491
<u>66.32</u>	<u>73.09</u>			420020279605
<u>66.32</u>	<u>73.09</u>			420020280550
<u>66.32</u>	<u>73.09</u>			420020280787
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		420020281041
<u>66.32</u>				420020281551
<u>66.32</u>	<u>73.09</u>			420020281694
<u>66.32</u>	<u>73.09</u>			420020282097
<u>66.32</u>				420020282126

<u>66.32</u>	<u>96.49</u>	<u>75.7</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>99.47</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>72.79</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>96.49</u>
<u>66.32</u>	<u>99.11</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.59</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>96.49</u>		

120030279291
120030280855
120030282226
120030280339
120030279455
120030278955
120030283430
120030278962
120030281440
120030282422
120030281407
120030280008
120030282579
120030282315
120030280729
120030281516
120030280882
120030280943
120030281399
120030280671
120030281848
120030280684
120030282391
120030280139
120030281548
120030281123
120030278571
120030279664
120030281142
120030282045
120030282492
120030282640
120030282704
120030282688

<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	120030281657
<u>66.32</u>	<u>73.09</u>		120030282114
<u>66.32</u>	<u>73.09</u>		120030278909
<u>66.32</u>			120030279827
<u>66.32</u>	<u>73.09</u>		120030281322
<u>66.32</u>	<u>73.09</u>	<u>73.1</u>	120030281649
<u>66.32</u>	<u>73.09</u>		120030281806
<u>66.32</u>			120030281975
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	120030282395
<u>66.32</u>			120030282554
<u>66.32</u>	<u>73.09</u>		120030282438
<u>66.32</u>	<u>73.09</u>		120030281758
<u>66.32</u>	<u>75.7</u>	<u>73.09</u>	120030281474
<u>66.32</u>			120030280662
<u>66.32</u>			120030281641
<u>66.32</u>	<u>73.09</u>	<u>99.47</u>	120030282403
<u>66.32</u>			120030282760
<u>66.32</u>	<u>75.51</u>	<u>73.09</u>	120030282223
<u>66.51</u>	<u>70.92</u>		220030282298
<u>66.32</u>			220030279494
<u>66.32</u>			220030281276
<u>66.32</u>			220030281430
<u>66.32</u>			220030281454
<u>66.32</u>	<u>99.11</u>		220030280247
<u>66.39</u>			220030281667
<u>66.32</u>			220030282128
<u>66.32</u>			220030282155
<u>73.01</u>	<u>66.32</u>		220030284060
<u>66.32</u>			220030282370
<u>66.32</u>			220030280871
<u>66.32</u>	<u>73.09</u>		220030280421
<u>66.32</u>			220030280059
<u>66.32</u>			220030281381
<u>66.32</u>			220030279292

<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>53.49</u>	<u>54.59</u>
<u>66.32</u>		
<u>66.32</u>	<u>65.89</u>	
<u>66.32</u>		
<u>66.32</u>	<u>86.3</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>53.49</u>	<u>66.32</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>99.11</u>	<u>73.09</u>

220030282487
220030280563
220030282351
220030280089
220030281614
220030282306
220030279740
220030283489
220030279385
220030279392
220030280411
220030280806
220030282595
220030280954
220030279812
220030279217
220030280946
220030282897
220030281191
220030283134
220030281656
220030283022
220030281592
220030281679
220030281195
220030279824
220030281322
220030282434
220030282823
220030281488
220030281820
220030279044
220030280658
220030280975

<u>66.32</u>	<u>73.09</u>			220030281433
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		220030280779
<u>66.32</u>				220030281306
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		220030282492
<u>66.32</u>				220030282770
<u>66.32</u>				220030281149
<u>66.32</u>				220030279507
<u>66.32</u>	<u>73.59</u>			220030283197
<u>66.32</u>	<u>73.09</u>			220030280631
<u>66.32</u>				220030282817
<u>66.32</u>	<u>99.11</u>			220030278735
<u>66.32</u>	<u>72.79</u>	<u>73.4</u>	<u>96.49</u>	220030279268
<u>66.32</u>				220030279734
<u>66.32</u>				220030279632
<u>66.32</u>				220030282113
<u>66.32</u>	<u>73.01</u>	<u>73.59</u>		220030282116
<u>66.32</u>				220030282842
<u>66.32</u>				220030280803
<u>66.32</u>				220030280685
<u>66.32</u>				220030280350
<u>66.32</u>				220030282064
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		220030281776
<u>66.32</u>	<u>73.01</u>	<u>73.59</u>		220030280304
<u>66.32</u>				220030280358
<u>66.32</u>				220030281373
<u>66.32</u>				220030282323
<u>66.32</u>				220030280816
<u>66.39</u>	<u>73.4</u>			220030281390
<u>66.32</u>	<u>73.01</u>			220030282008
<u>66.32</u>	<u>73.4</u>	<u>86.3</u>		220030280534
<u>66.32</u>	<u>73.09</u>			220030281697
<u>66.32</u>	<u>38.98</u>	<u>75.4</u>		220030282431
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		220030281497
<u>66.32</u>	<u>75.69</u>			220030280662

<u>66.32</u>	<u>73.09</u>		220030280095
<u>66.32</u>	<u>96.49</u>	<u>73.09</u>	220030280155
<u>66.32</u>	<u>73.09</u>		220030280395
<u>66.32</u>	<u>73.59</u>		220030281107
<u>66.32</u>	<u>73.09</u>		220030281220
<u>66.32</u>			220030281339
<u>66.32</u>			220030282265
<u>66.32</u>			220030279244
<u>66.32</u>	<u>73.09</u>		220030281711
<u>66.32</u>	<u>73.09</u>		220030281760
<u>66.32</u>	<u>73.09</u>		220030282887
<u>66.32</u>	<u>73.09</u>		220030282428
<u>66.32</u>	<u>73.09</u>		220030280045
<u>66.32</u>	<u>73.09</u>	<u>73.59</u>	220030281590
<u>66.32</u>	<u>73.01</u>		220030282735
<u>66.32</u>			220030282905
<u>66.32</u>	<u>73.09</u>		220030280999
<u>66.32</u>			220030282715
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	220030282891
<u>66.32</u>			220030281022
<u>66.39</u>	<u>54.59</u>	<u>72.79</u>	220030280009
<u>51.23</u>	<u>38.93</u>	<u>66.32</u>	320030275308
<u>66.51</u>	<u>70.5</u>		320030279314
<u>66.51</u>	<u>70.52</u>		320030278515
<u>66.51</u>			320030276141
<u>66.32</u>			320030274771
<u>66.32</u>			320030275379
<u>66.32</u>	<u>73.01</u>		320030275390
<u>66.32</u>			320030275841
<u>66.32</u>			320030277483
<u>66.32</u>			320030274712
<u>66.32</u>	<u>73.09</u>		320030278710
<u>66.32</u>	<u>99.11</u>		320030278480
<u>66.32</u>			320030274802

<u>66.32</u>	<u>99.11</u>				320030277442
<u>66.32</u>					320030277575
<u>66.32</u>	<u>86.3</u>	<u>73.09</u>			320030278293
<u>66.32</u>	<u>99.11</u>				320030274896
<u>66.32</u>	<u>54.59</u>				320030275942
<u>66.32</u>					320030276904
<u>66.32</u>					320030276426
<u>66.32</u>					320030277999
<u>66.32</u>					320030277784
<u>66.32</u>					320030276929
<u>66.32</u>	<u>65.39</u>				320030277046
<u>66.32</u>					320030277939
<u>66.32</u>					320030277813
<u>66.32</u>					320030277154
<u>66.32</u>	<u>54.63</u>				320030277908
<u>66.32</u>					320030277596
<u>66.32</u>	<u>73.01</u>	<u>96.49</u>	<u>75.37</u>	<u>75.32</u>	320030277163
<u>66.32</u>					320030277019
<u>66.32</u>	<u>54.59</u>				320030275468
<u>66.32</u>	<u>86.3</u>				320030275600
<u>66.32</u>					320030277553
<u>66.32</u>					320030276413
<u>66.32</u>					320030274667
<u>66.39</u>	<u>86.3</u>				320030277405
<u>66.32</u>					320030277076
<u>66.32</u>					320030277511
<u>66.32</u>					320030276658
<u>66.32</u>					320030277736
<u>66.32</u>					320030274480
<u>66.39</u>					320030276492
<u>66.32</u>					320030277765
					320030277871
<u>66.32</u>					320030277114
<u>66.32</u>					320030277931

<u>66.32</u>					320030276053
<u>66.32</u>					320030276133
<u>66.32</u>					320030277355
<u>66.32</u>					320030278361
<u>66.32</u>					320030278224
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>96.49</u>	<u>75.32</u>	320030275775
<u>66.32</u>					320030276989
<u>66.39</u>					320030277001
<u>66.32</u>					320030278289
<u>66.32</u>					320030278344
<u>65.29</u>	<u>66.32</u>				320030276193
<u>66.32</u>					320030275152
<u>66.32</u>					320030275903
<u>66.32</u>	<u>54.59</u>				320030276967
<u>66.32</u>					320030277588
<u>66.32</u>					320030277344
<u>66.32</u>					320030276699
<u>66.32</u>	<u>73.09</u>				320030275680
<u>66.32</u>					320030276311
<u>66.32</u>	<u>73.09</u>				320030277853
<u>66.39</u>					320030275354
<u>66.32</u>					320030277576
<u>66.32</u>	<u>73.09</u>				320030277659
<u>66.32</u>					320030276201
<u>66.32</u>	<u>73.09</u>				320030275987
<u>66.32</u>					320030277530
<u>66.32</u>					320030274730
<u>66.32</u>	<u>73.09</u>				320030275037
<u>66.32</u>					320030276901
<u>66.32</u>	<u>73.09</u>				320030277583
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>			320030276058
<u>66.32</u>	<u>99.11</u>	<u>73.01</u>			320030274406
<u>66.32</u>	<u>96.49</u>	<u>73.59</u>	<u>73.01</u>		320030275417
<u>66.32</u>	<u>73.4</u>				320030276586

<u>66.32</u>	<u>73.09</u>				320030276811
<u>66.32</u>	<u>73.4</u>	<u>75.62</u>	<u>99.11</u>		320030278143
<u>69.02</u>	<u>73.09</u>	<u>75.4</u>	<u>66.32</u>	<u>99.04</u>	320030275132
<u>66.32</u>	<u>73.09</u>	<u>99.11</u>			320030275490
<u>66.32</u>					320030276059
<u>66.32</u>					320030276553
<u>66.32</u>					320030274386
<u>66.32</u>	<u>73.01</u>				320030274839
<u>66.32</u>					320030275713
<u>66.32</u>	<u>73.09</u>				320030275918
<u>66.32</u>	<u>96.49</u>	<u>73.09</u>			320030277471
<u>66.32</u>	<u>72.79</u>				320030276627
<u>66.39</u>	<u>73.09</u>				320030275931
<u>66.32</u>	<u>73.09</u>				320030275981
<u>66.32</u>	<u>99.11</u>	<u>73.09</u>			320030276557
<u>66.32</u>					320030275574
<u>66.39</u>					320030276027
<u>66.32</u>	<u>73.09</u>				320030277219
<u>66.32</u>	<u>73.09</u>				320030277801
<u>66.32</u>	<u>73.4</u>				320030276532
<u>66.32</u>	<u>73.09</u>	<u>86.3</u>			320030276965
<u>66.32</u>	<u>99.11</u>				320030277436
<u>66.32</u>	<u>73.4</u>				320030276466
<u>66.32</u>					320030276718
<u>66.32</u>					320030275610
<u>66.32</u>	<u>73.09</u>				320030276175
<u>66.39</u>					320030277456
<u>66.32</u>					320030274654
<u>66.32</u>	<u>73.09</u>	<u>75.7</u>			320030274873
<u>66.32</u>					320030275595
<u>66.32</u>	<u>73.01</u>				320030277079
<u>66.32</u>	<u>73.59</u>				320030277312
<u>66.32</u>	<u>73.09</u>				320030277667
<u>66.32</u>	<u>73.59</u>				320030277685

<u>66.32</u>	<u>96.49</u>	<u>73.59</u>
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>		
<u>66.32</u>	<u>73.59</u>	<u>75.32</u>
<u>66.32</u>		
<u>66.92</u>	<u>73.09</u>	<u>75.7</u>
<u>66.32</u>	<u>72.79</u>	<u>73.59</u>
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.59</u>	
<u>66.32</u>	<u>73.09</u>	<u>73.59</u>
<u>66.32</u>		
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>		
<u>66.32</u>	<u>73.01</u>	<u>73.59</u>
<u>66.32</u>	<u>73.09</u>	
<u>66.32</u>		
<u>70.5</u>	<u>66.51</u>	<u>65.39</u>
<u>66.32</u>	<u>75.37</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>99.04</u>	
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>	<u>86.04</u>	<u>54.63</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>	<u>75.5</u>	<u>75.61</u>
<u>66.39</u>		

320030278462
320030279020
320030277757
320030275730
320030277269
320030275480
320030278271
320030279120
320030279177
320030277461
320030277766
320030277690
320030278786
320030278273
320030278265
320030275179
420030279149
420030279491
420030279626
420030276575
420030279193
420030278506
420030277682
420030279744
420030275614
420030279176
420030278530
420030279233
420030277077
420030279404
420030278571
420030279586
420030278933
420030278693

<u>66.32</u>			
<u>69.96</u>	<u>66.61</u>	<u>66.32</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>75.32</u>	<u>38.98</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.92</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>99.04</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>53.49</u>		
<u>66.32</u>			

420030275842
420030279331
420030279269
420030277931
420030277272
420030279184
420030276144
420030276411
420030278741
420030279947
420030276964
420030277683
420030279656
420030279042
420030276322
420030278462
420030277909
420030278318
420030277141
420030279143
420030279175
420030278347
420030275892
420030276706
420030277131
420030280678
420030275829
420030277482
420030279251
420030277520
420030278590
420030278645
420030278855
420030279385

<u>66.32</u>			420030279876
<u>66.32</u>			420030279957
<u>66.32</u>			420030275655
<u>66.32</u>			420030276810
<u>66.32</u>	<u>73.09</u>		420030276128
<u>66.32</u>			420030276837
<u>66.32</u>			420030277419
<u>66.32</u>	<u>73.59</u>		420030277192
<u>66.32</u>	<u>73.09</u>		420030277653
<u>66.32</u>			420030277690
<u>66.32</u>	<u>73.59</u>		420030277694
<u>66.32</u>	<u>73.09</u>		420030277839
<u>66.32</u>			420030278432
<u>66.32</u>	<u>75.7</u>		420030278688
<u>66.32</u>	<u>73.01</u>		420030275634
<u>66.32</u>			420030276761
<u>66.32</u>	<u>73.59</u>		420030279570
<u>66.32</u>			420030277739
<u>66.32</u>	<u>73.09</u>		420030277285
<u>66.32</u>	<u>96.49</u>		420030276067
<u>66.32</u>	<u>73.09</u>		420030280110
<u>66.32</u>	<u>73.09</u>		420030280524
<u>66.32</u>	<u>73.09</u>		420030279090
<u>66.32</u>			420030279462
<u>66.32</u>	<u>73.09</u>		420030277036
<u>66.32</u>			420030277759
<u>66.39</u>	<u>73.09</u>	<u>99.11</u>	420030279247
<u>66.32</u>	<u>73.09</u>		420030279735
<u>66.32</u>	<u>73.09</u>		420030277121
<u>66.32</u>	<u>73.59</u>		420030278424
<u>66.32</u>			420030279152
<u>66.32</u>	<u>73.09</u>		420030275972
<u>66.32</u>	<u>73.09</u>		420030278437
<u>66.32</u>	<u>73.59</u>		420030279427

<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>75.69</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>96.49</u>		
<u>66.32</u>	<u>73.59</u>		
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.59</u>		
<u>66.32</u>	<u>73.6</u>	<u>73.01</u>	<u>73.59</u>
<u>66.32</u>	<u>73.09</u>	<u>99.11</u>	
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>99.11</u>	
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>	<u>73.59</u>	
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.59</u>		
<u>66.32</u>	<u>73.09</u>	<u>75.37</u>	
<u>66.32</u>	<u>73.09</u>	<u>53.49</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>	<u>70</u>	<u>99.04</u>	
<u>66.61</u>	<u>66.29</u>		
<u>66.51</u>	<u>65.52</u>		

420030278312
420030278336
420030278557
420030275750
420030277271
420030278943
420030279510
420030279764
420030277620
420030277663
420030278219
420030275474
420030278354
420030276323
420030278357
420030278503
420030276483
420030275467
420030276937
420030278139
420030278242
420030278671
420030279537
420030277688
420030278351
420030277997
420030279608
420030279218
420030278602
420030279651
420030279240
420030276638
420030277098

<u>65.89</u>	<u>54.59</u>	
<u>38.93</u>		
<u>69.09</u>		
<u>66.51</u>	<u>65.52</u>	<u>54.61</u>
<u>66.32</u>		
<u>66.32</u>		
<u>73.59</u>	<u>73.4</u>	
<u>72.79</u>		
<u>75.69</u>		
<u>73.59</u>		
<u>75.69</u>	<u>51.23</u>	
<u>73.59</u>		
<u>73.59</u>	<u>3.9</u>	
<u>73.59</u>		
<u>72.79</u>	<u>75.61</u>	<u>3.9</u>
<u>73.59</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>99.11</u>	<u>99.47</u>	
<u>73.09</u>	<u>66.32</u>	
<u>72</u>	<u>75.62</u>	<u>3.9</u>
<u>73.6</u>	<u>73.59</u>	
<u>73.59</u>	<u>73.4</u>	
<u>73.59</u>		
<u>73.59</u>	<u>75.69</u>	
<u>73.59</u>		
<u>73.4</u>	<u>73.01</u>	
<u>73.4</u>	<u>73.59</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		

120020291733
420020289581
320030284283
420030286121

<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>75.4</u>	<u>66.39</u>	<u>75.69</u>	
<u>73.4</u>	<u>66.32</u>		
<u>73.59</u>			
<u>53.49</u>	<u>73.59</u>	<u>73.4</u>	<u>73.09</u>
<u>73.59</u>	<u>53.49</u>		
<u>73.59</u>			
<u>73.59</u>	<u>3.9</u>		
<u>73.59</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>51.23</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>73.59</u>	<u>3.9</u>		
<u>73.4</u>			
<u>75.69</u>	<u>73.01</u>	<u>73.4</u>	
<u>75.69</u>			
<u>51.23</u>	<u>73.09</u>	<u>73.59</u>	
<u>75.69</u>	<u>73.59</u>		
<u>73.59</u>			
<u>73.59</u>			
<u>75.51</u>	<u>75.69</u>		
<u>73.59</u>			
<u>73.59</u>			
<u>66.29</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>			

<u>66.32</u>	<u>73.4</u>		
<u>73.59</u>	<u>3.9</u>		
<u>73.59</u>			
<u>73.59</u>	<u>3.9</u>		
<u>51.23</u>	<u>87.53</u>	<u>75.69</u>	<u>73.59</u>
<u>73.59</u>			
<u>73.09</u>	<u>73.59</u>		
<u>75.62</u>	<u>73.59</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>99.11</u>		
<u>66.32</u>			
<u>66.32</u>	<u>99.47</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>73.59</u>	<u>73.09</u>	<u>99.11</u>	
<u>73.59</u>			
<u>75.69</u>	<u>73.59</u>		
<u>73.59</u>	<u>99.47</u>		
<u>3.9</u>	<u>51.23</u>	<u>53.49</u>	
<u>73.59</u>			
<u>73.59</u>	<u>73.09</u>	<u>3.9</u>	<u>73.6</u>
<u>73.59</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.92</u>			
<u>73.59</u>	<u>73.09</u>		
<u>73.59</u>			

<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>	<u>73.6</u>		
<u>73.59</u>	<u>73.09</u>	<u>75.34</u>	
<u>73.01</u>	<u>75.69</u>	<u>73.59</u>	<u>99.47</u>
<u>66.51</u>	<u>65.52</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>96.49</u>	<u>3.9</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>73.4</u>			
<u>73.59</u>			
<u>72.79</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>73.4</u>	<u>73.59</u>	<u>3.9</u>	<u>73.01</u>
<u>73.01</u>			
<u>66.39</u>	<u>3.91</u>		
<u>73.4</u>			
<u>66.39</u>			
<u>75.69</u>	<u>66.32</u>	<u>73.09</u>	<u>3.91</u>
<u>73.59</u>	<u>66.32</u>		
<u>73.59</u>			
<u>75.69</u>	<u>66.39</u>		
<u>75.69</u>			

120020306095
120020306050
120020306177
120020305899
120020305968
120020306059
120020305908
120020305903
220020297975
220020298056
220020298006
220020297974
220020297740
220020297741
220020297743
220020297845

<u>66.39</u>	<u>99.04</u>			
<u>66.32</u>	<u>3.91</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>73.09</u>	<u>66.39</u>	<u>73.4</u>	<u>3.91</u>	
<u>73.01</u>	<u>66.39</u>	<u>3.91</u>		
<u>73.4</u>	<u>66.39</u>			
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>	<u>3.95</u>			
<u>75.34</u>	<u>66.39</u>			
<u>66.39</u>	<u>73.09</u>			
<u>73.4</u>	<u>66.39</u>	<u>73.09</u>		
<u>66.39</u>	<u>38.86</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>
<u>66.39</u>	<u>3.91</u>			
<u>66.39</u>	<u>3.91</u>	<u>73.09</u>		
<u>66.32</u>	<u>3.91</u>			
<u>66.39</u>	<u>73.09</u>	<u>75.32</u>	<u>3.91</u>	
<u>66.32</u>				
<u>66.39</u>	<u>3.91</u>			
<u>3.91</u>	<u>66.39</u>			
<u>66.39</u>				
<u>75.69</u>	<u>66.39</u>	<u>73.09</u>		
<u>66.39</u>				
<u>66.32</u>				
<u>3.91</u>	<u>99.04</u>	<u>66.39</u>		
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>	<u>75.34</u>	<u>73.09</u>		
<u>75.69</u>	<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>3.91</u>			
<u>66.39</u>				

220020297961
 320020306452
 320020306500
 320020306446
 320020306467
 320020306628
 320020306525
 320020306537
 320020306603
 320020306453
 320020306565
 320020306646
 320020306458
 320020306484
 420020303613
 420020303171
 420020303180
 420020303173
 420020303324
 420020303206
 420020303433
 420020303314
 420020303421
 420020303298
 420020303322
 120030302471
 120030302565
 120030302481
 120030302403
 120030302417
 120030302490
 120030302468
 120030302449
 120030302459

<u>66.32</u>	<u>3.91</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.39</u>	<u>3.91</u>	<u>75.35</u>	
<u>66.39</u>	<u>3.91</u>		
<u>66.39</u>	<u>3.91</u>		
<u>66.39</u>	<u>3.91</u>		
<u>66.32</u>			
<u>3.91</u>	<u>99.23</u>	<u>96.49</u>	
<u>73.09</u>	<u>66.39</u>		
<u>75.34</u>	<u>66.32</u>		
<u>75.69</u>	<u>73.4</u>		
<u>75.69</u>	<u>66.39</u>	<u>3.91</u>	
<u>73.59</u>	<u>73.4</u>		
<u>66.39</u>			
<u>73.09</u>	<u>66.39</u>	<u>75.34</u>	
<u>66.39</u>			
<u>75.34</u>	<u>66.32</u>	<u>73.09</u>	<u>73.4</u>
<u>66.39</u>			
<u>75.69</u>	<u>66.39</u>	<u>73.09</u>	<u>3.91</u>
<u>99.04</u>			
<u>3.91</u>			
<u>3.92</u>	<u>66.39</u>		
<u>66.29</u>			
<u>66.29</u>			
<u>3.92</u>	<u>66.32</u>		
<u>66.39</u>	<u>99.11</u>		
<u>75.69</u>	<u>66.29</u>		
<u>66.32</u>			
<u>66.29</u>			
<u>66.29</u>			
<u>66.29</u>			
<u>66.29</u>	<u>73.4</u>		
<u>66.29</u>			
<u>73.59</u>	<u>66.39</u>	<u>3.92</u>	

120030302674
120030302336
220030302311
220030302139
220030302422
220030302373
220030302516
220030302147
220030302505
220030302145
220030302221
220030302138
220030302164
220030302218
220030302224
220030302474
220030302141
220030302173
220030302405
220030302521
320030298937
320030298589
320030298604
320030298852
320030298763
320030298900
320030298768
320030298599
320030298574
320030298641
320030298714
320030298738
320030298760
320030298592

<u>73.4</u>	<u>66.39</u>	<u>73.59</u>	<u>3.92</u>
<u>66.39</u>			
<u>66.32</u>	<u>99.21</u>		
<u>66.29</u>			
<u>66.29</u>			
<u>66.29</u>			
<u>66.29</u>			
<u>66.29</u>			
<u>66.29</u>			
<u>66.32</u>			
<u>73.01</u>	<u>66.29</u>		
<u>75.34</u>	<u>66.32</u>	<u>73.4</u>	
<u>66.29</u>			
<u>75.62</u>	<u>66.39</u>		
<u>66.32</u>			
<u>75.69</u>	<u>66.29</u>		
<u>66.29</u>			
<u>66.51</u>	<u>53.49</u>	<u>85.21</u>	
<u>65.41</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>86.04</u>		
<u>66.32</u>			
<u>75.1</u>	<u>66.32</u>		
<u>66.4</u>	<u>66.92</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>99.04</u>		

320030298752
420030299861
420030300079
420030299918
420030299884
420030300157
420030300236
420030299869
420030300053
420030300229
420030300271
420030299932
420030300105
420030299873
420030299881
420030300092
420030299897
420030300172

<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>	<u>99.11</u>	<u>99.04</u>		
<u>66.39</u>				
<u>68.9</u>	<u>65.39</u>	<u>75.61</u>	<u>54.12</u>	<u>66.52</u>
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>69.49</u>			
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>	<u>68.4</u>	<u>65.49</u>	<u>99.04</u>	<u>99.05</u>
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>	<u>57.81</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>	<u>75.1</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				

66.32

73.6

66.39

66.32

66.39

66.39

66.39

75.4

66.39

66.32

66.39

38.86

66.32

66.39

66.32

73.59

73.59

66.39

53.49

73.59

66.39

66.32

66.39

72.71

99.04

73.59

66.39

66.32

66.29

66.39

66.39

66.32

99.11

66.39

66.29

73.59

66.39

66.32

66.32

<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>	<u>99.11</u>	
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>	<u>66.61</u>	
<u>66.29</u>		
<u>66.32</u>		
<u>73.59</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>73.59</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>	<u>66.69</u>	
<u>66.32</u>		
<u>73.59</u>		
<u>66.39</u>		
<u>75.69</u>		
<u>66.29</u>		
<u>66.32</u>		
<u>65.25</u>	<u>66.39</u>	<u>54.51</u>
<u>66.29</u>	<u>69.59</u>	
<u>65.39</u>	<u>66.51</u>	<u>99.04</u>
<u>66.01</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		

<u>66.39</u>	<u>99.04</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.92</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>	<u>54.59</u>	<u>86.3</u>
<u>66.39</u>	<u>53.51</u>	
<u>66.39</u>	<u>54.59</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		

<u>66.32</u>		
<u>73.59</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.92</u>		
<u>66.32</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>73.59</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		

75.69
73.59 66.39
73.59 75.4 99.11
66.39
66.39
73.59
75.69
73.59
66.39
66.39
66.32
66.39
73.59 66.32
66.39
75.69
66.39
66.39
66.39
66.39
66.32
66.29
66.32 99.11
66.32
73.59 66.39
66.32
66.32
66.39
66.32
75.69
66.39
66.39 54.21 54
54.51 66.01 65.01
66.32
66.39 54.59

<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>54.4</u>	<u>54.59</u>	<u>66.39</u>
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>	<u>39.31</u>	
<u>66.39</u>	<u>99.04</u>	
<u>66.39</u>	<u>99.04</u>	
<u>66.32</u>	<u>99.04</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		

66.39 54.59

66.32

66.32

66.39

66.32

66.32

66.39

66.39

66.39

66.32

66.39

66.39

66.39 53.49

66.39

66.32

75.69

73.59

66.32

66.32

73.59

75.69 66.39

66.39

66.39

66.92

66.39

66.39

66.32

66.32

75.69

66.32

73.4 66.32

66.32

66.32

66.39

66.32

75.69

66.39

66.39

72

75.69

66.39

66.32

66.32

66.32

66.39

66.39

66.32

73.4

66.32

66.32

66.32

66.29

66.39

66.39

66.39

66.32

75.69

75.69

73.59

73.59

66.39

66.39

66.39

66.39

75.69

66.32

66.32

66.39

66.39

66.39

66.32

<u>66.39</u>			
<u>66.32</u>	<u>38.93</u>	<u>99.04</u>	
<u>66.39</u>			
<u>66.39</u>	<u>72.79</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>	<u>54.59</u>		
<u>66.32</u>			
<u>75.69</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>	<u>99.04</u>	<u>38.91</u>	<u>89.64</u>

73.59
73.59
75.69 66.32
72.79 75.69
73.59
66.32
66.39
73.59
66.39 99.11
66.32
66.32
66.39
73.59
66.39
73.4 66.39
73.59
66.39
66.32
73.59
66.32
66.39
66.32
66.39
75.4 66.39
66.32
66.39
66.39 66.71
66.32 54.75
66.32
75.69
66.32
75.69
66.32
66.39

66.39

66.39

66.32

66.39

66.39

66.39 73.4

66.39

66.32

66.39

74.1 66.39

66.39

66.39

66.39 99.04

66.39

66.39

66.32

66.32

66.39

66.32

66.39

66.32 75.1

66.39

66.39

73.4 99.04 66.32

66.39

66.32

66.32

66.39

66.39

66.32

66.32

66.39

66.32

66.39

66.39

66.39

66.39 99.11

66.39

66.32

66.32

66.32

66.32 54.59

66.32

66.39

66.39

66.32

66.39 54.3

66.32

75.69 66.32

66.32

66.32

66.32

66.32

66.39

66.32

66.32

73.59

75.69

73.59

66.39

73.6

66.32

66.32

66.32

66.39

66.32

66.32

66.39

73.4

66.39

66.32

66.39

66.32

66.32

66.39

75.69

66.39

66.32

66.32

73.59

73.59

66.39

66.39

66.32

66.32

66.32

66.32

66.32

66.39

73.59

75.69

66.32

66.39

66.39

66.32

73.59

66.39

66.32

75.52

54.11

39.98

66.39

66.4

<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>	<u>99.11</u>	
<u>66.32</u>	<u>75.1</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>	<u>73.4</u>	
<u>66.39</u>	<u>54.4</u>	
<u>66.39</u>	<u>65.91</u>	
<u>66.32</u>	<u>99.04</u>	
<u>66.39</u>		
<u>66.39</u>	<u>99.04</u>	
<u>66.39</u>		
<u>66.39</u>	<u>86.84</u>	
<u>66.39</u>		
<u>66.32</u>	<u>99.11</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>	<u>53.41</u>	<u>53.12</u>
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>72.79</u>	<u>66.32</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		

66.32
66.39
66.32
66.32

66.39
66.32
66.92

73.59
75.62
66.39
73.59

66.32

73.09
72.79
75.69

75.69

66.32
66.32
66.39

73.59

73.4

66.39
66.39
66.32

66.32
66.32
66.39

66.32
75.69
66.32

66.39

66.39
66.39
66.39

66.32

73.59

66.39

75.69

66.32

73.59

66.39

75.69

75.69

66.32

99.04

66.39

75.1

66.39

66.32

54.59

99.11

72.79

66.39

66.32

99.47

66.32

99.11

66.32

3.95

66.32

66.32

66.39

66.39

66.32

54.59

65.12

66.92

65.49

66.39

66.39

66.32

66.39

66.32

66.39

66.39

66.39

66.39

66.39

<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>75.1</u>		
<u>66.39</u>	<u>3.95</u>		
<u>66.32</u>	<u>54.59</u>	<u>53.49</u>	
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.4</u>			
<u>66.39</u>			
<u>66.39</u>	<u>39.31</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>	<u>65.09</u>	<u>65.29</u>	
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.63</u>			
<u>66.32</u>	<u>65.29</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>73.4</u>	<u>99.04</u>	<u>66.32</u>	<u>75.4</u>
<u>75.4</u>	<u>66.32</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>73.59</u>			
<u>73.59</u>			

66.39

66.39

73.59

66.39

75.69

75.69

66.32

75.69

66.39

73.4

73.59

75.69

66.32

66.32

73.59

66.32

71.09

73.59

66.32

66.32

75.69

66.39

66.39

66.32

53.49

66.32

66.32

73.59

75.69

66.39

66.29

65.09

66.32

66.32 75.69

66.32

66.32

66.39

66.32

66.39

66.39

66.22

66.29

66.32

73.59

66.32

66.39

66.32

66.39

66.39

66.32

73.59

75.69

66.32

66.32 73.59

66.39 38.8

66.32

66.32

66.32

66.39

66.39

66.32

66.32

<u>66.32</u>	
<u>66.39</u>	
<u>66.39</u>	<u>99.11</u>
<u>66.32</u>	
<u>66.39</u>	
<u>66.32</u>	<u>66.01</u>
<u>66.39</u>	
<u>66.39</u>	<u>54.59</u>
<u>66.39</u>	<u>54</u>
<u>66.39</u>	
<u>66.39</u>	
<u>66.39</u>	<u>86.3</u>
<u>66.32</u>	
<u>66.32</u>	
<u>66.32</u>	<u>75.37</u>
<u>66.39</u>	
<u>66.32</u>	
<u>66.39</u>	
<u>66.39</u>	
<u>66.39</u>	
<u>66.39</u>	
<u>66.32</u>	
<u>66.39</u>	
<u>66.39</u>	
<u>66.39</u>	
<u>66.39</u>	
<u>66.32</u>	
<u>66.32</u>	
<u>66.39</u>	
<u>66.32</u>	<u>66.69</u>
<u>66.32</u>	
<u>66.39</u>	

66.32 65.29 66.69

66.39

66.39

66.39

66.39

66.39

66.32

66.32

66.32

66.39

66.39

66.39

66.32

66.32

66.39

73.59

73.59

66.32

75.69

66.39

75.69

66.32

66.39 72.54

75.69

66.39

75.69

73.59

66.32

66.39

66.39

66.32

66.32

66.39

73.59

<u>66.39</u>	<u>99.04</u>	120020339542
<u>66.32</u>		120020340936
<u>66.39</u>		120020340177
<u>66.39</u>		120020340797
<u>66.39</u>		120020341004
<u>66.39</u>	<u>39.31</u>	120020339363
<u>66.32</u>	<u>73.4</u>	120020339774
<u>66.32</u>		120020339272
<u>66.32</u>		120020340242
<u>66.39</u>		120020340496
<u>66.39</u>		120020340259
<u>66.39</u>		120020339660
<u>66.39</u>		120020339301
<u>66.39</u>		120020339046
<u>66.39</u>		120020340856
<u>66.32</u>		120020340113
<u>66.39</u>		120020340666
<u>66.32</u>		120020339709
<u>66.39</u>		120020340596
<u>66.32</u>		120020339361
<u>66.39</u>	<u>99.11</u>	120020340317
<u>66.39</u>		120020339880
<u>66.39</u>		120020340643
<u>74.1</u>		120020339589
<u>66.39</u>		120020339265
<u>66.39</u>	<u>65.29</u>	120020339657
<u>66.39</u>		120020340005
<u>66.39</u>		120020340520
<u>66.32</u>		120020340995
<u>66.39</u>		120020340790
<u>66.39</u>		120020340034
<u>66.39</u>		120020340538
<u>66.39</u>		120020339793
<u>66.39</u>		120020339850

66.32

66.39

66.39

73.59

66.32 53.49

66.39

66.22

66.39

73.59

66.32

66.39

66.39

66.39

66.39 73.4

66.32

66.39

75.69

66.39 66.32

75.4

73.59

66.39

66.39

66.32

73.59

66.39

66.32

66.32

73.6

66.39

66.32

66.32

66.32

120020339540

120020340708

120020340059

120020340076

120020340210

120020340727

120020339537

120020340644

120020340049

120020340904

120020340055

120020339971

120020339768

120020339330

120020340752

120020340408

120020339458

120020339732

120020339300

120020339341

120020339845

120020340086

120020340190

120020340909

120020339258

120020340854

120020339531

120020339664

120020339794

120020340839

120020339580

120020340137

120020340440

120020340622

75.69

66.39

66.32

73.4

66.32

66.32

66.32

66.39

66.32

66.39

75.69

66.32

66.39

66.32

66.32

66.39

66.32

66.32

66.39

66.39

66.32

75.69

75.69

66.32

66.39

66.32

66.32

66.39

66.39

66.32

66.51

66.39

73.59

66.39

73.59

75.69

120020339416

120020340092

120020340442

120020340821

120020340914

120020339714

120020340117

120020339988

120020340063

120020339487

120020339724

120020340330

120020340359

120020339439

120020340156

120020340498

120020341012

120020339283

120020340524

120020341005

120020339823

120020339686

120020340519

120020339573

120020339809

120020340445

120020339559

120020339624

120020340252

120020340367

120020340858

120020340740

120020340497

120020339619

<u>73.59</u>					120020340170
<u>66.39</u>					120020340285
<u>66.32</u>					120020339259
<u>66.32</u>					120020339381
<u>66.32</u>					120020339757
<u>66.69</u>	<u>73.59</u>				120020339796
<u>66.39</u>					120020340362
<u>66.39</u>					120020340971
<u>66.92</u>					120020338440
					120020340290
<u>66.29</u>					220020692815
<u>66.39</u>	<u>66.71</u>	<u>66.71</u>	<u>86.3</u>	<u>75.34</u>	220020692213
<u>66.39</u>					220020692361
<u>66.39</u>					220020692972
<u>66.39</u>					220020692746
<u>66.39</u>	<u>54.59</u>				220020693296
<u>66.39</u>					220020693462
<u>66.39</u>					220020692327
<u>54.59</u>	<u>66.32</u>				220020692407
<u>66.39</u>					220020693937
<u>66.32</u>					220020692224
<u>66.32</u>					220020693940
<u>66.39</u>					220020693076
<u>66.39</u>					220020693327
<u>66.32</u>					220020693810
<u>66.39</u>					220020692880
<u>66.39</u>					220020692654
<u>66.39</u>					220020693915
<u>66.32</u>					220020693749
<u>66.39</u>					220020693472
<u>66.39</u>					220020693568
<u>66.39</u>					220020693534
<u>66.39</u>					220020692694
<u>66.39</u>					220020693184

<u>66.39</u>				220020693159
<u>66.39</u>				220020693316
<u>66.39</u>	<u>68.29</u>			220020693429
<u>66.39</u>				220020692204
<u>66.32</u>				220020692561
<u>66.39</u>				220020693731
<u>66.32</u>				220020692615
<u>66.39</u>				220020692285
<u>66.39</u>				220020693209
<u>66.39</u>	<u>73.91</u>	<u>73.92</u>	<u>73.59</u>	220020693938
<u>66.32</u>				220020692605
<u>66.32</u>				220020692217
<u>66.39</u>				220020693632
<u>66.39</u>				220020693267
<u>66.39</u>				220020692370
<u>66.32</u>				220020692744
<u>66.39</u>	<u>49.47</u>			220020692808
<u>73.59</u>				220020692871
<u>66.32</u>				220020693409
<u>66.39</u>				220020693633
<u>66.32</u>				220020691750
<u>75.4</u>	<u>66.32</u>			220020693170
<u>75.69</u>				220020692672
<u>75.69</u>	<u>75.34</u>			220020692978
<u>66.32</u>				220020693352
<u>66.39</u>				220020692678
<u>66.39</u>	<u>75.34</u>	<u>73.09</u>		220020693133
<u>66.39</u>				220020692300
<u>73.59</u>				220020692733
<u>66.39</u>				220020692736
<u>75.69</u>				220020692942
				220020693301
<u>66.32</u>				220020693521
<u>66.32</u>				220020693860

75.69
75.69 75.34
73.59 73.09 75.34
66.39
66.32

66.39
73.59
66.39
73.59
66.39 99.04
73.59
66.32
73.59
66.32
66.39
75.69
66.39
75.69
66.39
73.59
73.59
75.61 66.39 66.61
73.59 75.34 73.4 99.04
66.39
66.39

66.39
66.39 86.3
66.32
66.32
66.39
66.39
66.32

220020692469
220020692921
220020692948
220020693788
220020692450
220020692625
220020693727
220020692330
220020692680
220020693975
220020692303
220020692988
220020693139
220020693399
220020693777
220020693550
220020692607
220020692976
220020692897
220020693834
220020693022
220020693171
220020693696
220020693131
220020692448
220020693148
320020342907
320020341247
320020343002
320020341273
320020341859
320020341407
320020342157
320020342448

<u>66.39</u>		320020341806
<u>66.39</u>		320020342081
<u>66.32</u>		320020342085
<u>66.39</u>		320020342262
<u>66.39</u>		320020343019
<u>66.32</u>		320020341758
<u>66.39</u>		320020342083
<u>66.39</u>		320020342951
<u>66.32</u>		320020342135
<u>66.32</u>		320020341974
<u>66.39</u>		320020342611
<u>66.39</u>		320020342820
<u>66.32</u>		320020341557
<u>66.39</u>		320020343171
<u>66.39</u>		320020341115
<u>65.29</u>	<u>66.32</u>	320020342098
<u>66.39</u>		320020341474
<u>66.39</u>		320020342823
<u>66.32</u>		320020341189
<u>66.39</u>		320020341393
<u>66.32</u>		320020341554
<u>66.32</u>		320020341778
<u>66.39</u>		320020342656
<u>66.39</u>		320020343085
<u>66.32</u>		320020341775
<u>75.4</u>	<u>66.39</u>	320020341260
<u>66.32</u>		320020342044
<u>66.39</u>		320020342208
<u>73.59</u>		320020342555
<u>66.39</u>		320020342732
<u>75.4</u>		320020343096
<u>66.39</u>		320020342694
<u>66.32</u>		320020342508
<u>66.32</u>		320020342638

<u>73.59</u>		320020341283
<u>73.59</u>		320020341693
<u>66.32</u>		320020342113
<u>66.32</u>		320020342209
<u>73.6</u>	<u>66.39</u>	320020342633
<u>66.39</u>		320020342660
<u>66.39</u>		320020342690
<u>66.29</u>		320020342910
<u>66.39</u>		320020341295
<u>73.59</u>		320020342538
<u>66.39</u>		320020341397
<u>66.39</u>		320020342188
<u>66.39</u>		320020342203
<u>75.69</u>	<u>66.39</u>	320020342498
<u>66.39</u>		320020342650
<u>66.39</u>		320020342362
<u>66.39</u>		320020342214
<u>73.59</u>		320020342308
<u>66.39</u>		320020342886
<u>66.32</u>		320020343065
<u>73.59</u>		320020342417
<u>73.59</u>		320020342252
<u>66.32</u>		320020341677
<u>66.32</u>		320020342278
<u>66.39</u>		320020342409
<u>66.39</u>		320020341396
<u>75.4</u>	<u>66.39</u>	320020342500
<u>73.59</u>		320020341995
<u>73.6</u>		320020342985
<u>75.69</u>		320020341993
<u>75.69</u>		320020341218
<u>75.69</u>		320020342087
<u>75.69</u>		320020342369
<u>66.39</u>		320020342487

<u>66.39</u>	<u>66.01</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>73.59</u>			
<u>75.69</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>73.59</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>	<u>54.11</u>	<u>85.6</u>	<u>89.26</u>
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>	<u>96.71</u>	<u>99.04</u>	
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			

320020343123
320020341471
320020341626
320020341825
320020341921
320020342391
320020343144
320020341602
320020342802
320020341583
320020343007
320020341747
420020337116
420020338527
420020336801
420020337278
420020337938
420020337107
420020336790
420020336723
420020338061
420020337082
420020338326
420020337503
420020337181
420020337063
420020338459
420020337172
420020336819
420020338656
420020337174
420020337342
420020338013
420020337757

<u>66.32</u>		420020337240
<u>66.39</u>		420020337281
<u>66.32</u>		420020337927
<u>66.32</u>	<u>54.59</u>	420020337330
<u>66.01</u>		420020338171
<u>66.32</u>	<u>99.11</u>	420020336991
<u>66.39</u>		420020337931
<u>66.32</u>	<u>83.65</u>	420020336967
<u>66.32</u>		420020337416
<u>65.49</u>	<u>66.39</u>	420020337608
<u>66.39</u>		420020338107
<u>66.32</u>		420020336719
<u>66.39</u>		420020338132
<u>66.69</u>		420020337878
<u>66.39</u>		420020338559
<u>66.32</u>	<u>86.3</u>	420020337283
<u>66.39</u>		420020338262
<u>66.39</u>		420020337904
<u>66.39</u>	<u>65.09</u>	420020336945
<u>66.32</u>		420020338585
<u>66.39</u>	<u>65.29</u>	420020337440
<u>75.69</u>	<u>66.39</u>	420020337403
<u>66.32</u>		420020337831
<u>66.32</u>		420020337807
<u>66.32</u>		420020337806
<u>66.39</u>		420020338618
<u>73.59</u>		420020337076
<u>66.32</u>		420020338195
<u>66.39</u>		420020337765
<u>66.39</u>		420020337377
<u>73.59</u>		420020337501
<u>66.39</u>		420020338339
<u>73.59</u>		420020337013
<u>66.32</u>	<u>75.4</u>	420020336989

75.69

66.39

66.39

66.39

66.32

66.39

66.32

66.32

75.69

66.32

66.39

73.59

66.39

66.32

66.32

66.39

66.32

66.39

66.39

66.39 99.04

66.32

66.39

75.69

66.32 53.49

66.39

75.4 66.39

66.32

75.69 66.39

66.39

66.39

66.39

66.39

66.39

420020338327

420020336942

420020337499

420020338180

420020336748

420020336930

420020337067

420020337727

420020338077

420020336842

420020338557

420020338041

420020337321

420020336711

420020338295

420020338576

420020338623

420020338649

420020338655

420020338331

420020337728

420020338442

420020337606

420020338291

420020338324

420020338051

420020338640

420020338602

420020337093

120030335778

120030336734

120030336630

120030335790

120030336723

<u>66.32</u>		120030337303
<u>66.32</u>		120030335756
<u>66.39</u>		120030336081
<u>66.39</u>		120030336903
<u>66.32</u>		120030336775
<u>66.39</u>		120030336425
<u>66.39</u>		120030336268
<u>66.39</u>		120030336050
<u>66.39</u>		120030337022
<u>66.39</u>		120030337372
<u>66.32</u>		120030335562
<u>66.39</u>		120030335990
<u>66.39</u>	<u>39.31</u>	120030336534
<u>66.39</u>		120030335661
<u>66.32</u>		120030337278
<u>66.39</u>		120030336079
<u>66.32</u>		120030337392
<u>66.39</u>		120030337001
<u>66.39</u>		120030336711
<u>66.39</u>		120030335943
<u>66.39</u>	<u>54.59</u>	120030336215
<u>66.32</u>		120030336213
<u>66.39</u>		120030336685
<u>66.39</u>		120030335709
<u>66.39</u>		120030336946
<u>66.32</u>		120030336305
<u>66.32</u>		120030336881
<u>66.39</u>	<u>66.01</u>	120030335866
<u>66.32</u>		120030336688
<u>66.39</u>		120030336777
<u>66.39</u>		120030336840
<u>66.39</u>		120030336856
<u>66.32</u>		120030337027
<u>75.69</u>		120030335853

66.39
66.39
66.32
73.59
75.4 66.32 69.02 99.04
75.4 66.39
66.39 66.39 53.51
66.32
66.32
66.39
66.39
66.39
66.39 66.99
66.32
66.39
75.69 66.39
66.32
73.59
66.39
73.59
75.69
75.51
66.39 65.89
66.39
66.39
66.32
73.59
75.69
66.39
73.59
66.32
73.59
66.39
75.69 45.13 66.32
66.39

120030337041
120030337065
120030336762
120030337328
120030337370
120030336993
120030336795
120030336047
120030336311
120030336053
120030337074
120030335981
120030336086
120030336259
120030336794
120030337062
120030336022
120030336796
120030337128
120030336843
120030337192
120030335667
120030336620
120030336878
120030337162
120030337140
120030335989
120030337285
120030336330
120030336740
120030335977
120030335673
120030336808
120030335798

<u>66.32</u>		120030336035
<u>66.39</u>		120030336475
<u>66.39</u>		120030336823
<u>66.32</u>		120030337168
<u>66.39</u>		120030337386
<u>66.32</u>		120030336424
<u>99.04</u>		120030336287
<u>66.32</u>		220030335933
<u>66.39</u>	<u>54.59</u>	220030336178
<u>66.39</u>		220030335300
<u>66.39</u>		220030335223
<u>66.39</u>	<u>99.04</u>	220030335473
<u>66.32</u>		220030336196
<u>66.39</u>	<u>99.04</u>	220030335898
<u>66.39</u>	<u>66.01</u>	220030334253
<u>66.39</u>	<u>54.59</u>	220030335293
<u>66.39</u>		220030336636
<u>66.39</u>		220030335594
<u>66.39</u>		220030336182
<u>66.32</u>		220030336141
<u>66.39</u>		220030335653
<u>66.39</u>	<u>75.1</u>	220030335595
<u>66.39</u>		220030336638
<u>66.32</u>		220030335800
<u>66.39</u>		220030335402
<u>66.39</u>		220030335124
<u>66.39</u>		220030334932
<u>66.39</u>		220030335433
<u>66.39</u>		220030335079
<u>66.39</u>		220030335649
<u>66.32</u>		220030335174
<u>66.39</u>		220030335470
<u>66.32</u>		220030335113
<u>66.39</u>	<u>53.49</u>	220030336136

<u>66.39</u>	220030335880
<u>66.39</u>	220030336692
<u>66.32</u>	220030335220
<u>66.39</u>	220030336508
<u>66.39</u>	220030336659
<u>66.39</u>	220030335982
<u>66.39</u>	220030336682
<u>66.39</u>	220030334933
<u>66.32</u>	220030335312
<u>66.39</u>	220030335843
<u>66.32</u>	220030335894
<u>66.39</u>	220030335839
<u>66.39</u>	220030336757
<u>66.32</u>	220030335150
<u>66.32</u>	220030335906
<u>66.39</u>	220030336252
<u>66.39</u>	220030336683
<u>66.39</u>	220030336819
<u>66.39</u>	220030336847
<u>66.32</u>	220030334772
<u>66.01</u>	220030336090
<u>66.39</u>	220030336462
<u>66.32</u>	220030334784
<u>66.39</u>	220030335313
<u>66.39</u>	220030336403
<u>66.39</u>	220030334326
<u>66.32</u>	220030336295
<u>66.39</u>	220030336115
<u>73.59</u>	220030335504
<u>66.32</u>	220030336598
<u>66.39</u>	220030336705
<u>66.39</u>	220030335875
<u>75.69</u>	220030336582
<u>73.59</u>	220030335395

66.32

66.32

66.32 99.04

75.69

66.39

66.39

66.61

73.59

66.39

66.39

66.39

75.69 66.39

66.32

66.39

66.32

66.39

73.59

66.39

75.69 66.39

73.59

66.32

66.39

73.59

66.32 99.11

66.39

66.39

66.32

66.32

66.39

66.32

66.39

66.32

66.39

220030335221

220030335330

220030335411

220030336535

220030334295

220030335003

220030335121

220030335420

220030336762

220030335157

220030335414

220030335379

220030335519

220030335529

220030336794

220030335944

220030336331

220030335771

220030336170

220030335258

220030335760

220030336244

220030336247

220030336740

220030335214

220030335950

220030336104

220030336343

220030336760

220030334173

220030335745

220030338002

220030335171

220030335719

66.32
66.39
66.32
66.39

66.39
66.39
66.32
66.39
66.39
66.32
66.39
66.39
66.32
66.39
66.32
66.39
66.32
66.39
66.32
66.39
66.32
66.32
66.32
66.39
66.69

54.59
53.49 54.59

54.59

23.19
54.59 99.04

54.59
54.59 99.04
99.04

99.05 38.93

220030336576
220030336845
220030335303
220030335520
220030336268
220030336829
320030728577
320030728843
320030728536
320030728706
320030729979
320030728342
320030729258
320030729555
320030729434
320030728328
320030728567
320030728617
320030728771
320030728860
320030729359
320030729932
320030728531
320030729048
320030729317
320030729375
320030728511
320030729545
320030728399
320030729454
320030729890
320030729316
320030729575
320030728868

<u>66.32</u>		
<u>66.39</u>	<u>39.31</u>	<u>54.59</u>
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>	<u>53.51</u>	<u>75.1</u>
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>75.5</u>	<u>66.39</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.01</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>75.69</u>	<u>66.32</u>	
<u>75.69</u>	<u>66.32</u>	
<u>66.32</u>		
<u>66.39</u>	<u>53.49</u>	
<u>66.39</u>		
<u>66.39</u>		

320030728372
320030728656
320030730164
320030730001
320030730217
320030729451
320030729498
320030729820
320030728702
320030730141
320030729942
320030730076
320030729335
320030728727
320030729877
320030729251
320030729897
320030729511
320030729409
320030728901
320030729504
320030729898
320030729263
320030729628
320030729868
320030728736
320030728801
320030730046
320030729831
320030729384
320030729179
320030730173
320030728516
320030729030

66.39
66.39
75.69 66.39
73.59
66.39
66.32
73.59
66.32
75.69
66.39
66.32
66.39
66.39
66.32
66.39
75.69 66.39
66.32
75.69 66.39
73.59
66.39
73.59
75.69 66.32
75.69
66.39
66.39
66.39
66.39
66.39
66.39
73.59
66.39
66.32
66.39
73.59

320030728982
320030729796
320030730167
320030729639
320030728853
320030727488
320030728599
320030728455
320030730009
320030729923
320030729391
320030729260
320030729293
320030729736
320030729698
320030729970
320030729333
320030729622
320030729763
320030729658
320030728648
320030729385
320030729921
320030728798
320030728975
320030729557
320030728900
320030728800
320030729145
320030729533
320030727633
320030728645
320030729916
320030728933

<u>73.59</u>						320030729210
<u>66.39</u>						320030729749
<u>66.39</u>						320030728820
<u>66.39</u>						320030730247
						320030729729
<u>66.39</u>						320030729329
<u>66.39</u>						320030730124
<u>73.59</u>						320030730259
<u>66.39</u>						320030728724
<u>73.59</u>						320030728863
<u>66.39</u>						320030728611
<u>66.29</u>						320030730004
						320030730158
<u>46.2</u>	<u>39.1</u>	<u>39.1</u>	<u>39.1</u>	<u>69.51</u>		320030727299
<u>66.32</u>	<u>66.01</u>					420030712821
<u>66.39</u>	<u>99.04</u>					420030712846
<u>66.39</u>						420030712479
<u>66.32</u>						420030713638
<u>66.32</u>						420030714163
<u>66.32</u>						420030713035
<u>66.32</u>						420030713634
<u>66.39</u>						420030714047
<u>66.39</u>						420030712817
<u>66.39</u>						420030713056
<u>66.39</u>						420030713400
<u>66.39</u>						420030713177
<u>66.32</u>						420030713551
<u>66.39</u>						420030712643
<u>66.39</u>						420030712755
<u>66.39</u>						420030713184
<u>66.32</u>	<u>99.04</u>					420030712796
<u>66.39</u>						420030713054
<u>66.32</u>						420030712370
<u>66.32</u>						420030712237

<u>66.39</u>		420030712862
<u>66.32</u>		420030713991
<u>66.39</u>		420030714196
<u>66.32</u>		420030712609
<u>66.39</u>		420030712544
<u>73.59</u>		420030712343
<u>66.39</u>		420030713068
<u>73.59</u>		420030712297
<u>66.39</u>		420030712499
<u>66.39</u>		420030712517
<u>75.69</u>	<u>66.39</u>	420030712378
<u>66.32</u>		420030712715
<u>73.59</u>		420030713144
<u>66.39</u>		420030713286
<u>73.59</u>		420030712564
<u>53.49</u>	<u>73.59</u>	420030713244
<u>75.69</u>	<u>66.39</u>	420030712707
<u>66.39</u>		420030713895
<u>66.32</u>		420030712958
<u>75.69</u>		420030712960
<u>66.32</u>		420030712741
<u>66.39</u>		420030714109
<u>73.59</u>		420030712699
<u>66.32</u>		420030713230
<u>73.59</u>		420030713641
<u>73.59</u>		420030712624
<u>66.39</u>	<u>66.61</u>	420030713875
<u>73.59</u>		420030713972
		420030712943
<u>66.39</u>		420030713791
		420030713890
<u>66.39</u>		420030714141
<u>66.39</u>	<u>69.19</u>	420030713886
<u>73.59</u>		420030713327

73.59

66.32

75.69

72

66.39

66.39

73.59

75.69

66.39

66.32

75.69

66.39

66.39

66.39

66.32

66.39

75.69

66.39

66.39

66.39

66.39

73.59

66.39

73.59

66.32

66.39

75.69

66.39

66.39

75.69

66.39

66.39

66.39

66.32

66.39

66.32

75.69

420030712629

420030712714

420030713704

420030712681

420030713525

420030713995

420030712417

420030712775

420030712577

420030712901

420030713753

420030712772

420030713930

420030714027

420030712254

420030714033

420030712612

420030712667

420030713136

420030713140

420030713844

420030714102

420030715241

420030712440

420030713173

420030712674

420030713865

420030714085

420030713345

420030712694

420030712385

420030713117

420030713204

420030713676

73.59
75.69 66.32
66.39
75.69
66.39

99.04 54.91

66.51 65.89
54.21
54.19 65.39 47.09
66.51 69.22
73.09 66.32

54.21 67.39

68.4 66.51 65.52 70.77
96.49
65.39 66.51 70.77
65.51 66.52 69.22
66.32
96.49
65.31
66.02 54.59
66.32 73.4
66.39
66.32 99.04
66.39
66.32
66.39
66.39
66.39
66.39 65.49
66.32

420030712287
420030712365
420030713152
420030713603
420030713618
420030712468
420030711307
420030713620

120020350691

120020356269
320020358653
320020356330
420020351299
420020351164
220030350344
420030341645
420030341539
420030341992
320030347153
420030345533

66.39
72.79 96.49
66.39
75.69
66.39 66.69 73.6
66.39 73.4
73.59
73.59 75.69
73.59 75.69
66.39
73.59
73.59
75.69
99.29

66.32
66.39 54.59
66.39
66.39
66.32
66.39
66.32
66.39 73.4
66.39
66.31
66.39
66.39
66.39
66.39
66.39
66.39
53.49 66.39
66.39 53.49
66.39

66.39

73.59

73.59 73.51 73.4

72.71 75.69 73.1

75.69

73.59 73.4

66.39

73.59

73.59 73.4

75.69 73.4

73.59

73.59

73.59

73.59

73.59

66.29

66.39

72.71

73.59 75.69

75.69

54.59

66.32 65.29 54.12 38.93

66.39

66.52

66.39

66.39 3.95

66.39 68.3 65.61 38.93 99.04

75.1 66.92 65.22 53.49 75.1

66.32

66.39 73.4 99.04

66.39

66.63 54.4 54.59

66.32

66.32

<u>66.39</u>	<u>75.1</u>	
<u>66.63</u>		
<u>45.62</u>	<u>66.32</u>	<u>54.59</u>
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>	<u>53.49</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>73.59</u>	<u>99.24</u>	
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>	<u>73.1</u>	
<u>73.59</u>		
<u>73.59</u>	<u>75.69</u>	
<u>73.59</u>		
<u>72</u>	<u>75.69</u>	
<u>73.59</u>		
<u>73.59</u>		
<u>73.4</u>	<u>73.59</u>	<u>99.04</u>
<u>73.59</u>		
<u>73.59</u>	<u>73.4</u>	
<u>96.49</u>	<u>73.59</u>	
<u>73.59</u>	<u>53.49</u>	
<u>73.59</u>		
<u>75.69</u>		
<u>73.59</u>	<u>75.69</u>	
<u>73.59</u>		

<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>	<u>99.11</u>		
<u>66.39</u>			
<u>66.32</u>	<u>75.1</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>53.49</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>	<u>73.4</u>		
<u>66.39</u>	<u>66.61</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>73.59</u>	<u>73.09</u>	<u>75.69</u>	<u>53.49</u>
<u>73.59</u>	<u>73.09</u>		
<u>73.59</u>			
<u>72.52</u>	<u>53.49</u>		
<u>73.59</u>			
<u>75.62</u>			
<u>73.59</u>			
<u>66.39</u>	<u>73.4</u>		

<u>75.69</u>	<u>73.4</u>		
<u>73.59</u>	<u>73.4</u>	<u>71.11</u>	<u>71.3</u>
<u>66.32</u>			
<u>72.79</u>	<u>73.59</u>		
<u>75.69</u>	<u>73.59</u>		
<u>53.49</u>	<u>73.59</u>		
<u>53.49</u>	<u>96.49</u>	<u>73.59</u>	
<u>73.59</u>			
<u>66.22</u>	<u>67.61</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>	<u>54.59</u>	<u>57.19</u>	
<u>66.32</u>	<u>75.1</u>	<u>73.1</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>	<u>65.49</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			

66.39

73.1

66.32

66.32

66.39

66.39

66.39

66.69

66.32

66.32

73.59

73.59

73.59

66.32

66.32

66.32

73.59

66.32

99.04

66.32

3.95

73.59

75.69

73.1

73.59

75.69

72.79

73.59

73.59

66.51

65.52

54.19

47.09

66.32

66.32

38.93

66.32

66.32

99.04

66.39

65.62

66.32

66.32

<u>66.32</u>				
<u>72.79</u>	<u>66.39</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>	<u>69.96</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>73.59</u>				
<u>75.69</u>				
<u>73.59</u>	<u>73.6</u>	<u>75.1</u>		
<u>73.59</u>				
<u>72.71</u>	<u>75.62</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>54.11</u>	<u>54.19</u>	<u>73.59</u>	<u>75.1</u>	<u>96.71</u>
<u>68.29</u>				
<u>66.39</u>				
<u>66.32</u>	<u>71.3</u>			
<u>66.39</u>	<u>54.63</u>			
<u>66.39</u>	<u>54.59</u>			
<u>66.39</u>	<u>54.59</u>			
<u>66.32</u>				
<u>66.32</u>				

<u>66.39</u>	<u>3.95</u>			
<u>66.39</u>	<u>40.29</u>	<u>38.93</u>	<u>38.93</u>	<u>54.91</u>
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>3.95</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>73.59</u>	<u>53.49</u>			
<u>73.6</u>				
<u>70.33</u>	<u>66.32</u>	<u>53.49</u>		
<u>75.69</u>				
<u>75.69</u>				
<u>66.32</u>	<u>73.1</u>			
<u>75.69</u>	<u>66.39</u>			
<u>73.4</u>	<u>73.59</u>			
<u>66.32</u>	<u>73.1</u>			
<u>75.69</u>				
<u>73.59</u>				
<u>73.59</u>				
<u>73.59</u>	<u>73.6</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>73.6</u>	<u>66.32</u>			
<u>73.59</u>	<u>73.51</u>			
<u>75.69</u>				
<u>73.59</u>				

<u>66.32</u>			
<u>75.69</u>			
<u>54.59</u>	<u>54.21</u>	<u>66.51</u>	<u>65.39</u>
<u>66.39</u>			
<u>66.39</u>	<u>73.4</u>		
<u>66.39</u>	<u>99.04</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>	<u>53.51</u>		
<u>66.32</u>	<u>75.35</u>	<u>38.93</u>	
<u>66.32</u>			
<u>66.32</u>	<u>99.04</u>		
<u>66.39</u>	<u>39.95</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			

75.69
73.59
66.32
66.63
73.59
66.32
75.7 66.32
66.63
73.1 66.32 65.49
73.59
73.59
73.59 73.4
75.69 96.49 73.01 73.4
75.69 73.4
66.32
73.59

66.51 59.5
66.32
66.4 66.92 65.39
66.32
66.32
66.32 99.04
66.39
66.39
66.32
66.32
66.32 54 99.04
66.32 99.04
66.32
66.32
66.39 54.59
66.32
66.32 72.79

120020409771
120020411332
120020410569
120020410947
120020410892
120020410334
120020410555
120020409683
120020410580
120020411110
120020409451
120020411040
120020411135
120020408854
120020409172
120020410932
120020410956

<u>66.32</u>		120020409800
<u>66.32</u>	<u>73.1</u>	120020409511
<u>66.32</u>	<u>73.1</u>	120020411150
<u>66.39</u>		120020410217
<u>66.39</u>		120020408987
<u>66.39</u>		120020409294
<u>66.32</u>		120020410812
<u>66.32</u>		120020410876
<u>66.32</u>		120020410674
<u>66.32</u>		120020411113
<u>66.32</u>		120020411272
<u>66.32</u>		120020409266
<u>73.59</u>		120020410757
<u>73.59</u>		120020409761
<u>66.39</u>	<u>73.4</u>	120020411006
<u>75.62</u>		120020409435
<u>75.69</u>		120020410293
<u>66.32</u>		120020411312
<u>66.32</u>		120020409186
<u>66.32</u>		120020409188
<u>66.32</u>		120020409503
<u>66.32</u>		120020408853
<u>66.32</u>		120020409201
<u>73.59</u>		120020411317
<u>75.69</u>		120020408896
<u>66.39</u>		120020410241
<u>66.39</u>		120020409150
		120020410373
<u>66.32</u>		220020401434
<u>66.32</u>	<u>71.22</u>	220020401213
<u>66.32</u>		220020401348
<u>66.32</u>		220020401337
<u>66.32</u>	<u>3.95</u>	220020401408
<u>66.32</u>		220020400456

<u>66.39</u>	<u>39.31</u>	<u>99.04</u>
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>72.79</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>65.49</u>	<u>66.92</u>	
<u>66.32</u>		
<u>66.32</u>	<u>86.3</u>	
<u>66.32</u>		
<u>66.69</u>	<u>72.79</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>73.59</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>73.1</u>	<u>86.3</u>
<u>73.59</u>		
<u>75.69</u>	<u>73.1</u>	
<u>66.32</u>		
<u>73.6</u>		
<u>73.59</u>		
<u>75.69</u>		
<u>68.4</u>	<u>38.93</u>	<u>99.04</u>
<u>66.32</u>		
<u>69.96</u>	<u>66.32</u>	
<u>66.39</u>		

220020400612
220020400864
220020400629
220020399171
220020400881
220020398974
220020399323
220020401342
220020400832
220020400150
220020398819
220020400281
220020398831
220020398877
220020401632
220020399985
220020400153
220020399618
220020400710
220020400483
220020398824
220020400412
220020400613
220020401218
220020401042
220020401480
220020400356
220020399493
220020399887
220020398966
220020398873
320020414001
320020412739
320020414040

<u>66.32</u>					320020413126
<u>66.32</u>					320020412061
<u>66.39</u>					320020412442
<u>66.39</u>					320020413844
<u>66.39</u>					320020412582
<u>66.39</u>					320020412434
<u>66.39</u>					320020411903
<u>66.39</u>					320020412722
<u>66.39</u>					320020413764
<u>66.32</u>					320020413621
<u>66.39</u>					320020413328
<u>75.69</u>					320020413846
<u>73.59</u>	<u>73.1</u>				320020413517
<u>73.59</u>	<u>73.4</u>				320020413078
<u>51.23</u>	<u>73.59</u>				320020413469
<u>73.59</u>					320020414003
<u>75.69</u>					320020414282
<u>73.59</u>					320020412657
<u>66.32</u>					320020412323
<u>73.59</u>					320020411656
<u>73.59</u>	<u>75.69</u>				320020411894
<u>73.1</u>	<u>66.32</u>	<u>53.49</u>			320020412656
<u>66.32</u>	<u>73.1</u>				320020413153
<u>73.59</u>					320020412831
<u>53.51</u>	<u>73.59</u>	<u>87.76</u>	<u>59.8</u>	<u>57.32</u>	320020414044
<u>66.32</u>	<u>53.49</u>				320020413825
<u>75.69</u>	<u>73.59</u>				320020411847
<u>66.32</u>	<u>73.4</u>				320020411954
<u>73.59</u>					320020412748
<u>73.59</u>					320020414340
<u>75.69</u>					320020413133
<u>66.32</u>					420020408067
<u>66.32</u>					420020406436
<u>66.32</u>					420020406970

66.39
66.32
66.39
66.32
66.32
66.32
66.39
66.32
66.32
66.32
66.32
66.32
66.39
66.32
66.32
66.32
53.49 66.32
66.32
66.32 53.49
73.59
66.32
66.32
75.69
66.32
73.59
66.32
73.59
73.59
75.69 73.1
72.79
66.32
75.69
66.32 53.49

420020406541
420020408567
420020408633
420020408651
420020408077
420020407721
420020406702
420020407152
420020406680
420020408457
420020406596
420020406881
420020407638
420020406331
420020407225
420020407712
420020406932
420020407675
420020406210
420020406650
420020407881
420020407571
420020408103
420020406388
420020407440
420020407683
420020408663
420020406201
420020407099
420020406473
420020407491
420020406250
420020406310
420020406439

<u>75.69</u>					420020406872
<u>53.49</u>	<u>73.59</u>				420020407961
<u>53.49</u>	<u>73.59</u>				420020408354
<u>73.59</u>	<u>53.49</u>	<u>73.1</u>	<u>73.4</u>		420020407535
<u>66.32</u>	<u>93.9</u>				120030408190
<u>66.32</u>	<u>53.49</u>				120030408759
<u>66.32</u>					120030406796
<u>66.32</u>	<u>54.59</u>	<u>45.62</u>	<u>38.93</u>	<u>86.22</u>	120030407971
<u>66.32</u>	<u>99.04</u>				120030406900
<u>66.32</u>	<u>75.35</u>				120030407239
<u>66.32</u>					120030407250
<u>66.32</u>					120030408587
<u>66.32</u>	<u>53.49</u>				120030406587
<u>66.32</u>					120030408761
<u>66.32</u>	<u>99.11</u>				120030408909
<u>66.32</u>	<u>73.4</u>				120030408121
<u>66.32</u>					120030406615
<u>66.32</u>					120030407761
<u>66.32</u>	<u>53.51</u>				120030408341
<u>66.63</u>					120030408945
<u>66.32</u>					120030407724
<u>66.39</u>					120030408208
<u>66.32</u>					120030408656
<u>66.32</u>					120030406586
<u>66.32</u>					120030407162
<u>75.61</u>	<u>73.4</u>	<u>75.35</u>			120030406491
<u>66.63</u>					120030407674
<u>73.6</u>					120030408751
<u>66.32</u>					120030406847
<u>66.32</u>					120030407935
<u>72.79</u>	<u>75.62</u>				120030408224
<u>72.79</u>	<u>73.1</u>				120030408618
<u>66.63</u>	<u>53.49</u>				120030407621
<u>66.32</u>					120030408779

73.59 73.4
66.32
73.59
54.19 72.71 73.4
66.32
66.32
66.32
66.63
66.32 38.93
66.32
66.32
66.32
66.69
66.32
66.32 99.04
66.32
66.32 96.49
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32 73.4
68.29 **66.32**
66.32
69.96 **66.39**
66.39
73.59
66.69

120030408378
120030407018
120030408901
120030408254
220030406447
220030406548
220030406367
220030405231
220030406147
220030406712
220030404880
220030406392
220030406604
220030406731
220030407156
220030406041
220030406547
220030405032
220030406232
220030406794
220030406896
220030406897
220030405719
220030407433
220030405464
220030407174
220030407399
220030405671
220030405515
220030405359
220030405527
220030406369
220030405864
220030406573

<u>66.32</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>73.59</u>	<u>99.47</u>	<u>57.81</u>	
<u>66.32</u>			
<u>73.59</u>			
<u>73.59</u>	<u>53.49</u>	<u>99.11</u>	
<u>75.69</u>			
<u>73.59</u>			
<u>75.69</u>	<u>73.1</u>		
<u>73.59</u>			
<u>72.79</u>	<u>73.09</u>		
<u>75.69</u>	<u>73.4</u>		
<u>66.32</u>			
<u>73.59</u>			
<u>73.59</u>			
<u>72.71</u>	<u>75.69</u>	<u>73.59</u>	
<u>73.59</u>			
<u>75.69</u>	<u>73.59</u>	<u>99.47</u>	
<u>75.69</u>	<u>73.1</u>		
<u>75.69</u>	<u>73.4</u>		
<u>73.59</u>	<u>75.7</u>	<u>75.34</u>	
<u>66.32</u>	<u>3.95</u>		
<u>66.39</u>	<u>99.05</u>		
<u>66.32</u>			
<u>66.32</u>	<u>99.04</u>		
<u>66.32</u>			
<u>66.39</u>	<u>99.04</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>72.79</u>	<u>54.59</u>	<u>99.04</u>
<u>72.79</u>	<u>66.32</u>		
<u>66.32</u>			

320030396880
320030396694
320030398926
320030397739
320030397540
320030396883
320030399256
320030397135
320030397426
320030398092
320030398152
320030398351
320030398647
320030399181
320030398840
320030398843
320030396815
320030397408
320030397676
320030397749
320030398206
320030398096
320030397444
420030401303
420030399655
420030399760
420030399765
420030400365
420030401978
420030399456
420030400262
420030401784
420030401990
420030400343

66.32
66.32
66.32 54.59
72.79 66.32
66.32 53.49
66.32
66.39
66.32
66.39 99.04
66.32
66.32
66.32
66.32 73.09
73.59
73.59
66.32 73.1
66.32
73.59 73.09
72.9
75.69
73.59
75.69 73.59
66.32
66.39
66.32
73.59
66.32
66.01 54.21
66.51 65.39
66.51
66.32
66.32
66.32 75.5
66.32

420030401710
420030399505
420030400979
420030401581
420030399390
420030400285
420030401506
420030399851
420030401975
420030399672
420030400896
420030401040
420030401893
420030400709
420030401317
420030399848
420030400113
420030401848
420030400988
420030401005
420030401894
420030401025
420030399249
420030401956
420030399998
420030400766
420030401957
320030404280
320030405291
320030404059
320030404022
320030405361
320030404812
320030405679

<u>66.32</u>					320030404888
<u>66.32</u>					320030403998
<u>66.32</u>					320030404351
<u>66.32</u>					320030404071
<u>66.32</u>	<u>51.23</u>	<u>87.53</u>	<u>85.21</u>	<u>86.3</u>	320030405020
<u>66.32</u>					320030405159
<u>66.32</u>					320030405017
<u>66.32</u>	<u>73.4</u>				320030403773
<u>66.32</u>	<u>75.32</u>				320030405022
<u>66.32</u>					320030404153
<u>66.32</u>					320030403918
<u>66.32</u>					320030405015
<u>66.32</u>					320030404806
<u>66.32</u>					320030404903
<u>66.32</u>					320030405391
<u>66.32</u>					320030404740
<u>66.32</u>					320030404186
<u>66.32</u>					320030405611
<u>66.32</u>					320030405300
<u>66.32</u>					320030403894
<u>66.32</u>					320030403857
<u>66.32</u>					320030405768
<u>66.32</u>					320030404179
<u>66.32</u>					320030404815
<u>66.32</u>					320030404431
<u>66.32</u>					320030405217
<u>66.32</u>					320030403831
<u>66.32</u>					320030403745
<u>66.32</u>					320030405025
<u>66.32</u>					320030405572
<u>66.32</u>	<u>54.59</u>	<u>72.79</u>			320030405602
<u>75.69</u>	<u>73.6</u>	<u>73.59</u>			320030404923
<u>54.11</u>	<u>65.49</u>	<u>70.12</u>	<u>66.32</u>	<u>99.04</u>	320030405264
<u>66.51</u>	<u>65.39</u>	<u>57.89</u>			420030407915

<u>66.51</u>	<u>54.59</u>	
<u>54.11</u>	<u>54.25</u>	<u>66.92</u>
<u>59.5</u>		
<u>59.5</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>69.96</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>73.4</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.31</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		

420030407422
420030408449
420030407989
420030407678
420030408520
420030408098
420030407616
420030408318
420030407889
420030406657
420030407885
420030408295
420030406415
420030407625
420030408459
420030407113
420030406410
420030406445
420030407276
420030407577
420030408562
420030407046
420030406570
420030407102
420030408350
420030407143
420030407342
420030406775
420030408069
420030408293
420030408389
420030406959
420030407008
420030407118

66.32

73.59 73.4

73.59

73.59

75.69 73.59

66.39 54.59

66.39

66.39

66.32

66.39

66.32

66.39

66.39

66.32

66.39 53.49

66.39

66.39

66.32

66.39

66.39

66.32

66.39

66.32

66.39

66.39

72.1

73.59

73.59

66.39

73.59

73.6 73.09

75.69

73.6

420030408023

420030406770

420030406738

420030408291

420030407864

73.6

72.1

73.4

73.6

66.39

66.32

71.3

66.39

72

73.6

73.6

73.59

66.39

66.32

66.39

66.39

66.39

72.1

96.49

66.29

66.52

66.32

54.59

66.32

66.32

66.39

66.32

66.32

66.39

66.39

66.32

66.32

66.39

66.39

66.39

66.32

66.32

66.39

66.39

66.32 75.35

66.39

66.32

66.39

66.39

66.39

66.32

66.32 75.61

73.59

73.59

66.39

66.39

66.29

66.39

66.39

66.39

66.39

66.39

73.59

66.39

54.51 47.01

66.39 75.1

66.32 54.59

66.39

66.39

66.32

66.39

66.32 73.4

66.39

66.39 73.4

66.39

66.32

66.39

66.32

66.39

66.32

66.32

75.1 88.78

66.39

66.32

66.32

66.39

66.39

66.39

66.39

66.32

66.39

66.39

66.32

66.32

66.39

66.39

66.39

66.39

66.39

66.39

66.63

66.32

75.69

66.32 73.4

66.39

66.39

75.69 66.32

66.39

66.39

66.39

<u>75.69</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.51</u>	<u>65.31</u>			
<u>66.39</u>	<u>54.59</u>			
<u>66.39</u>	<u>96.71</u>	<u>96.04</u>		
<u>66.32</u>	<u>97.79</u>	<u>54.59</u>	<u>75.1</u>	<u>88.78</u>
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>	<u>65.29</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				

<u>66.39</u>		
<u>66.39</u>		
<u>75.69</u>	<u>66.92</u>	
<u>66.39</u>	<u>73.4</u>	
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.12</u>	<u>99.04</u>
<u>75.69</u>		
<u>66.32</u>		
<u>96.49</u>		
<u>53.49</u>	<u>66.32</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>	<u>65.39</u>	<u>54.59</u>
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>	<u>73.4</u>	
<u>73.59</u>		

66.39

66.32

66.39

66.39

66.39

66.32

71.3

66.39

54.59

66.39

66.39

54.59

66.39

99.04

66.39

66.39

66.39

66.39

66.39

66.32

66.32

66.39

66.32

66.32

66.32

66.39

66.39

66.39

66.32

66.39

75.69

73.59

72.1

66.39

66.32

73.4

66.39

73.4

66.32

<u>66.32</u>		
<u>66.39</u>		
<u>73.4</u>	<u>75.69</u>	<u>73.59</u>
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>73.4</u>	<u>66.39</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>54.59</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>	<u>65.29</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>	<u>75.1</u>	
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>	<u>75.1</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		

<u>66.32</u>	<u>86.3</u>	<u>86.3</u>
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		

<u>73.4</u>	<u>73.59</u>	
<u>66.32</u>		
<u>66.39</u>	<u>99.04</u>	<u>73.4</u>
<u>73.4</u>	<u>66.39</u>	
<u>73.6</u>	<u>73.4</u>	

<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	<u>83.09</u>
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>54.59</u>	
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>	<u>75.1</u>	

<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>73.59</u>		
<u>75.69</u>	<u>73.59</u>	
<u>75.69</u>	<u>73.59</u>	<u>73.4</u>
<u>73.6</u>	<u>73.59</u>	<u>73.4</u>
<u>66.32</u>	<u>75.69</u>	
<u>66.39</u>		
<u>73.59</u>		
<u>75.69</u>	<u>73.59</u>	
<u>66.32</u>		
<u>73.59</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.51</u>	<u>65.39</u>	<u>54.59</u>
<u>66.39</u>	<u>54.59</u>	
<u>66.39</u>	<u>54.59</u>	
<u>66.39</u>	<u>75.1</u>	<u>75.1</u>
<u>66.39</u>	<u>54.59</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		

120020446005
120020446107
120020447950
120020445890
120020445993
120020446945
120020445934
120020445999
120020446464
120020446021
120020446459
120020446354
120020447383
120020445921
120020447646
120020445914
120020445946
120020447545
120020445952
120020445950

66.32
66.32
66.39
66.32
66.39
73.59 75.69
66.32
75.69 73.59 73.4
66.32
75.69 73.59
66.39
75.69 73.59 73.4
66.39 75.69
66.39
66.39
66.39
66.39
66.39 73.4
73.59 73.4
75.69
66.39
66.32
66.32
65.63 70.5
66.32 54.59
66.32 54.59
66.39 3.95
66.32
66.32
66.32
66.39
66.39
65.39 66.92 75.1
66.39
66.32

120020447934
120020445944
120020446474
120020445988
120020446863
120020447137
120020448098
120020445911
120020446659
120020447308
120020445943
120020446396
120020445961
120020446916
120020447997
120020446893
120020445899
120020446639
120020447277
120020447087
120020447301
120020445977
220020436261
220020435315
220020436358
220020435723
220020436754
220020436054
220020435026
220020435061
220020435548
220020436079
220020435073
220020435040

<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>	<u>54.59</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>75.69</u>	<u>66.39</u>	
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>73.4</u>	<u>66.39</u>	
<u>66.32</u>		
<u>66.32</u>	<u>75.69</u>	
<u>72</u>	<u>75.69</u>	<u>73.4</u>
<u>75.69</u>	<u>96.49</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>	<u>75.69</u>	
<u>72.1</u>	<u>73.4</u>	
<u>66.29</u>		

220020435116
220020437013
220020435618
220020436689
220020435150
220020435223
220020435143
220020435188
220020436877
220020436916
220020435126
220020435536
220020435917
220020435156
220020436330
220020436148
220020436483
220020436310
220020436309
220020435502
220020436465
220020437126
220020435144
220020435038
220020435476
220020436624
220020435816
220020435122
220020435855
220020435037
220020435018
220020435102
220020436349
220020436596

66.39 54.59
66.39
66.39
66.39
66.39
66.39
66.32
66.39 54.59
66.39
66.32
66.39
66.39
66.39
66.39
66.39
66.32
66.39
66.39
66.39
66.39 99.04
66.39
66.39 99.29
66.39
66.39
66.32
66.39
66.39
66.39
66.32 68
66.39 75.1
66.39
66.39
66.39
66.39
66.39
66.32
66.39 73.4

320020449675
320020449630
320020449138
320020449290
320020450483
320020453378
320020449537
320020449293
320020452904
320020449840
320020449395
320020452079
320020450015
320020452989
320020449428
320020452666
320020452469
320020449354
320020449692
320020449703
320020452245
320020449147
320020450549
320020449371
320020449925
320020449176
320020449998
320020452739
320020449413
320020449954
320020450003
320020449335
320020449202
320020450923

<u>66.39</u>					320020449426
<u>66.39</u>					320020451486
<u>66.39</u>					320020451626
<u>66.39</u>					320020450761
<u>66.32</u>					320020451146
<u>66.32</u>					320020452099
<u>66.39</u>					320020449848
<u>73.6</u>					320020453475
<u>73.6</u>					320020450224
<u>66.32</u>					320020449424
<u>66.32</u>					320020450589
<u>72.1</u>					320020451949
<u>73.6</u>					320020450566
<u>69.09</u>	<u>97.71</u>	<u>99.04</u>	<u>38.93</u>	<u>83.21</u>	420020443317
<u>66.51</u>	<u>65.52</u>	<u>59.79</u>			420020443477
<u>66.32</u>	<u>99.04</u>				420020443166
<u>66.39</u>					420020447090
<u>66.39</u>	<u>54.59</u>				420020443488
<u>66.32</u>					420020446428
<u>66.39</u>					420020445096
<u>66.39</u>					420020445220
<u>66.39</u>					420020443233
<u>66.39</u>					420020443307
<u>66.39</u>					420020443752
<u>66.39</u>					420020444125
<u>66.39</u>					420020445730
<u>66.32</u>					420020446386
<u>66.39</u>	<u>75.1</u>				420020443795
<u>66.39</u>					420020443688
<u>66.39</u>					420020444667
<u>66.32</u>					420020443222
<u>66.32</u>					420020444788
<u>66.32</u>					420020444300
<u>66.32</u>					420020444372

66.39
66.39
66.39
66.39
66.39
66.32
66.39 75.1
66.39
66.39
66.39
66.39
66.32
66.39
66.39 75.69
66.39 75.1
66.32
66.39 73.4
66.39
66.39
66.39 73.4
66.39
66.39
73.59 73.4
66.32
66.39
73.4 66.32
66.39
73.6 73.4
72.1
73.6 73.4
73.6 73.4

66.39 75.1
66.39

420020443439
420020444136
420020443332
420020443710
420020447316
420020447393
420020446842
420020447134
420020443259
420020443183
420020443218
420020444078
420020445215
420020443271
420020444918
420020443974
420020443958
420020443746
420020443922
420020445988
420020444552
420020446051
420020445209
420020447154
420020445177
420020447210
420020445056
420020446516
420020444579
420020444742
420020443705
420020443947
120030444587
120030446013

66.32
66.39
66.39
66.39
66.39
66.39
66.39
73.4
72.21 73.01 73.4
73.6 73.01 73.4
72 73.4
73.4 66.32
66.32
66.32
73.6
66.39
72 73.4 75.62
66.32 3.95
66.39
66.32
66.39
66.39
66.39
66.39
66.39
66.32
66.32
66.39
66.32
66.39
66.39
66.39
66.39
66.39
66.39
66.39
66.39
66.32

220030442671
220030441943
220030444608
220030442160
220030443196
220030441942
220030441195
220030441973
220030445039
220030443925
220030442869
220030441164
220030443652
220030443823
220030444532
220030441107
220030441125
320030713989
320030714760
320030717581
320030713934
320030718024
320030714131
320030713880
320030716620
320030716357
320030714097
320030714227
320030716202
320030716355
320030713811
320030714611
320030714325
320030715814

66.39

66.39

66.39

66.39

66.39

66.39

66.32

66.39

66.39

66.39

66.39

66.32

66.39

66.39

66.39

66.32

73.4 75.69

66.32

73.4 66.39

66.39

75.62 73.4

75.69 73.4

66.39

73.4 66.39

73.4 66.32

75.69

66.32

66.39

66.32

66.39

66.39

66.39

66.39

66.39

320030717425

320030717629

320030713886

320030713972

320030713931

320030714688

320030716862

320030714132

320030715074

320030717454

320030717606

320030716166

320030717239

320030715264

320030716403

320030715126

320030713864

320030717198

320030715563

320030716724

320030718137

320030716163

320030713982

320030716214

320030717158

320030717400

320030721113

320030721549

320030720420

320030720350

320030720961

320030721160

320030720364

320030720989

66.39
66.39
66.32
66.39
75.62 73.4
73.4 66.32
75.69
66.51 65.39
3.95 66.32
66.39
66.39
66.39
66.39
66.39
66.39 75.1
66.39
66.32 75.1
66.39
66.39
66.39
66.39
66.39
66.39 66.61
66.39 75.1
66.32
66.39
66.39
66.39 73.4
66.39
66.39
66.39
66.32
66.39
66.39
66.39 75.1
66.39
66.39

320030721137
320030720776
320030720735
320030720465
320030721661
320030720695
320030720936
420030445555
420030443917
420030445830
420030445258
420030446614
420030442669
420030442668
420030442635
420030445722
420030442881
420030446178
420030442731
420030443030
420030442656
420030442665
420030442721
420030442748
420030445377
420030442675
420030446918
420030442648
420030442708
420030443799
420030442872
420030443937
420030442701
420030444149

66.39 75.1
66.39
66.39
66.39
66.39 54.59
73.59 73.4
66.32
72.1 73.4
75.69
72 73.4 75.69
73.59
66.32
73.6
73.59
73.59 73.4
73.4 75.69
66.32 73.4
70.72 66.51
66.39
66.39
66.39
66.39 99.11
66.39
66.39
66.39
66.39
66.39
66.39
66.39
66.39
73.59 73.4
73.59
72.71
73.59

420030446283
420030446828
420030442644
420030443647
420030442781
420030443111
420030443034
420030442634
420030444383
420030442659
420030442631
420030443258
420030443750
420030445719
420030443068
420030445152
420030443682

66.39

66.39

66.39

66.39

66.39

66.39

66.39

66.39

66.39

73.6

73.59

73.59

73.59

73.59

3.91

73.59

73.59

3.91

73.59

73.59

3.91

73.59

73.59

73.59

66.39

66.39

66.39

66.39

66.32

66.39

66.39

66.39

75.1

66.39

73.59

73.59

73.59

73.59

73.59

73.6

73.59

73.59 53.49

73.59

73.6

73.59

73.59

73.59

70.5 66.63

66.39

66.39

66.39

66.39

66.39

66.39

66.39

66.32

66.39

66.39

66.39

73.6

73.59

73.59

73.59

73.59

73.59

72.71

73.59

73.59

73.01 75.69

73.59

73.59

73.6

66.39

75.1

66.39

66.39

66.39

66.39

66.39

66.39

66.39

66.39

73.59

73.6

73.59

73.59

73.59

73.59

73.59

73.59

73.59

73.6

75.69

73.59

73.6

73.59

73.6

75.69

73.59

73.59

73.59

73.59

66.32

66.39

39.32

99.04

66.39

66.32

66.39

66.39

66.39

66.39

66.39

66.39

66.39

72.79

73.59

75.69

75.69 53.49

73.59

73.59

73.59

73.59

65.51 66.52 54.59 65.89

66.51

98.17

66.39

66.39

66.32

66.22

66.32

66.32

66.32

66.32

66.22

66.39

66.32

66.32

66.32

73.59

73.59 53.49

73.59

<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>	<u>53.49</u>	
<u>73.59</u>		
<u>66.32</u>		120020460937
<u>66.32</u>		120020461335
<u>66.32</u>		120020460517
<u>66.32</u>		120020461190
<u>66.39</u>		120020460657
<u>66.31</u>		120020460959
<u>66.32</u>	<u>54.59</u>	120020460510
<u>66.32</u>		120020460518
<u>66.32</u>		120020460901
<u>66.32</u>		120020461363
<u>66.32</u>		120020460616
<u>66.32</u>		120020460717
<u>66.32</u>		120020461241
<u>66.32</u>		120020460464
<u>66.32</u>		120020461239
<u>66.32</u>		120020460752
<u>53.49</u>		120020461378
<u>73.59</u>	<u>53.49</u>	120020460696
<u>73.59</u>		120020461030
<u>73.59</u>		120020461172
<u>53.49</u>		120020461244
		120020461368
<u>73.59</u>		120020460704

73.59

73.59

66.32

66.32

75.1

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

75.69

54.51

73.59

73.59

73.59

73.59

53.49

66.32

54.59

66.32

66.32

66.32

66.32

66.32

120020460942

120020461107

220020449744

220020449704

220020449490

220020449870

220020449541

220020449650

220020449651

220020449652

220020449239

220020449395

220020449399

220020449709

220020449732

220020449733

220020449806

220020450024

220020449168

220020449719

220020449822

220020449835

220020449165

220020449932

220020450161

220020450020

220020449807

220020449625

320020465476

320020465648

320020465979

320020465523

320020466273

320020465802

66.32
66.32
66.92
66.32
66.32
66.32 54.59
66.32
75.69 53.49 73.59
73.59 73.4
73.59
73.59 53.49
73.59 53.49
66.32
66.32
66.32
66.32
66.32
66.32
66.32

72.71 53.49
73.59

75.69
73.59
73.59
66.32
66.32 86.3
66.32
66.32
66.32

320020465466
320020465616
320020465617
320020466054
320020465553
320020466149
320020465770
320020465705
320020466115
320020465838
320020465470
320020466107
320020466281
320020465785
420020459662
420020459654
420020459649
420020459208
420020459368
420020459525
420020459563
420020459032
420020459638
420020459706
420020459848
420020459849
420020459507
420020459708
120030459074
120030459303
120030458898
120030458887
120030459216
120030459023

<u>66.32</u>	<u>54.59</u>	<u>69.49</u>
<u>73.6</u>	<u>75.62</u>	<u>53.49</u>
<u>73.59</u>		
<u>75.69</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>75.69</u>		
<u>75.69</u>	<u>53.49</u>	
<u>75.69</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>73.59</u>		
<u>75.69</u>		
<u>73.6</u>	<u>73.59</u>	
<u>73.6</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>	<u>73.09</u>	
<u>75.69</u>		
<u>73.59</u>		

120030459254
120030459282
120030459271
120030459003
120030458981
120030459125
120030459741
220030457507
220030456961
220030456814
220030457061
220030457103
220030457180
220030457217
220030457451
220030457035
220030456745
220030456991
220030456971
220030457430
220030457155
220030457335
220030457284
220030457074
220030457279
220030456832
220030456608
320030455725
320030456289
320030456342
320030456229
320030456390
320030455977
320030455930

73.59 53.49
73.59
66.51 70.5 71.71
66.32
66.32
66.32
66.32
66.32
66.39
66.39
66.32
66.39
66.32
66.32
66.39
66.32
66.39

73.59 69.02
73.59
73.59
73.59
66.32 73.09
73.59
73.59
73.59
73.59 53.51

65.51 **66.52** 87.73 87.77
66.51 65.52
65.31
98.16 68.12
65.53 **66.52**

320030455798
320030455898
420030458342
420030458252
420030458607
420030458018
420030458251
420030458304
420030457872
420030457776
420030457997
420030458026
420030458583
420030458687
420030458303
420030457915
420030458036
420030457789
420030457860
420030458095
420030458532
420030458180
420030458630
420030458077
420030458359
420030458552
420030457816
420030458239

<u>66.51</u>	<u>65.39</u>	<u>54.59</u>	<u>99.04</u>
<u>66.51</u>			
<u>66.51</u>	<u>65.31</u>	<u>65.81</u>	
<u>66.01</u>	<u>54.59</u>		
<u>66.51</u>	<u>65.39</u>		
<u>66.51</u>	<u>65.39</u>		
<u>99.04</u>			
<u>66.51</u>			
<u>66.51</u>	<u>65.39</u>	<u>54.59</u>	
<u>65.01</u>	<u>66.01</u>		
<u>66.51</u>			
<u>70.52</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>68.4</u>	<u>65.39</u>	<u>99.04</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.51</u>	<u>87.74</u>	<u>57.32</u>	
<u>66.39</u>			
<u>66.32</u>	<u>86.3</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>	<u>3.9</u>		
<u>54.59</u>	<u>66.32</u>	<u>75.34</u>	
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>3.92</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>73.01</u>	<u>73.4</u>	<u>66.32</u>	<u>3.92</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			

120020478074
120020478697
220020467444
220020465228
320020484067
420020474626
420020477600
420020475548
120030473082
120030476603

<u>66.32</u>				
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>75.32</u>	
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>	<u>86.3</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>	<u>54.59</u>			
<u>66.39</u>				
<u>66.32</u>	<u>96.49</u>	<u>75.34</u>		
<u>75.69</u>	<u>66.32</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>75.34</u>	<u>75.32</u>
<u>66.32</u>				
<u>66.32</u>				
<u>73.09</u>	<u>3.91</u>			
<u>66.32</u>				
<u>66.32</u>	<u>75.32</u>	<u>73.01</u>		
<u>66.32</u>	<u>75.4</u>	<u>73.09</u>	<u>75.34</u>	
<u>66.32</u>	<u>75.69</u>			
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.92</u>	
<u>66.32</u>				
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>		
<u>66.32</u>	<u>73.59</u>	<u>73.4</u>	<u>73.01</u>	
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		

<u>66.32</u>	<u>73.01</u>	<u>75.32</u>		
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>		
<u>66.39</u>	<u>73.59</u>			
<u>66.32</u>	<u>73.4</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>			
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>	<u>75.32</u>	<u>75.34</u>		
<u>66.32</u>	<u>73.4</u>			
<u>66.32</u>	<u>73.4</u>	<u>75.34</u>		
<u>66.32</u>	<u>3.91</u>			
<u>66.39</u>	<u>75.62</u>	<u>3.91</u>		
<u>66.32</u>	<u>3.92</u>			
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>		
<u>66.32</u>				
<u>66.32</u>	<u>71.3</u>	<u>3.91</u>		
<u>66.32</u>	<u>75.34</u>			
<u>73.59</u>	<u>73.6</u>	<u>73.09</u>	<u>75.32</u>	<u>75.34</u>
<u>66.32</u>				
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.92</u>	
<u>66.32</u>	<u>3.92</u>			
<u>66.39</u>	<u>75.69</u>	<u>3.9</u>		
<u>66.32</u>	<u>73.01</u>	<u>75.34</u>		
<u>66.32</u>	<u>65.89</u>	<u>73.4</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.92</u>	<u>73.01</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.92</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		
<u>66.32</u>	<u>3.92</u>			
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>		

<u>66.32</u>	<u>3.9</u>			
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.92</u>	
<u>66.32</u>	<u>75.69</u>	<u>51.23</u>		
<u>66.32</u>	<u>73.4</u>	<u>75.32</u>	<u>75.69</u>	<u>99.11</u>
<u>66.39</u>				
<u>66.32</u>	<u>75.4</u>	<u>73.4</u>		
<u>66.32</u>	<u>3.92</u>			
<u>66.32</u>	<u>73.09</u>	<u>73.6</u>		
<u>66.32</u>	<u>71.3</u>	<u>73.01</u>	<u>73.4</u>	<u>3.92</u>
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.32</u>	<u>75.69</u>			
<u>66.32</u>	<u>73.09</u>	<u>75.34</u>		
<u>66.32</u>	<u>73.01</u>			
<u>66.32</u>	<u>3.92</u>			
<u>51.22</u>	<u>68.4</u>	<u>66.51</u>		
<u>46.73</u>	<u>65.89</u>	<u>66.01</u>	<u>88.01</u>	
<u>65.52</u>	<u>66.51</u>	<u>59.5</u>		
<u>54.51</u>				
<u>66.32</u>				
<u>69.02</u>	<u>66.32</u>	<u>54.59</u>	<u>75.4</u>	<u>99.04</u>
<u>66.39</u>				
<u>54.59</u>	<u>66.32</u>	<u>75.34</u>		
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.92</u>	<u>75.34</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>96.49</u>	
<u>66.39</u>	<u>75.1</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				

<u>66.32</u>	<u>3.92</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>86.3</u>		
<u>66.32</u>			
<u>66.32</u>	<u>54.59</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>68.4</u>	<u>66.4</u>	<u>66.39</u>	<u>99.04</u>
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>	<u>75.34</u>		
<u>54.59</u>	<u>66.39</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			

<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>	<u>73.59</u>	<u>73.09</u>		
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.39</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>	
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.92</u>	
<u>66.32</u>	<u>73.01</u>	<u>75.34</u>		
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>	<u>73.51</u>	<u>73.09</u>		
<u>66.39</u>				
<u>66.32</u>	<u>3.92</u>			
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>	<u>73.01</u>	<u>73.59</u>		
<u>66.32</u>	<u>73.4</u>	<u>75.32</u>	<u>96.49</u>	<u>73.09</u>
<u>66.39</u>	<u>73.09</u>	<u>75.32</u>		
<u>66.32</u>	<u>75.69</u>			
<u>66.32</u>	<u>75.51</u>	<u>73.01</u>	<u>73.4</u>	
<u>66.32</u>	<u>3.9</u>			
<u>66.32</u>	<u>75.34</u>	<u>73.09</u>	<u>3.95</u>	
<u>66.39</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.59</u>	<u>73.09</u>		
<u>66.32</u>	<u>75.69</u>	<u>3.9</u>		
<u>66.32</u>	<u>73.09</u>	<u>75.32</u>		
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>		
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>		
<u>66.32</u>				
<u>66.32</u>	<u>73.6</u>	<u>75.7</u>	<u>54.59</u>	
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>	<u>75.69</u>			
<u>66.32</u>	<u>73.01</u>	<u>3.91</u>		
<u>66.02</u>	<u>54.21</u>	<u>99.29</u>		
<u>65.89</u>	<u>66.32</u>	<u>69.09</u>	<u>57.81</u>	

<u>66.32</u>				
<u>66.69</u>	<u>54.21</u>			
<u>66.63</u>				
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>		
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>75.32</u>	
<u>66.32</u>				
<u>68.4</u>	<u>65.49</u>	<u>66.92</u>	<u>87.73</u>	<u>99.04</u>
<u>99.04</u>	<u>66.32</u>			
<u>66.32</u>	<u>72.79</u>			
<u>66.32</u>	<u>68.29</u>	<u>3.92</u>		
<u>66.32</u>	<u>65.89</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.61</u>	<u>66.32</u>			
<u>66.39</u>				
<u>66.32</u>	<u>69.96</u>			
<u>66.39</u>				
<u>66.32</u>	<u>3.9</u>	<u>75.1</u>		
<u>66.39</u>	<u>75.1</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>				

<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>	<u>54.59</u>			
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>		
<u>66.32</u>				
<u>66.32</u>	<u>99.11</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>75.1</u>	<u>66.32</u>	<u>73.4</u>		
<u>66.39</u>				
<u>73.09</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>		
<u>66.29</u>	<u>3.91</u>			
<u>66.32</u>				
<u>73.6</u>	<u>73.4</u>	<u>73.01</u>	<u>75.34</u>	
<u>66.32</u>	<u>73.4</u>	<u>75.32</u>		
<u>66.32</u>				
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>	<u>73.09</u>	<u>99.11</u>

<u>66.32</u>	<u>73.4</u>	<u>3.91</u>		
<u>66.32</u>	<u>73.09</u>	<u>75.32</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.6</u>			
<u>66.39</u>	<u>75.69</u>			
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>		
<u>66.32</u>	<u>86.3</u>	<u>73.4</u>	<u>73.01</u>	<u>3.92</u>
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	
<u>66.32</u>	<u>75.34</u>	<u>73.09</u>		
<u>66.32</u>	<u>71.3</u>	<u>73.4</u>	<u>75.34</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.32</u>	<u>73.4</u>			
<u>66.32</u>	<u>75.4</u>	<u>73.4</u>		
<u>66.39</u>	<u>73.6</u>	<u>73.09</u>		
<u>72.1</u>				
<u>66.32</u>	<u>75.34</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.32</u>	<u>3.91</u>	<u>71.71</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	<u>86.3</u>
<u>66.32</u>				
<u>66.32</u>	<u>3.91</u>			
<u>66.39</u>	<u>73.4</u>	<u>3.91</u>		
<u>66.39</u>	<u>3.91</u>	<u>75.69</u>		
<u>66.32</u>	<u>73.09</u>	<u>75.34</u>		
<u>66.39</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.4</u>	<u>99.11</u>		
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>	<u>73.4</u>	
<u>66.29</u>	<u>75.69</u>			
<u>73.4</u>	<u>96.49</u>			
<u>66.51</u>	<u>57.94</u>			
<u>65.61</u>	<u>59.5</u>	<u>57.32</u>		
<u>66.32</u>				
<u>66.32</u>	<u>75.1</u>	<u>75.34</u>		
<u>66.32</u>				
<u>66.32</u>	<u>53.49</u>			

<u>66.32</u>				
<u>54.59</u>	<u>66.32</u>			
<u>66.39</u>				
<u>54.59</u>	<u>66.32</u>			
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>	<u>57.81</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>	<u>75.32</u>	<u>73.01</u>	<u>73.4</u>	<u>69.96</u>
<u>66.39</u>				
<u>66.32</u>				
<u>75.34</u>	<u>66.32</u>			
<u>66.32</u>				
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>		
<u>73.09</u>	<u>66.39</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>		
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>99.11</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>68.29</u>	<u>3.91</u>		
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				

<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>	<u>68.21</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>3.91</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>73.4</u>	<u>66.39</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>68.4</u>	<u>65.61</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>	<u>73.01</u>			
<u>3.91</u>	<u>99.29</u>			
<u>66.39</u>				
<u>66.32</u>	<u>3.91</u>			
<u>66.39</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>75.32</u>	<u>3.91</u>
<u>66.39</u>	<u>3.91</u>			
<u>66.39</u>				
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>				
<u>66.39</u>	<u>73.09</u>	<u>3.91</u>		
<u>66.32</u>	<u>75.69</u>			

<u>66.32</u>	<u>73.4</u>	<u>75.69</u>	<u>3.91</u>	<u>73.09</u>
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>		
<u>66.32</u>	<u>3.91</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		
<u>66.32</u>	<u>75.34</u>	<u>75.32</u>	<u>3.91</u>	<u>73.09</u>
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>	<u>3.91</u>	<u>73.4</u>	<u>73.09</u>	
<u>66.39</u>	<u>75.69</u>	<u>73.4</u>	<u>3.91</u>	
<u>66.39</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.32</u>	<u>75.69</u>			
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>		
<u>66.32</u>	<u>73.6</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>		
<u>66.39</u>	<u>75.32</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		
<u>66.39</u>	<u>73.4</u>	<u>3.91</u>		
<u>66.4</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.09</u>			
<u>66.32</u>	<u>73.4</u>			
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>	<u>73.4</u>			
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.01</u>	<u>75.32</u>
<u>66.32</u>	<u>3.91</u>	<u>75.34</u>	<u>75.32</u>	<u>73.09</u>
<u>66.39</u>	<u>73.09</u>	<u>73.4</u>		
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.39</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.09</u>			
<u>66.39</u>	<u>3.91</u>			
<u>66.32</u>				
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>	
<u>99.07</u>				

<u>66.32</u>	<u>75.1</u>	
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.39</u>		
<u>66.32</u>	<u>75.1</u>	<u>75.34</u>
<u>66.32</u>		
<u>66.32</u>	<u>75.34</u>	
<u>66.32</u>	<u>87.03</u>	
<u>66.32</u>		
<u>66.32</u>	<u>65.12</u>	<u>3.95</u>
<u>66.32</u>	<u>75.1</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>	<u>75.34</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>	<u>75.34</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.29</u>	<u>75.1</u>	
<u>66.39</u>		
<u>66.32</u>	<u>75.34</u>	<u>88.78</u>
<u>66.32</u>		
<u>66.32</u>		

66.32

<u>66.32</u>				
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.92</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>86.84</u>	<u>65.29</u>		
<u>66.32</u>				
<u>66.32</u>				
<u>69.96</u>	<u>66.92</u>			
<u>75.69</u>	<u>99.29</u>			
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>		
<u>66.32</u>	<u>73.01</u>	<u>3.91</u>		
<u>66.32</u>				
<u>66.32</u>	<u>75.69</u>	<u>75.34</u>		
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>	<u>73.09</u>	
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>3.91</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>3.9</u>	
<u>66.39</u>	<u>3.91</u>	<u>73.09</u>	<u>75.32</u>	<u>75.34</u>
<u>75.69</u>				
<u>66.32</u>	<u>3.91</u>	<u>53.49</u>		
<u>66.39</u>	<u>73.59</u>			
<u>66.32</u>	<u>73.4</u>	<u>75.34</u>		
<u>66.32</u>	<u>75.4</u>	<u>66.69</u>	<u>69.02</u>	<u>73.4</u>
<u>75.4</u>	<u>73.4</u>			
<u>66.32</u>				
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>

<u>66.32</u>	<u>73.09</u>	<u>75.34</u>		
<u>66.29</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	
<u>66.39</u>	<u>73.09</u>	<u>3.91</u>		
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>		
<u>66.32</u>	<u>3.91</u>			
<u>66.32</u>				
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>75.69</u>	
<u>66.39</u>				
<u>66.32</u>	<u>75.32</u>	<u>75.34</u>		
<u>66.32</u>	<u>75.34</u>			
<u>66.39</u>	<u>73.6</u>			
<u>66.39</u>	<u>73.4</u>	<u>73.6</u>	<u>73.09</u>	<u>75.32</u>
<u>66.32</u>	<u>75.34</u>	<u>3.91</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.09</u>			
<u>73.59</u>	<u>73.6</u>			
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>		
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.01</u>	<u>3.91</u>		
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>				
<u>66.39</u>	<u>75.69</u>			
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>		
<u>66.32</u>	<u>71.3</u>	<u>73.01</u>	<u>73.4</u>	
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.01</u>	<u>75.32</u>
<u>66.39</u>	<u>73.09</u>	<u>75.32</u>	<u>75.34</u>	<u>3.91</u>
<u>66.32</u>	<u>75.69</u>	<u>73.01</u>	<u>73.4</u>	<u>75.32</u>
<u>66.32</u>	<u>75.34</u>	<u>75.32</u>	<u>3.91</u>	
<u>66.32</u>	<u>75.69</u>	<u>49.39</u>	<u>49.45</u>	<u>3.91</u>
<u>66.29</u>	<u>73.4</u>			
<u>63.73</u>				
<u>66.01</u>	<u>47.19</u>			
<u>66.51</u>	<u>54.59</u>			

<u>66.32</u>	<u>75.1</u>		
<u>66.32</u>			
<u>66.32</u>	<u>99.11</u>		
<u>66.32</u>	<u>87.03</u>	<u>88.01</u>	
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>75.34</u>	<u>66.32</u>		
<u>66.39</u>	<u>54.59</u>		
<u>66.32</u>	<u>66.69</u>		
<u>66.32</u>	<u>75.34</u>	<u>99.04</u>	
<u>66.69</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.32</u>			

<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>	<u>54.59</u>		
<u>66.32</u>	<u>75.34</u>		
<u>66.32</u>			
<u>66.32</u>	<u>73.09</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>99.11</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>75.1</u>	<u>75.1</u>	<u>75.1</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			

<u>66.39</u>				
<u>75.34</u>	<u>66.32</u>			
<u>66.32</u>	<u>75.1</u>			
<u>75.34</u>	<u>66.32</u>			
<u>75.34</u>	<u>66.32</u>			
<u>66.32</u>				
<u>66.01</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>	<u>65.89</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>75.34</u>			
<u>66.39</u>				
<u>66.32</u>	<u>86.3</u>			
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>		
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>3.91</u>	
<u>66.32</u>	<u>72.79</u>	<u>73.4</u>	<u>75.34</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	
<u>66.32</u>				
<u>66.39</u>	<u>73.59</u>			
<u>75.69</u>	<u>73.59</u>			
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>	<u>75.34</u>	<u>73.09</u>	
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	<u>86.3</u>
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>		
<u>66.39</u>				
<u>66.39</u>	<u>73.09</u>	<u>75.32</u>	<u>75.34</u>	
<u>66.32</u>				

<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>		
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>	<u>73.01</u>	
<u>66.32</u>	<u>3.91</u>	<u>75.69</u>	<u>75.34</u>	<u>73.4</u>
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.39</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.32</u>	<u>75.34</u>	<u>75.32</u>	<u>73.09</u>	<u>3.91</u>
<u>66.32</u>	<u>73.4</u>			
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>	<u>73.4</u>	<u>73.01</u>
<u>66.32</u>	<u>3.91</u>	<u>75.34</u>		
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>	<u>75.34</u>	<u>75.32</u>	<u>73.09</u>	
<u>66.92</u>	<u>66.4</u>			
<u>66.32</u>	<u>3.91</u>	<u>75.34</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>		
<u>66.32</u>				
<u>66.39</u>	<u>75.69</u>			
<u>66.39</u>	<u>73.59</u>			
<u>66.32</u>	<u>86.3</u>	<u>73.4</u>	<u>75.34</u>	<u>75.32</u>
<u>66.32</u>	<u>73.4</u>			
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>	
<u>3.91</u>	<u>73.01</u>			
<u>66.32</u>	<u>75.69</u>	<u>86.3</u>	<u>3.91</u>	<u>73.4</u>
<u>66.32</u>	<u>75.34</u>	<u>75.69</u>		
<u>66.32</u>	<u>75.34</u>	<u>73.09</u>	<u>3.91</u>	
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>	<u>54.59</u>			
<u>66.32</u>				

66.32

66.32

66.32 73.01 3.95

66.39 66.32

66.32 3.95

66.32

66.32

66.32

66.39

66.32 75.1

66.32

66.32

66.32 75.34 75.32 73.09

66.32

66.32

66.32 75.34

66.39 75.34

74.1 68.29 3.91 99.04 66.32

66.32

66.32 73.4 73.01 3.91

66.32 54.59 65.89 75.34

66.32

66.69 65.89 66.32

66.39

66.32

66.39

66.39 75.1

66.32

66.39

66.32 75.1 75.34

66.32

66.32

66.32

<u>66.32</u>	<u>73.09</u>			
<u>66.39</u>				
<u>66.32</u>	<u>75.1</u>			
<u>66.39</u>				
<u>75.34</u>	<u>66.39</u>			
<u>66.32</u>	<u>73.01</u>	<u>3.91</u>		
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>	<u>73.01</u>	<u>75.69</u>
<u>66.32</u>	<u>3.91</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.6</u>	<u>73.09</u>	<u>75.34</u>	<u>53.49</u>
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>	<u>73.01</u>	
<u>66.32</u>				
<u>66.39</u>	<u>75.69</u>	<u>3.91</u>		
<u>66.39</u>	<u>73.6</u>	<u>75.32</u>	<u>75.34</u>	<u>73.01</u>
<u>73.6</u>	<u>73.59</u>			
<u>66.39</u>				
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>73.4</u>	
<u>73.6</u>	<u>73.59</u>			
<u>66.39</u>	<u>73.01</u>	<u>75.34</u>		
<u>66.32</u>	<u>3.91</u>	<u>73.4</u>		
<u>66.32</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>	
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>	<u>75.32</u>	<u>75.34</u>
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>		
<u>66.32</u>	<u>3.91</u>			
<u>66.32</u>	<u>75.62</u>	<u>3.91</u>		
<u>66.32</u>				
<u>66.32</u>	<u>3.91</u>			
<u>66.32</u>	<u>3.91</u>			
<u>66.32</u>	<u>73.4</u>			
<u>66.39</u>	<u>73.4</u>			
<u>66.32</u>	<u>73.01</u>	<u>3.91</u>		
<u>66.32</u>				
<u>66.39</u>	<u>75.34</u>			
<u>66.32</u>	<u>75.4</u>	<u>3.91</u>		

<u>66.39</u>	<u>73.4</u>			
<u>66.29</u>	<u>73.4</u>			
<u>66.32</u>	<u>75.69</u>			
<u>66.32</u>	<u>73.4</u>	<u>75.69</u>	<u>73.09</u>	<u>99.11</u>
<u>66.32</u>	<u>3.91</u>			
<u>66.39</u>	<u>73.09</u>	<u>75.34</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	<u>75.69</u>
<u>66.32</u>	<u>75.32</u>	<u>75.34</u>		
<u>66.39</u>	<u>75.69</u>	<u>75.34</u>	<u>73.4</u>	
<u>66.4</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>	<u>69.41</u>	<u>54.59</u>		
<u>66.32</u>	<u>99.11</u>			
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>	<u>54.59</u>			
<u>66.32</u>	<u>54.61</u>			
<u>54.59</u>	<u>66.39</u>	<u>75.1</u>	<u>75.34</u>	
<u>66.32</u>	<u>75.34</u>	<u>75.32</u>		
<u>66.32</u>	<u>99.04</u>	<u>88.72</u>		
<u>66.32</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>	<u>69.96</u>			
<u>66.32</u>				
<u>66.32</u>	<u>54.59</u>			
<u>66.32</u>	<u>75.34</u>			
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				
<u>66.32</u>				

<u>66.32</u>	<u>65.89</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>75.34</u>	<u>66.32</u>	<u>75.32</u>	
<u>66.32</u>			
<u>66.39</u>			
<u>73.09</u>	<u>66.32</u>	<u>75.34</u>	<u>75.32</u>
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>75.34</u>	<u>73.09</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>68.29</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>	<u>54.59</u>	<u>75.5</u>	
<u>66.32</u>			
<u>66.32</u>	<u>75.1</u>	<u>3.91</u>	
<u>66.32</u>	<u>73.59</u>	<u>75.34</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			

<u>3.91</u>	<u>73.4</u>	<u>75.32</u>		
<u>73.59</u>	<u>3.91</u>	<u>75.1</u>	<u>88.78</u>	
<u>66.39</u>	<u>73.09</u>	<u>73.4</u>		
<u>66.32</u>	<u>3.91</u>	<u>73.09</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>		
<u>66.39</u>				
<u>66.32</u>	<u>73.51</u>	<u>3.91</u>	<u>75.34</u>	<u>75.32</u>
<u>66.39</u>	<u>73.59</u>			
<u>66.32</u>	<u>96.49</u>	<u>73.01</u>	<u>75.34</u>	
<u>66.32</u>	<u>3.91</u>	<u>73.59</u>	<u>75.34</u>	<u>99.11</u>
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>	<u>73.09</u>	<u>75.34</u>
<u>66.32</u>	<u>3.91</u>	<u>73.01</u>	<u>73.4</u>	
<u>73.6</u>	<u>73.01</u>	<u>73.4</u>	<u>69.29</u>	
<u>66.32</u>	<u>73.59</u>	<u>99.55</u>	<u>73.09</u>	<u>3.91</u>
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>		
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>	<u>75.32</u>	<u>73.4</u>	
<u>66.32</u>	<u>3.91</u>			
<u>66.39</u>				
<u>66.32</u>				
<u>66.39</u>				
<u>66.32</u>				
<u>66.32</u>	<u>73.09</u>	<u>70.14</u>	<u>66.69</u>	<u>54.59</u>
<u>66.32</u>	<u>73.4</u>	<u>75.34</u>		
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	
<u>66.32</u>	<u>3.91</u>	<u>73.09</u>	<u>73.4</u>	<u>75.34</u>
<u>66.39</u>	<u>73.59</u>			
<u>66.39</u>				
<u>66.32</u>	<u>3.92</u>			
<u>73.6</u>	<u>75.69</u>			
<u>66.32</u>				
<u>66.39</u>	<u>73.6</u>			
<u>66.32</u>	<u>73.4</u>	<u>75.34</u>	<u>3.91</u>	<u>75.69</u>
<u>66.39</u>	<u>73.4</u>			

<u>66.32</u>	<u>75.34</u>	<u>75.32</u>			120020696398
<u>45.16</u>	<u>99.04</u>	<u>88.01</u>			120020694107
<u>65.51</u>	<u>66.52</u>	<u>65.89</u>			120020698511
<u>66.39</u>	<u>70.5</u>				120020698698
<u>65.49</u>	<u>70.51</u>	<u>57.89</u>	<u>66.52</u>	<u>70.77</u>	120020693216
					120020694683
<u>66.32</u>	<u>75.34</u>	<u>75.32</u>			120020694795
<u>66.32</u>	<u>73.4</u>				120020693343
<u>66.32</u>					120020696420
<u>66.32</u>	<u>75.1</u>				120020696800
<u>66.39</u>					120020695838
<u>3.91</u>	<u>66.32</u>				120020693982
<u>66.32</u>	<u>75.1</u>	<u>3.91</u>	<u>88.78</u>		120020696537
<u>66.32</u>					120020696658
<u>66.32</u>	<u>3.91</u>				120020695961
<u>66.39</u>					120020694901
<u>66.39</u>	<u>73.4</u>	<u>73.09</u>	<u>75.1</u>	<u>3.95</u>	120020695702
<u>66.39</u>					120020697506
<u>66.32</u>					120020694550
<u>66.32</u>					120020693390
<u>66.32</u>					120020695625
<u>66.39</u>					120020696553
<u>66.32</u>					120020696447
<u>66.39</u>					120020696551
<u>66.32</u>					120020695603
<u>66.39</u>	<u>75.1</u>				120020696897
<u>66.32</u>					120020698181
<u>66.32</u>	<u>3.91</u>				120020695146
<u>66.32</u>					120020695258
<u>66.32</u>	<u>86.3</u>				120020696431
<u>66.32</u>					120020694589
<u>66.32</u>	<u>68.29</u>				120020695279
<u>75.1</u>	<u>88.78</u>	<u>66.32</u>			120020696820

<u>66.32</u>	<u>38.87</u>	<u>99.11</u>
<u>65.62</u>	<u>75.1</u>	
<u>66.32</u>		
<u>66.32</u>	<u>99.11</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>65.29</u>	<u>66.32</u>	<u>54.59</u>
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>	<u>3.92</u>	<u>73.4</u>
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>	<u>66.69</u>	<u>71.3</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.39</u>	<u>75.1</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>	<u>73.4</u>	
<u>66.32</u>	<u>73.01</u>	

120020696738
120020694917
120020694781
120020696849
120020691911
120020693423
120020694189
120020694518
120020694176
120020694419
120020695837
120020693496
120020696517
120020694587
120020694935
120020694500
120020696429
120020691550
120020693267
120020695827
120020696760
120020693371
120020693834
120020693630
120020692787
120020693872
120020695055
120020695681
120020698100
120020695820
120020696494
120020691969
120020694911
120020691936

<u>66.32</u>					120020696068
<u>66.39</u>	<u>73.6</u>	<u>75.4</u>			120020696228
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>			120020698878
<u>73.59</u>	<u>3.91</u>	<u>73.6</u>			120020695716
<u>73.59</u>	<u>3.91</u>				120020696567
<u>66.32</u>	<u>73.4</u>	<u>75.69</u>	<u>75.1</u>		120020697557
<u>66.32</u>	<u>73.09</u>				120020698805
<u>66.32</u>	<u>75.4</u>				120020697412
<u>66.32</u>	<u>73.6</u>	<u>73.4</u>			120020691623
<u>66.32</u>					120020695888
<u>66.32</u>	<u>73.59</u>				120020698773
<u>73.59</u>	<u>75.69</u>				120020698431
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>	<u>75.69</u>	<u>73.01</u>	120020696512
<u>66.39</u>	<u>73.4</u>	<u>73.6</u>			120020695126
<u>73.59</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>		120020696462
<u>66.39</u>					120020696067
<u>66.32</u>	<u>73.59</u>	<u>3.91</u>			120020696602
<u>73.6</u>					120020696729
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>			120020695441
<u>66.32</u>	<u>73.4</u>	<u>75.34</u>			120020698818
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>			120020693276
<u>66.39</u>	<u>3.91</u>	<u>75.69</u>			120020695369
<u>66.39</u>	<u>73.6</u>	<u>73.09</u>	<u>75.34</u>		120020692557
<u>73.59</u>	<u>3.91</u>				120020693237
<u>66.32</u>	<u>3.9</u>				120020695120
<u>66.32</u>	<u>73.4</u>	<u>54.61</u>	<u>3.91</u>		120020696388
<u>66.32</u>	<u>73.59</u>	<u>73.6</u>			120020694341
<u>66.39</u>	<u>73.6</u>	<u>75.69</u>	<u>73.09</u>		120020695707
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>3.91</u>		120020696839
<u>72.71</u>	<u>73.4</u>	<u>73.09</u>			120020694210
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>			120020697513
<u>66.32</u>					220020494211
<u>66.39</u>					220020499876
<u>66.32</u>	<u>65.89</u>				220020495383

<u>66.32</u>				220020497227
<u>66.39</u>				220020496923
<u>66.32</u>				220020496534
<u>66.32</u>				220020494420
<u>66.32</u>	<u>73.01</u>			220020496050
<u>66.32</u>				220020499640
<u>66.32</u>	<u>99.04</u>			220020495489
<u>66.32</u>	<u>3.95</u>			220020499783
<u>66.32</u>	<u>73.4</u>			220020495808
<u>66.32</u>	<u>75.1</u>			220020498058
<u>66.32</u>				220020499655
<u>66.52</u>				220020496967
<u>66.32</u>	<u>73.01</u>			220020496289
<u>66.32</u>				220020495776
<u>3.91</u>	<u>66.32</u>			220020499781
<u>66.39</u>				220020496326
<u>66.32</u>				220020497511
<u>66.39</u>				220020494612
<u>66.32</u>				220020495269
<u>66.32</u>				220020494731
<u>66.32</u>				220020499532
<u>66.32</u>	<u>75.1</u>			220020497482
<u>66.32</u>	<u>54.59</u>			220020499844
<u>66.32</u>				220020494092
<u>66.39</u>				220020497643
<u>66.39</u>				220020499867
<u>66.39</u>				220020499519
<u>66.32</u>	<u>73.51</u>	<u>72.54</u>	<u>3.91</u>	220020493776
<u>66.32</u>	<u>69.96</u>			220020492703
<u>66.32</u>	<u>75.34</u>			220020494358
<u>66.32</u>				220020496823
<u>66.32</u>				220020494856
<u>66.39</u>				220020494973
<u>66.32</u>	<u>75.34</u>			220020495548

<u>66.32</u>					220020495851
<u>66.32</u>					220020496747
<u>66.32</u>	<u>75.1</u>	<u>99.11</u>			220020495619
<u>66.39</u>					220020494084
<u>66.32</u>					220020496283
<u>66.39</u>					220020499147
<u>66.39</u>					220020494345
<u>66.39</u>	<u>75.1</u>				220020493144
<u>66.39</u>					220020493301
<u>66.39</u>					220020495428
<u>66.32</u>					220020495841
<u>66.32</u>	<u>73.09</u>				220020496059
<u>66.32</u>					220020495518
<u>66.32</u>	<u>73.09</u>				220020498340
<u>73.6</u>	<u>99.23</u>				220020493934
<u>73.59</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>		220020496859
<u>66.32</u>					220020499894
<u>66.32</u>	<u>3.91</u>	<u>75.69</u>			220020496486
<u>66.32</u>	<u>73.09</u>	<u>75.1</u>	<u>3.91</u>	<u>75.1</u>	220020495927
<u>66.32</u>	<u>75.34</u>				220020493964
<u>66.32</u>					220020497385
<u>66.32</u>					220020495947
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>		220020495741
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>			220020494965
<u>66.32</u>	<u>75.61</u>	<u>73.09</u>	<u>3.9</u>		220020496166
<u>66.32</u>					220020494210
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>			220020496698
<u>66.32</u>	<u>73.6</u>	<u>73.01</u>			220020494196
<u>66.39</u>	<u>73.6</u>				220020495307
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>			220020496840
<u>66.32</u>	<u>75.4</u>	<u>3.91</u>			220020499579
<u>66.32</u>					220020494102
<u>73.59</u>					220020496802
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>			220020492202

<u>73.59</u>	<u>73.4</u>				220020494075
<u>66.32</u>	<u>75.69</u>				220020494630
<u>66.32</u>	<u>73.01</u>				220020495586
<u>73.59</u>	<u>75.32</u>				220020496290
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>			220020495212
<u>66.32</u>	<u>73.09</u>	<u>75.32</u>	<u>75.35</u>		220020495607
<u>73.59</u>	<u>3.91</u>				220020495825
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>			220020499861
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>75.34</u>	<u>73.01</u>	220020494137
<u>66.32</u>	<u>73.6</u>	<u>73.01</u>	<u>73.4</u>	<u>96.49</u>	220020496259
<u>66.32</u>	<u>73.4</u>	<u>53.49</u>	<u>73.91</u>	<u>73.09</u>	220020497319
<u>66.69</u>	<u>69.02</u>	<u>75.69</u>	<u>75.4</u>	<u>3.91</u>	220020495610
<u>66.39</u>					220020495622
<u>66.39</u>					220020497352
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.09</u>	<u>75.32</u>	220020499309
<u>66.32</u>	<u>3.91</u>				220020492212
<u>66.39</u>					220020495576
<u>66.32</u>	<u>73.09</u>	<u>75.69</u>	<u>3.91</u>		220020496902
<u>66.32</u>	<u>73.01</u>				220020493288
<u>66.32</u>	<u>73.6</u>	<u>73.09</u>	<u>75.32</u>		220020494768
<u>66.39</u>	<u>73.6</u>				220020495810
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>		220020496276
<u>66.32</u>	<u>3.9</u>				220020497518
<u>66.32</u>					220020495912
					220020494238
					220020496505
					220020493361
<u>66.39</u>	<u>54.25</u>				320020512013
<u>66.32</u>					320020516631
<u>66.32</u>	<u>65.89</u>				320020516390
<u>66.32</u>	<u>68.4</u>	<u>75.1</u>	<u>3.91</u>	<u>99.04</u>	320020516527
<u>66.32</u>					320020511867
<u>66.32</u>	<u>3.91</u>				320020512053
<u>66.32</u>					320020513360

<u>66.32</u>					320020515326
<u>66.32</u>	<u>75.1</u>				320020513331
<u>66.32</u>					320020512598
<u>66.32</u>					320020513810
<u>66.32</u>	<u>65.89</u>	<u>86.3</u>	<u>99.11</u>		320020514076
<u>74.1</u>	<u>66.32</u>	<u>75.35</u>			320020514309
<u>66.32</u>	<u>4.81</u>	<u>99.23</u>	<u>4.81</u>	<u>99.23</u>	320020512640
<u>66.32</u>	<u>3.95</u>				320020512660
<u>66.32</u>					320020516381
<u>66.32</u>	<u>39.31</u>	<u>75.34</u>			320020512680
<u>66.32</u>					320020516150
<u>66.32</u>					320020510748
<u>66.39</u>	<u>75.1</u>				320020516702
<u>66.32</u>	<u>75.35</u>				320020509227
<u>66.32</u>					320020513774
<u>66.32</u>					320020516293
<u>66.32</u>					320020516505
<u>66.32</u>	<u>69.96</u>				320020511120
<u>66.32</u>	<u>75.1</u>				320020516444
<u>66.32</u>					320020516488
<u>66.32</u>					320020512948
<u>66.32</u>					320020512319
<u>66.32</u>					320020512551
<u>66.32</u>					320020511144
<u>66.32</u>					320020516399
<u>66.32</u>					320020514201
<u>66.32</u>					320020511171
<u>68.29</u>	<u>66.32</u>				320020516261
<u>66.32</u>	<u>75.1</u>	<u>3.91</u>			320020513435
<u>66.39</u>					320020513534
<u>66.32</u>					320020510641
<u>66.32</u>					320020512417
<u>66.32</u>					320020512375
<u>66.32</u>					320020511484

<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>54.59</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>68.29</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>75.34</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.31</u>			
<u>66.32</u>	<u>73.01</u>		
<u>66.32</u>			
<u>66.32</u>	<u>75.1</u>		
<u>66.39</u>	<u>73.09</u>		
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.01</u>
<u>66.32</u>	<u>75.32</u>	<u>73.4</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			

320020514389
320020514406
320020511955
320020516088
320020512371
320020512790
320020511940
320020512988
320020513168
320020514754
320020509846
320020512154
320020511756
320020511908
320020512003
320020510389
320020511226
320020511956
320020512812
320020513281
320020516615
320020516638
320020511563
320020514092
320020516161
320020510512
320020515497
320020513210
320020510489
320020516018
320020514141
320020513771
320020514376
320020511210

<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>75.34</u>		320020516142
<u>66.32</u>	<u>3.9</u>				320020514271
<u>66.39</u>					320020510343
<u>66.39</u>					320020509890
<u>66.32</u>	<u>73.09</u>				320020511257
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>			320020511732
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>			320020513809
<u>66.32</u>	<u>75.61</u>	<u>3.91</u>	<u>73.4</u>	<u>75.34</u>	320020509368
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>3.91</u>		320020512102
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>3.91</u>		320020511086
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	<u>3.91</u>		320020514104
<u>66.32</u>					320020511228
<u>66.39</u>	<u>3.91</u>	<u>75.34</u>			320020511425
<u>66.32</u>	<u>73.59</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	320020512729
<u>66.32</u>	<u>73.59</u>				320020509348
<u>73.6</u>					320020510009
<u>66.32</u>	<u>73.59</u>	<u>75.34</u>			320020512026
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>			320020516640
<u>66.32</u>	<u>75.34</u>				320020513022
<u>66.32</u>	<u>3.91</u>				320020514269
<u>66.32</u>	<u>73.09</u>				320020511047
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>3.91</u>		320020511203
<u>66.32</u>	<u>53.49</u>	<u>73.09</u>			320020511817
<u>66.39</u>					320020513647
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>73.59</u>	<u>75.34</u>	320020513942
<u>66.32</u>	<u>75.69</u>	<u>73.6</u>	<u>73.4</u>	<u>75.34</u>	320020514240
<u>66.39</u>	<u>73.4</u>	<u>75.35</u>			320020514301
<u>66.32</u>	<u>73.6</u>	<u>3.91</u>	<u>75.1</u>		320020516066
<u>66.39</u>					320020512318
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	<u>73.4</u>	<u>3.91</u>	320020512973
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>3.91</u>		320020513298
<u>66.32</u>	<u>3.91</u>				320020516392
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>			320020513279
<u>66.32</u>	<u>75.69</u>	<u>73.01</u>	<u>73.4</u>		320020512825

66.32 75.69 3.91
66.32 46.73 65.89 3.91

47.09

66.32

66.32 75.1

66.32 73.4

66.39

66.32

66.32

73.4

66.32

66.32

66.32

66.32

66.32 73.09 3.91 99.11

66.32 73.4 73.01 3.91

66.32 75.1

66.32

66.39

66.92

66.32 3.91

66.32

66.32

66.32 73.09 99.11

66.32

66.32

66.32

66.32 99.11

66.32

66.32

66.32 83.65 99.11

66.39

320020513031
320020510233
420020509343
420020508678
420020509834
420020507658
420020510031
420020506197
420020509868
420020504427
420020507702
420020505097
420020503655
420020505846
420020506169
420020507718
420020510007
420020506442
420020507829
420020505280
420020504481
420020509605
420020506140
420020506576
420020509923
420020507405
420020507608
420020507935
420020508022
420020509632
420020505169
420020505856
420020509840
420020505706

<u>66.32</u>	<u>73.09</u>	<u>3.91</u>		420020506288	
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	420020509816	
<u>66.32</u>				420020505392	
<u>66.32</u>				420020509739	
<u>66.32</u>				420020506942	
<u>66.32</u>	<u>3.91</u>			420020506755	
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>		420020507631	
<u>66.32</u>	<u>65.89</u>			420020510036	
<u>66.39</u>				420020507329	
<u>66.32</u>	<u>65.89</u>			420020509373	
<u>66.39</u>	<u>75.61</u>			420020504707	
<u>74.99</u>	<u>87.03</u>	<u>75.35</u>	<u>66.32</u>	420020506421	
<u>66.32</u>	<u>75.34</u>			420020506720	
<u>66.32</u>	<u>73.4</u>			420020506073	
<u>66.32</u>				420020507468	
<u>66.32</u>				420020507543	
<u>66.32</u>				420020508824	
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>75.32</u>	420020504540	
<u>66.32</u>				420020505294	
<u>66.32</u>	<u>75.1</u>	<u>99.11</u>		420020505751	
<u>66.32</u>				420020509771	
<u>66.32</u>	<u>75.1</u>			420020503495	
<u>66.32</u>	<u>75.35</u>			420020507247	
<u>66.32</u>				420020507826	
<u>75.1</u>	<u>73.4</u>	<u>99.23</u>		420020509400	
<u>73.6</u>	<u>3.91</u>	<u>75.32</u>		420020505530	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	420020505212	
<u>66.32</u>	<u>73.59</u>			420020506914	
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	<u>3.91</u>	420020504006	
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>		420020507213	
<u>66.32</u>	<u>3.91</u>			420020506760	
<u>73.59</u>	<u>73.09</u>	<u>75.32</u>	<u>3.91</u>	420020508949	
<u>75.69</u>	<u>73.59</u>	<u>73.09</u>	<u>75.32</u>	420020505926	
<u>66.32</u>	<u>75.1</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	420020506979

<u>72.79</u>	<u>75.69</u>	<u>3.91</u>	<u>73.4</u>	<u>73.09</u>	420020505924
<u>66.32</u>	<u>3.91</u>				420020506352
<u>66.32</u>					420020509333
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>		420020507596
<u>66.39</u>	<u>75.32</u>	<u>73.09</u>	<u>73.6</u>	<u>73.59</u>	420020503738
<u>66.39</u>	<u>73.4</u>				420020505107
<u>66.32</u>	<u>99.11</u>	<u>3.91</u>			420020507506
<u>69.02</u>	<u>66.32</u>				420020506697
<u>66.39</u>					420020506048
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>75.34</u>	<u>73.59</u>	420020505764
<u>73.59</u>	<u>3.91</u>				420020506535
<u>66.32</u>	<u>73.59</u>	<u>53.49</u>			420020509866
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>		420020504479
<u>66.32</u>					420020509742
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.09</u>		420020506167
<u>73.59</u>					420020507126
<u>66.32</u>	<u>75.69</u>				420020507492
<u>66.32</u>					420020507652
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	<u>3.91</u>		420020505012
<u>53.49</u>	<u>73.59</u>	<u>75.69</u>			420020509792
<u>66.32</u>	<u>73.09</u>	<u>75.1</u>	<u>3.91</u>		420020509848
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.09</u>	<u>3.91</u>	420020503658
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	420020503912
<u>73.59</u>	<u>73.6</u>	<u>73.09</u>	<u>75.32</u>	<u>3.91</u>	420020507597
<u>66.32</u>	<u>73.59</u>				420020509740
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>75.69</u>	<u>99.11</u>	420020504511
<u>66.32</u>	<u>73.6</u>	<u>73.59</u>			420020506478
<u>66.51</u>	<u>70.77</u>	<u>65.39</u>	<u>70.52</u>		120030504794
<u>66.29</u>					120030508910
<u>66.32</u>	<u>75.35</u>	<u>75.35</u>			120030503003
<u>66.32</u>	<u>86.3</u>				120030503984
<u>66.32</u>	<u>99.04</u>				120030504517
<u>66.32</u>					120030504810
<u>66.39</u>					120030505055

<u>66.32</u>					120030505928
<u>66.32</u>					120030509218
<u>66.32</u>	<u>75.32</u>				120030505997
<u>66.32</u>	<u>53</u>				120030506277
<u>66.32</u>					120030508556
<u>3.91</u>	<u>73.09</u>	<u>75.32</u>			120030506500
<u>66.32</u>					120030509105
<u>66.32</u>					120030508766
<u>75.1</u>	<u>66.32</u>				120030507687
<u>66.32</u>					120030505355
<u>66.32</u>	<u>3.91</u>				120030509009
<u>66.32</u>					120030509019
<u>66.39</u>					120030504387
<u>66.32</u>					120030507386
<u>66.32</u>	<u>75.35</u>				120030505135
<u>66.32</u>					120030502147
<u>66.32</u>					120030507121
<u>66.32</u>					120030504622
<u>66.32</u>	<u>3.91</u>	<u>73.01</u>	<u>73.4</u>	<u>75.32</u>	120030505161
<u>66.39</u>					120030502761
<u>66.32</u>	<u>3.91</u>	<u>73.4</u>	<u>73.01</u>		120030505153
<u>75.34</u>	<u>66.32</u>				120030505458
<u>66.32</u>	<u>86.84</u>				120030506198
<u>66.32</u>	<u>73.09</u>				120030503783
<u>66.32</u>					120030504013
<u>66.32</u>					120030504140
<u>66.32</u>					120030504769
<u>66.32</u>					120030504443
<u>66.39</u>					120030504906
<u>66.32</u>					120030506939
<u>66.32</u>					120030506578
<u>66.32</u>					120030506689
<u>66.39</u>					120030507062
<u>66.39</u>	<u>75.1</u>				120030507548

<u>66.32</u>					120030502638
<u>66.32</u>					120030508912
<u>66.32</u>					120030503760
<u>66.39</u>					120030504843
<u>66.32</u>					120030509215
<u>66.32</u>	<u>75.32</u>				120030508773
<u>66.32</u>	<u>75.1</u>	<u>75.32</u>			120030507776
<u>66.32</u>	<u>75.1</u>				120030507286
<u>75.69</u>	<u>3.91</u>	<u>73.01</u>	<u>73.4</u>	<u>75.32</u>	120030505372
<u>3.91</u>	<u>73.09</u>	<u>75.32</u>			120030507196
<u>3.91</u>	<u>73.59</u>	<u>73.09</u>	<u>75.32</u>		120030504638
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>			120030502607
<u>73.59</u>	<u>3.91</u>	<u>75.32</u>			120030503886
<u>66.32</u>	<u>73.4</u>	<u>3.91</u>	<u>75.69</u>	<u>73.01</u>	120030502688
<u>66.32</u>					120030506945
<u>66.32</u>	<u>73.6</u>	<u>3.91</u>	<u>73.4</u>		120030506237
<u>75.69</u>	<u>3.91</u>	<u>73.4</u>	<u>73.59</u>	<u>73.09</u>	120030505254
<u>73.6</u>	<u>3.91</u>	<u>75.32</u>			120030503008
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	120030503237
<u>3.91</u>	<u>73.59</u>	<u>73.01</u>	<u>75.32</u>		120030507039
<u>72.71</u>	<u>3.91</u>	<u>75.32</u>			120030507250
<u>75.69</u>	<u>3.91</u>	<u>73.59</u>	<u>73.09</u>	<u>75.32</u>	120030504549
<u>66.32</u>	<u>73.59</u>	<u>73.01</u>	<u>3.91</u>		120030504628
<u>66.39</u>	<u>72.79</u>				120030505343
<u>75.69</u>	<u>3.91</u>	<u>73.59</u>	<u>75.32</u>	<u>73.4</u>	120030508630
<u>66.32</u>	<u>75.69</u>				120030503985
<u>75.69</u>	<u>3.91</u>	<u>73.59</u>	<u>75.32</u>		120030504510
<u>66.32</u>	<u>73.59</u>	<u>3.91</u>			120030506837
<u>66.32</u>	<u>73.59</u>				120030504426
<u>66.32</u>					120030506804
<u>66.39</u>	<u>75.69</u>	<u>73.09</u>	<u>75.32</u>		120030504631
<u>66.32</u>	<u>66.69</u>	<u>73.4</u>	<u>3.91</u>	<u>73.01</u>	120030505725
<u>66.39</u>					120030505937
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>			120030504528

<u>3.91</u>	<u>73.59</u>	<u>75.32</u>			120030506609
<u>66.39</u>	<u>3.91</u>				120030506722
<u>75.69</u>	<u>3.91</u>	<u>73.4</u>	<u>73.59</u>	<u>73.01</u>	120030504614
<u>66.32</u>					120030505548
<u>3.91</u>	<u>73.59</u>	<u>75.32</u>	<u>73.09</u>	<u>73.4</u>	120030506365
<u>73.6</u>	<u>3.91</u>	<u>73.01</u>	<u>73.4</u>	<u>75.32</u>	120030506996
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>			120030508919
<u>66.32</u>	<u>73.01</u>	<u>3.91</u>			120030509225
<u>66.32</u>	<u>3.91</u>	<u>73.01</u>	<u>73.4</u>	<u>75.32</u>	120030503992
<u>73.6</u>	<u>3.91</u>	<u>73.01</u>	<u>75.32</u>		120030504258
<u>66.32</u>	<u>73.4</u>				120030506071
<u>3.91</u>	<u>73.09</u>	<u>75.32</u>			120030507184
<u>66.32</u>					120030505098
					120030504118
<u>66.92</u>					220030506839
<u>66.32</u>					220030501229
<u>66.39</u>	<u>3.91</u>	<u>75.1</u>			220030507059
<u>66.32</u>	<u>51.23</u>				220030503555
<u>66.32</u>					220030504359
<u>66.32</u>	<u>69.96</u>				220030507268
<u>66.32</u>	<u>75.32</u>				220030503946
<u>66.32</u>	<u>99.04</u>				220030504081
<u>66.32</u>					220030507053
<u>66.32</u>	<u>66.69</u>	<u>38.09</u>			220030504086
<u>66.32</u>	<u>54.59</u>	<u>75.32</u>			220030506779
<u>66.32</u>					220030503116
<u>66.39</u>	<u>59.8</u>	<u>87.74</u>	<u>69.96</u>	<u>57.17</u>	220030504092
<u>66.32</u>	<u>75.32</u>				220030504133
<u>66.32</u>	<u>99.11</u>				220030504963
<u>66.32</u>					220030507083
<u>66.32</u>					220030503184
<u>66.32</u>	<u>75.32</u>				220030504008
<u>66.32</u>					220030504853
<u>66.32</u>					220030500127

<u>66.32</u>	<u>96.49</u>	<u>73.4</u>	<u>75.32</u>	220030504701
<u>66.32</u>	<u>99.47</u>			220030501753
<u>66.32</u>	<u>3.9</u>			220030507117
<u>66.32</u>				220030507141
<u>66.32</u>				220030501075
<u>66.32</u>				220030503732
<u>66.32</u>				220030503387
<u>66.32</u>				220030504126
<u>66.32</u>				220030504645
<u>73.09</u>	<u>66.32</u>			220030502871
<u>66.32</u>				220030503308
<u>66.32</u>	<u>99.11</u>			220030503607
<u>66.32</u>				220030504443
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>		220030506980
<u>66.32</u>				220030504671
<u>66.32</u>				220030501756
<u>66.32</u>	<u>54.59</u>			220030503097
<u>66.32</u>	<u>75.32</u>			220030502737
<u>66.32</u>				220030505178
<u>66.39</u>				220030503599
<u>66.32</u>	<u>75.32</u>			220030501830
<u>66.39</u>				220030503007
<u>66.32</u>				220030506791
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>		220030499484
<u>66.39</u>				220030503625
<u>66.32</u>	<u>73.01</u>	<u>96.49</u>	<u>75.32</u>	220030500191
<u>66.32</u>				220030502973
<u>66.32</u>				220030503874
<u>86.3</u>	<u>66.32</u>			220030506887
<u>66.32</u>				220030501474
<u>66.32</u>				220030502685
<u>66.32</u>				220030503389
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>75.32</u>	220030503419
<u>66.32</u>				220030503608

<u>66.32</u>	<u>3.91</u>				220030503812
<u>66.32</u>					220030507144
<u>66.32</u>	<u>54.59</u>				220030502720
<u>66.32</u>	<u>75.1</u>	<u>99.11</u>			220030503251
<u>66.32</u>					220030504421
<u>66.32</u>					220030506667
<u>66.32</u>					220030502271
<u>66.32</u>	<u>99.11</u>				220030502739
<u>54.59</u>	<u>66.32</u>	<u>99.04</u>	<u>99.04</u>		220030507289
<u>66.32</u>	<u>3.91</u>	<u>73.01</u>	<u>75.1</u>	<u>75.32</u>	220030501775
<u>66.32</u>	<u>75.1</u>	<u>75.32</u>			220030505462
<u>73.59</u>					220030503237
<u>73.59</u>	<u>75.32</u>				220030502474
<u>3.91</u>	<u>73.01</u>	<u>73.4</u>	<u>75.32</u>		220030503315
<u>66.32</u>					220030499859
<u>73.6</u>					220030503823
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>		220030503955
<u>66.39</u>					220030504330
<u>66.39</u>					220030504344
<u>3.91</u>	<u>73.59</u>	<u>73.4</u>	<u>73.01</u>	<u>75.32</u>	220030507074
<u>3.91</u>	<u>75.1</u>	<u>73.59</u>	<u>75.32</u>	<u>73.09</u>	220030502106
<u>3.91</u>	<u>73.59</u>	<u>73.09</u>	<u>99.55</u>	<u>75.32</u>	220030499895
<u>73.59</u>	<u>73.09</u>	<u>75.32</u>			220030503656
<u>66.32</u>	<u>3.9</u>				220030504581
<u>73.6</u>	<u>3.91</u>	<u>73.01</u>	<u>75.32</u>	<u>73.4</u>	220030500588
<u>66.32</u>	<u>3.91</u>				220030503068
<u>66.39</u>	<u>73.09</u>	<u>73.6</u>			220030503739
<u>73.59</u>					220030503909
<u>73.6</u>	<u>3.91</u>	<u>73.09</u>	<u>75.32</u>		220030504440
<u>73.59</u>	<u>73.01</u>	<u>73.4</u>			220030507243
<u>75.1</u>	<u>73.59</u>	<u>75.32</u>	<u>73.4</u>	<u>73.01</u>	220030506914
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	<u>99.11</u>	220030502679
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>		220030500702
<u>3.91</u>	<u>73.59</u>	<u>73.4</u>	<u>73.09</u>	<u>75.32</u>	220030504501

<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	<u>3.91</u>		220030503712
<u>66.32</u>	<u>73.59</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>	220030504388
<u>66.39</u>	<u>75.69</u>	<u>73.4</u>			220030506973
<u>73.59</u>	<u>73.4</u>	<u>73.09</u>	<u>75.32</u>		220030501611
<u>75.69</u>	<u>3.91</u>	<u>73.59</u>	<u>75.32</u>		220030507271
<u>73.6</u>	<u>3.91</u>	<u>73.01</u>	<u>73.4</u>	<u>75.32</u>	220030502834
<u>3.91</u>	<u>73.59</u>	<u>75.32</u>			220030504457
<u>66.39</u>					220030507027
<u>66.32</u>	<u>3.91</u>				220030506552
<u>66.32</u>	<u>73.09</u>				220030499657
<u>66.32</u>	<u>73.09</u>	<u>73.4</u>	<u>75.69</u>	<u>3.91</u>	220030503564
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>			220030506445
<u>3.91</u>	<u>99.04</u>	<u>73.59</u>	<u>73.01</u>	<u>73.4</u>	220030501780
<u>73.59</u>	<u>73.4</u>				220030504161
<u>73.59</u>	<u>75.69</u>	<u>73.09</u>			220030500115
<u>66.32</u>	<u>99.11</u>	<u>3.91</u>			220030502998
<u>75.69</u>					220030503626
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	<u>73.4</u>	<u>3.91</u>	220030506708
<u>66.32</u>	<u>75.69</u>	<u>73.09</u>	<u>75.35</u>	<u>75.32</u>	220030504643
<u>97.71</u>	<u>66.32</u>				220030502480
<u>66.32</u>					220030500401
<u>66.39</u>	<u>54.59</u>				320030507585
<u>66.32</u>					320030500745
<u>66.39</u>					320030505258
<u>66.32</u>	<u>73.4</u>				320030507249
<u>66.39</u>					320030504646
<u>66.32</u>	<u>54.59</u>	<u>73.09</u>			320030500259
<u>66.32</u>					320030503201
<u>66.32</u>					320030502281
<u>66.32</u>					320030504333
<u>66.32</u>					320030501967
<u>66.39</u>					320030502780
<u>66.32</u>					320030504085
<u>66.32</u>					320030504322

<u>66.32</u>	<u>99.11</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>	<u>86.3</u>	
<u>66.32</u>		
<u>66.92</u>	<u>65.49</u>	
<u>66.32</u>		
<u>66.39</u>	<u>65.29</u>	
<u>69.96</u>	<u>66.32</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>	<u>75.32</u>	<u>99.11</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>3.95</u>	
<u>73.01</u>	<u>73.4</u>	<u>66.32</u>
<u>66.39</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>	<u>75.35</u>	
<u>66.32</u>	<u>75.1</u>	<u>88.78</u>
<u>66.32</u>		
<u>68.29</u>	<u>54.59</u>	<u>66.32</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.39</u>		
<u>66.32</u>	<u>73.09</u>	<u>3.91</u>

320030500874
320030503603
320030507433
320030503649
320030505440
320030505567
320030505389
320030504576
320030506893
320030506921
320030507202
320030507461
320030502657
320030507153
320030507089
320030504378
320030503483
320030507290
320030503801
320030503135
320030504993
320030504037
320030504474
320030504623
320030504670
320030507428
320030504577
320030504072
320030504211
320030502618
320030504380
320030503491
320030506820
320030502703

<u>66.32</u>					320030504130
<u>66.32</u>					320030505034
<u>66.32</u>					320030507383
<u>66.32</u>					320030507666
<u>66.39</u>	<u>65.29</u>				320030502399
<u>66.39</u>					320030502478
<u>66.32</u>					320030503044
<u>66.32</u>					320030503989
<u>66.32</u>	<u>3.91</u>				320030505515
<u>66.32</u>					320030507485
<u>66.32</u>	<u>75.32</u>				320030507604
<u>66.32</u>					320030500487
<u>66.32</u>					320030501925
<u>66.32</u>					320030502617
<u>66.39</u>					320030503225
<u>66.39</u>					320030504985
<u>66.39</u>	<u>69.96</u>				320030505102
<u>66.39</u>					320030505174
<u>66.32</u>					320030505333
<u>66.32</u>	<u>54.59</u>				320030506149
<u>66.32</u>					320030507208
<u>73.4</u>	<u>73.01</u>				320030507632
<u>75.69</u>	<u>99.29</u>				320030502179
<u>66.32</u>					320030504669
<u>66.32</u>	<u>73.4</u>	<u>73.09</u>			320030507579
<u>66.39</u>	<u>73.09</u>	<u>73.4</u>			320030505366
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>			320030504855
<u>66.32</u>	<u>75.34</u>				320030507771
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>			320030504325
<u>75.69</u>	<u>3.91</u>	<u>73.59</u>	<u>73.4</u>	<u>73.01</u>	320030500786
<u>66.32</u>	<u>75.69</u>				320030503981
<u>66.32</u>	<u>75.69</u>	<u>73.4</u>	<u>3.9</u>		320030507384
<u>73.4</u>	<u>73.59</u>				320030504531
<u>66.32</u>	<u>73.09</u>				320030507280

<u>73.6</u>					320030505263
<u>66.32</u>	<u>73.09</u>				320030507489
<u>66.32</u>					320030507185
<u>86.3</u>	<u>73.59</u>				320030503625
<u>66.32</u>	<u>73.4</u>				320030503188
<u>75.69</u>	<u>73.59</u>	<u>73.09</u>	<u>75.32</u>		320030502256
<u>66.39</u>	<u>3.92</u>				320030503640
<u>66.32</u>	<u>73.01</u>	<u>3.91</u>			320030504520
<u>73.59</u>	<u>73.4</u>	<u>73.09</u>			320030507140
<u>73.6</u>	<u>3.91</u>	<u>73.4</u>	<u>73.01</u>	<u>75.32</u>	320030501782
<u>66.32</u>	<u>73.01</u>	<u>75.32</u>	<u>73.4</u>		320030503063
<u>3.91</u>	<u>75.32</u>	<u>73.59</u>			320030502349
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>		320030503873
<u>73.59</u>					320030504688
<u>66.32</u>	<u>3.91</u>				320030505580
<u>73.6</u>	<u>3.91</u>	<u>73.4</u>	<u>73.01</u>	<u>75.32</u>	320030504640
<u>73.6</u>	<u>3.91</u>	<u>73.59</u>	<u>75.32</u>	<u>99.11</u>	320030503861
<u>66.32</u>	<u>75.62</u>				320030507312
<u>66.39</u>	<u>73.6</u>	<u>73.09</u>			320030504050
<u>66.32</u>	<u>75.69</u>	<u>3.91</u>	<u>99.11</u>	<u>73.4</u>	320030505658
<u>66.32</u>	<u>75.69</u>				320030500632
<u>73.6</u>	<u>3.91</u>	<u>73.09</u>	<u>75.32</u>		320030505193
<u>73.6</u>	<u>3.91</u>	<u>73.4</u>	<u>73.01</u>	<u>75.32</u>	320030505215
<u>73.59</u>	<u>73.4</u>				320030505292
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>		320030505601
<u>66.32</u>	<u>75.69</u>	<u>39.1</u>	<u>57.94</u>		320030507618
					320030503236
<u>63.3</u>	<u>59.8</u>				320030504483
<u>66.32</u>					420030504700
<u>73.01</u>	<u>73.4</u>	<u>3.91</u>	<u>66.32</u>	<u>99.04</u>	420030506664
<u>66.39</u>	<u>54.59</u>				420030508961
<u>66.39</u>					420030503905
<u>66.39</u>	<u>73.09</u>	<u>99.01</u>			420030504420
<u>66.39</u>					420030506926

<u>66.39</u>			
<u>69.96</u>	<u>66.39</u>		
<u>66.39</u>	<u>99.04</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.29</u>			
<u>66.39</u>			
<u>66.32</u>	<u>75.1</u>		
<u>66.32</u>	<u>54.3</u>	<u>73.09</u>	<u>75.34</u>
<u>66.39</u>			
<u>75.34</u>	<u>66.32</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>75.34</u>		
<u>66.32</u>			
<u>75.34</u>	<u>66.29</u>	<u>3.9</u>	
<u>66.39</u>			
<u>66.39</u>			
<u>65.89</u>	<u>66.32</u>		
<u>66.32</u>			
<u>73.01</u>	<u>3.91</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>69.96</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>	<u>65.29</u>		

420030501852
420030504305
420030505702
420030505845
420030505617
420030504938
420030506650
420030508843
420030506971
420030507099
420030508228
420030505853
420030506020
420030504702
420030506525
420030504756
420030506165
420030502609
420030509223
420030503847
420030506952
420030504356
420030506174
420030509107
420030505551
420030506794
420030507044
420030506203
420030509367
420030504933
420030505145
420030508652
420030503787
420030505804

<u>66.39</u>					420030506065
<u>66.32</u>					420030506981
<u>66.32</u>					420030509185
<u>66.39</u>					420030503479
<u>66.39</u>					420030505039
<u>66.32</u>					420030505094
<u>66.32</u>					420030508960
<u>66.32</u>					420030505750
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>		420030509209
<u>66.32</u>					420030509495
<u>66.32</u>					420030506135
<u>66.32</u>					420030506138
<u>66.32</u>					420030508604
<u>66.29</u>					420030505554
<u>66.32</u>					420030504725
<u>66.32</u>					420030509501
<u>66.32</u>					420030504014
<u>66.39</u>					420030504474
<u>66.32</u>	<u>75.34</u>				420030505964
<u>66.32</u>					420030506503
<u>3.91</u>	<u>73.01</u>	<u>73.4</u>			420030504925
<u>66.32</u>	<u>73.4</u>	<u>3.9</u>			420030505953
<u>66.32</u>	<u>75.34</u>	<u>73.4</u>			420030506832
<u>66.39</u>					420030509118
<u>66.39</u>	<u>73.59</u>				420030509159
<u>73.6</u>	<u>3.91</u>	<u>73.4</u>			420030505079
<u>66.39</u>	<u>73.09</u>				420030509066
<u>66.32</u>	<u>75.69</u>	<u>99.11</u>			420030509472
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>75.69</u>	<u>3.91</u>	420030506902
<u>66.32</u>	<u>73.59</u>	<u>73.01</u>			420030505863
<u>66.32</u>	<u>75.34</u>				420030504987
<u>66.32</u>	<u>75.34</u>	<u>73.09</u>	<u>73.6</u>	<u>3.9</u>	420030504421
<u>66.39</u>	<u>75.69</u>				420030509084
<u>66.39</u>	<u>73.09</u>				420030505900

<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>		420030504868
<u>66.39</u>					420030509181
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>			420030506917
<u>66.22</u>	<u>75.69</u>	<u>73.4</u>	<u>75.34</u>		420030509067
<u>66.32</u>	<u>75.69</u>				420030504409
<u>75.69</u>					420030509326
<u>66.32</u>	<u>73.59</u>	<u>73.01</u>	<u>3.91</u>		420030503037
<u>66.32</u>	<u>75.69</u>	<u>71.3</u>			420030504389
<u>66.39</u>	<u>73.09</u>				420030509216
<u>73.59</u>					420030506578
<u>66.32</u>	<u>73.59</u>	<u>3.91</u>			420030509149
<u>73.4</u>	<u>73.59</u>				420030506104
<u>66.32</u>	<u>73.59</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>	420030509260
<u>66.32</u>	<u>3.91</u>				420030506117
<u>73.59</u>					420030509468
<u>66.39</u>					420030505976
<u>66.39</u>					420030506053
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>			420030506884
<u>73.59</u>	<u>75.69</u>	<u>65.49</u>			420030503881
<u>66.39</u>	<u>73.6</u>				420030506256
<u>66.32</u>	<u>73.01</u>	<u>73.4</u>	<u>3.91</u>		420030506970
<u>66.39</u>	<u>73.09</u>	<u>73.4</u>	<u>73.6</u>		420030506158
<u>66.32</u>	<u>73.4</u>	<u>73.01</u>	<u>3.91</u>	<u>3.95</u>	420030504270
<u>66.32</u>	<u>75.69</u>				420030503965
<u>66.39</u>	<u>73.6</u>	<u>73.09</u>	<u>75.32</u>		420030505368
<u>66.39</u>					420030502909
<u>66.39</u>					420030509389
<u>66.51</u>					
<u>66.39</u>					
<u>66.39</u>					
<u>66.52</u>	<u>65.51</u>	<u>59.5</u>			
<u>66.32</u>					
<u>66.39</u>					
<u>66.01</u>	<u>54.25</u>				

<u>65.29</u>	<u>73.59</u>	<u>73.4</u>		
<u>40.3</u>	<u>66.52</u>			
<u>66.51</u>				
<u>66.51</u>	<u>70.51</u>	<u>59.79</u>	<u>70.77</u>	
<u>54.59</u>	<u>54.21</u>			
<u>66.51</u>				
<u>66.51</u>				
<u>66.39</u>				
<u>75.99</u>	<u>66.39</u>			
<u>66.51</u>				
<u>66.32</u>				
<u>66.51</u>	<u>54.23</u>			
<u>57.81</u>				
<u>66.32</u>				
<u>66.51</u>				
<u>66.39</u>				
<u>66.39</u>				
<u>66.01</u>				
<u>66.79</u>				
<u>66.51</u>	<u>65.39</u>	<u>68.12</u>	<u>54.59</u>	
<u>66.39</u>				
<u>66.39</u>	<u>75.34</u>			
<u>66.39</u>	<u>96.71</u>			
<u>66.39</u>				
<u>66.63</u>				
<u>65.51</u>	<u>66.52</u>	<u>70.5</u>	<u>70.92</u>	<u>70.77</u>
<u>65.51</u>	<u>66.52</u>			
<u>68.29</u>	<u>65.89</u>	<u>66.01</u>	<u>66.01</u>	<u>66.79</u>
<u>97.71</u>				
<u>66.51</u>				
<u>66.51</u>				
<u>66.51</u>				
<u>66.51</u>	<u>86.3</u>			
<u>66.51</u>				

120020534349
120020537226
220020525745
220020530882
320020547985
320020548180
320020545500
320020543394
320020546157
320020546120
420020540914
120030536919
120030537449
120030537704
120030540265
320030538660
420030537064
420030540022
420030539991
420030540220

<u>65.81</u>					320020549482
<u>46.41</u>	<u>54.59</u>	<u>68.4</u>	<u>65.61</u>	<u>54.4</u>	
<u>66.51</u>					
<u>68.4</u>	<u>66.51</u>				
<u>54.59</u>	<u>65.62</u>	<u>66.52</u>			
<u>99.11</u>					
<u>54.59</u>					320020550334
<u>67.2</u>					120030544323
<u>54.59</u>	<u>54.21</u>				220030540959
<u>66.51</u>	<u>70.51</u>	<u>59.4</u>	<u>57.32</u>		220030541963
<u>65.89</u>	<u>54.21</u>				220030541742
<u>65.51</u>	<u>66.52</u>	<u>47.19</u>			220030542323
<u>66.51</u>	<u>65.52</u>	<u>49.46</u>			
<u>66.51</u>	<u>86.3</u>				
<u>66.51</u>					
<u>65.52</u>	<u>66.52</u>	<u>65.89</u>	<u>85.54</u>		
<u>66.51</u>					
<u>66.51</u>					120020582835
<u>66.51</u>	<u>65.52</u>				220020575640
<u>68.29</u>	<u>54.51</u>	<u>68.22</u>	<u>66.29</u>		320020594826
<u>66.51</u>	<u>65.52</u>				420020587072
<u>65.39</u>	<u>54.59</u>	<u>47.19</u>			120030587790
<u>65.51</u>	<u>66.52</u>				120030587604
<u>66.51</u>					120030588281
<u>66.51</u>	<u>65.39</u>	<u>54.59</u>			220030586800
<u>66.51</u>	<u>65.39</u>	<u>54.59</u>	<u>65.29</u>		220030586907
					220030585735
<u>66.51</u>	<u>65.39</u>	<u>54.59</u>	<u>57.89</u>		320030584855
<u>66.51</u>	<u>65.39</u>				320030584262
<u>66.51</u>	<u>65.29</u>	<u>54.4</u>	<u>59.79</u>		420030589664

<u>54.59</u>	<u>54.21</u>	<u>66.51</u>	<u>65.39</u>		420030589550
<u>66.51</u>	<u>65.31</u>	<u>54.51</u>			420030589298
					420030588624
					320000000001
<u>66.51</u>	<u>65.39</u>	<u>70.50</u>	<u>70.92</u>	<u>70.77</u>	120010000001
					120010000001
<u>66.01</u>					220010000001
<u>66.51</u>	<u>65.52</u>				220010000001
<u>66.51</u>					320020612914
<u>66.51</u>	<u>99.04</u>				320020613271
<u>66.32</u>					
<u>66.32</u>					
<u>66.32</u>					
<u>66.39</u>					
<u>66.39</u>					
<u>59.79</u>	<u>66.51</u>				
<u>66.32</u>					
<u>47.09</u>	<u>54.59</u>				
<u>66.51</u>	<u>65.39</u>	<u>53.15</u>			
<u>66.39</u>					
<u>66.39</u>					
<u>66.51</u>					120020633253
<u>66.51</u>	<u>65.29</u>				320020641643
<u>66.51</u>					320020641534
<u>54.59</u>	<u>66.51</u>				120030634950
<u>66.4</u>	<u>54.59</u>				220030633155
					220020634483
<u>65.81</u>	<u>54.51</u>				220020634879
<u>54.21</u>	<u>99.11</u>				220020634522
<u>66.39</u>					
<u>66.39</u>	<u>75.1</u>	<u>69.96</u>			
<u>66.39</u>	<u>89.65</u>				
<u>66.39</u>					
<u>66.39</u>	<u>89.65</u>				

<u>66.39</u>			
<u>66.39</u>	<u>89.65</u>		
<u>66.39</u>	<u>54.59</u>		
<u>66.31</u>	<u>89.65</u>		
<u>66.32</u>			
<u>73.09</u>	<u>89.65</u>	<u>66.39</u>	
<u>66.39</u>	<u>89.65</u>		
<u>66.39</u>	<u>72.79</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>	<u>99.11</u>	<u>73.09</u>	<u>89.65</u>
<u>66.32</u>			
<u>66.69</u>	<u>75.34</u>		
<u>89.65</u>	<u>66.39</u>	<u>54.59</u>	
<u>66.32</u>	<u>89.65</u>		
<u>66.32</u>	<u>89.65</u>		
<u>66.32</u>	<u>89.65</u>		
<u>66.32</u>			
<u>66.39</u>	<u>89.65</u>	<u>73.09</u>	
<u>66.32</u>	<u>49.03</u>	<u>89.65</u>	
<u>66.39</u>	<u>89.65</u>		
<u>66.39</u>	<u>89.65</u>		
<u>66.39</u>			
<u>89.65</u>	<u>66.32</u>		
<u>66.39</u>	<u>65.89</u>	<u>89.65</u>	
<u>66.39</u>	<u>54.59</u>	<u>38.98</u>	
<u>66.39</u>	<u>3.95</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>	<u>54.59</u>	<u>54.59</u>	
<u>66.39</u>	<u>73.09</u>		
<u>66.32</u>	<u>89.65</u>		
<u>89.65</u>	<u>66.32</u>		

<u>66.32</u>	<u>89.65</u>		
<u>66.39</u>	<u>73.09</u>		
<u>66.39</u>	<u>89.65</u>		
<u>66.39</u>	<u>73.09</u>		
<u>66.39</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.39</u>	<u>73.09</u>	<u>89.65</u>	
<u>66.39</u>	<u>89.65</u>		
<u>89.65</u>	<u>66.39</u>		
<u>66.39</u>	<u>99.11</u>	<u>73.09</u>	
<u>66.39</u>			
<u>66.39</u>	<u>65.39</u>	<u>73.09</u>	<u>38.98</u>
<u>66.32</u>	<u>89.65</u>		
<u>66.92</u>	<u>89.65</u>		
<u>66.39</u>			
<u>66.39</u>	<u>73.09</u>	<u>99.11</u>	
<u>66.39</u>	<u>73.09</u>	<u>89.65</u>	
<u>66.32</u>	<u>89.65</u>		
<u>66.39</u>			
<u>66.92</u>	<u>54.11</u>	<u>54.59</u>	
<u>66.39</u>	<u>38.98</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>	<u>38.98</u>	<u>99.11</u>	
<u>66.39</u>			
<u>66.39</u>	<u>73.09</u>	<u>99.11</u>	
<u>66.39</u>			
<u>65.89</u>			
<u>66.51</u>	<u>65.39</u>		

<u>66.39</u>	<u>73.09</u>	<u>89.65</u>	<u>99.04</u>
<u>73.09</u>	<u>66.32</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>	<u>89.65</u>		
<u>66.39</u>	<u>89.65</u>		
<u>73.09</u>	<u>66.32</u>	<u>38.98</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>	<u>73.09</u>		
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>	<u>89.65</u>		
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>	<u>38.98</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>89.65</u>		
<u>66.32</u>			
<u>66.39</u>	<u>99.11</u>		
<u>66.39</u>			
<u>66.39</u>	<u>73.09</u>		
<u>66.39</u>	<u>54.59</u>	<u>38.98</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>99.11</u>		
<u>66.39</u>	<u>73.09</u>		
<u>66.32</u>	<u>38.98</u>	<u>99.11</u>	
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			

- 120020661849
- 120020663750
- 120020662307
- 120020663908
- 120020663647
- 120020663221
- 120020662796
- 120020663788
- 120020662716
- 120020661958
- 220020655655
- 220020655159

<u>96.49</u>	<u>73.09</u>	<u>66.32</u>	
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>	<u>99.11</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>	<u>89.65</u>		
<u>66.39</u>			
<u>66.32</u>	<u>73.09</u>	<u>38.98</u>	
<u>66.39</u>			
<u>66.32</u>	<u>38.98</u>		
<u>66.32</u>			
<u>66.51</u>	<u>65.52</u>	<u>65.89</u>	
<u>66.39</u>	<u>75.1</u>		
<u>66.32</u>			
<u>66.39</u>	<u>69.96</u>	<u>38.98</u>	
<u>66.39</u>	<u>89.65</u>		
<u>66.32</u>	<u>38.98</u>		
<u>66.39</u>			
<u>66.32</u>	<u>89.65</u>		
<u>66.32</u>			
<u>66.39</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>59.79</u>	<u>66.51</u>	<u>65.52</u>	<u>59.5</u>
<u>66.39</u>			

220020655044
220020656771
220020656845
220020655710
220020655936
220020654246
220020655063
220020656496
220020653724
220020654429
220020655004
220020655980
220020653895
220020655235
220020656610
220020655102
320020673813
320020673230
320020674293
320020674490
320020670690
320020672515
320020673365
320020672366
320020671598
320020674030
320020672139
320020674359
320020673321
320020672902
320020672428
320020671253
420020667412
420020666478

<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>86.3</u>	<u>75.1</u>	
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>	<u>89.65</u>		
<u>66.39</u>	<u>89.65</u>		
<u>66.51</u>	<u>65.39</u>	<u>54.4</u>	<u>54.59</u>
<u>66.32</u>			
<u>66.32</u>	<u>86.84</u>		
<u>66.32</u>	<u>38.98</u>	<u>99.04</u>	
<u>66.32</u>			
<u>66.39</u>			
<u>73.09</u>	<u>66.32</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>	<u>38.98</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>38.98</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>96.49</u>		
<u>66.32</u>	<u>73.4</u>		
<u>66.32</u>	<u>54.59</u>	<u>38.98</u>	
<u>66.39</u>			
<u>66.39</u>			
<u>66.39</u>			

420020664201
420020666585
420020665911
420020665540
420020666737
420020664074
420020667399
420020666414
420020666482
420020667527
420020665275
120030666105
120030666484
120030668133
120030666338
120030667516
120030667711
120030667894
120030669417
120030668006
120030665753
120030668861
120030666791
120030666854
120030665811
120030667645
120030665549
120030666130
120030667399
220030666516
220030666805
220030666685
220030665122
220030665314

<u>66.32</u>	<u>96.49</u>	<u>38.98</u>
<u>66.32</u>	<u>38.98</u>	
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>	<u>38.98</u>	
<u>66.39</u>		
<u>66.32</u>	<u>86.84</u>	
<u>66.32</u>	<u>54.59</u>	<u>38.98</u>
<u>75.1</u>	<u>65.49</u>	<u>89.65</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>96.49</u>	
<u>66.39</u>	<u>65.39</u>	
<u>66.32</u>		
<u>99.04</u>	<u>66.39</u>	
<u>66.32</u>	<u>38.98</u>	<u>99.04</u>
<u>66.32</u>		
<u>66.39</u>	<u>38.98</u>	
<u>66.39</u>	<u>89.65</u>	
<u>66.39</u>		
<u>66.39</u>		
<u>66.32</u>	<u>75.1</u>	<u>38.98</u>
<u>66.32</u>		
<u>66.39</u>		
<u>66.39</u>		
<u>65.41</u>	<u>66.52</u>	<u>86.3</u>

220030663770
220030666848
220030666996
220030665118
220030666064
220030666669
220030666764
220030664592
220030663768
320030663152
320030661100
320030663668
320030662390
320030664004
320030661153
320030662849
320030661144
320030663847
320030664018
320030661393
320030664727
420030668374
420030670262
420030668022
420030671864
420030668265
420030670584
420030668694
420030669670
420030669415
420030670095
420030671337
420030669791
320030677508

54.21 66.63 54.51

66.39

66.39

66.32

66.32

66.32

66.39

66.39 75.1

66.39

66.39

66.32

66.32

66.32

66.32

66.51 65.52

66.32

66.39

66.32

66.32 86.3

66.32

66.32

66.39

66.39

66.39

66.39

66.32

66.39

66.32

66.32

66.39

66.32 69.49

66.29

66.32 54.59

420030685376

66.32

66.32 74.1

66.32

66.32

66.32

66.32

66.29

66.39

66.32

66.39

66.32

66.32

66.32

65.49

66.32

66.32

66.32 53.01 65.89

66.32

66.32

66.32 73.09

66.32

66.32

66.32

66.32

66.31

66.32 3.9

66.32

66.01 65.09

65.51 66.52

66.51

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

75.69

73.6

73.59

66.32

54.59

66.32

66.32

66.32

66.32

66.32

66.32

66.32

54.59

66.32

75.1

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

66.32

<u>66.32</u>					120020684095
<u>66.32</u>					120020683288
<u>66.51</u>	<u>65.39</u>	<u>59.8</u>	<u>57.32</u>	<u>57.19</u>	120020683475
<u>66.51</u>					120020683637
<u>66.32</u>					120020682529
<u>66.32</u>	<u>54.59</u>				120020683003
<u>66.32</u>					120020683345
<u>66.32</u>					120020683784
<u>66.32</u>					120020684579
<u>66.32</u>					120020682488
<u>66.32</u>					120020682480
<u>66.32</u>					120020683622
<u>66.32</u>					120020682499
<u>66.32</u>					120020683669
<u>66.32</u>					120020684505
<u>66.32</u>					120020684459
<u>66.32</u>					120020683379
<u>66.32</u>					120020682874
<u>66.32</u>					120020684422
<u>66.32</u>					120020682626
<u>66.32</u>	<u>69.96</u>				120020683673
<u>66.39</u>					120020684163
<u>66.32</u>	<u>75.1</u>				120020684316
<u>66.32</u>					120020682679
<u>66.39</u>					120020683818
<u>73.6</u>	<u>73.59</u>				120020683374
<u>66.32</u>					220020675848
<u>66.32</u>	<u>57.32</u>	<u>56</u>	<u>56.31</u>	<u>59.8</u>	220020677168
<u>66.32</u>					220020675972
<u>66.32</u>					220020676670
<u>65.89</u>	<u>65.49</u>	<u>66.69</u>			220020677104
<u>66.32</u>					220020675705
<u>54.59</u>	<u>66.32</u>	<u>68.3</u>	<u>69.02</u>	<u>99.04</u>	220020676247

<u>66.32</u>	<u>54.59</u>	<u>66.69</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>83.65</u>	
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.92</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>75.69</u>	<u>73.59</u>	
75		
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	
<u>66.32</u>		
<u>66.32</u>	<u>54.59</u>	<u>54.4</u>
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>		
<u>66.32</u>	<u>53.49</u>	<u>54.59</u>

220020677466
220020676600
220020675781
220020676335
220020675637
220020676199
220020675846
220020676137
220020676736
220020675547
220020675976
220020677177
220020675631
220020675737
220020676642
220020676405
220020676754
220020675579
220020675843
220020675566
220020676435
220020677160
220020676502
220020675939
220020677167
220020677724
320020695798
320020694745
320020694788
320020693863
320020694911
320020694320
320020693947
320020695030

66.32
66.32
66.32 54.59
66.32
66.32
54.59 66.32
66.32 54.59
66.32 54.59
66.32
66.32
66.32
66.32
66.32
66.32 69.96
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32
66.32 66.69
73.59 73.4
66.32
66.32
66.32 54.59
66.32
66.32

320020694689
320020695055
320020693854
320020694014
320020695265
320020695527
320020694213
320020695394
320020695818
320020694170
320020694787
320020694705
320020695284
320020693999
320020694031
320020695095
320020694579
320020694796
320020695695
320020693830
320020694193
320020694613
320020695268
320020695451
320020693906
320020694172
320020695388
320020693939
320020695864
420020687922
420020688993
420020689956
420020688804
420020689993

<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>57.19</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>65.29</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.39</u>	<u>69.96</u>	<u>39.98</u>	<u>54.12</u>
<u>66.39</u>			
<u>66.32</u>			
<u>66.39</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>75.69</u>	<u>73.59</u>		
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>			
<u>66.32</u>	<u>99.04</u>		
<u>66.32</u>			
<u>66.32</u>			

420020689564
420020688462
420020689507
420020687824
420020689518
420020689294
420020688856
420020689219
420020688538
420020687823
420020688160
420020689541
420020687802
420020688442
420020687784
420020689141
420020688135
420020689949
420020688678
420020689425
420020689938
420020688811
420020689873
420020687792
120030690837
120030691236
120030691298
120030691742
120030691639
120030691253
120030691879
120030691612
120030691194
120030690931

<u>66.32</u>		220030690515
<u>66.32</u>		220030691370
<u>66.32</u>	<u>69.96</u>	220030691625
<u>66.32</u>		220030690613
<u>66.32</u>		220030689571
<u>66.32</u>		220030691199
<u>66.32</u>		220030691333
<u>66.32</u>		220030689632
<u>66.32</u>	<u>54.59</u>	220030689524
<u>66.32</u>		220030690323
<u>66.32</u>		220030690491
<u>66.32</u>		220030690540
<u>66.32</u>		220030691553
<u>66.32</u>		220030689729
<u>66.32</u>		220030689980
<u>66.32</u>		220030691355
<u>73.59</u>		220030691464
