

Click on your interest section for more information :

- [Acne](#)
- [Advertising](#)
- [Aerobics & Cardio](#)
- [Affiliate Revenue](#)
- [Alternative Medicine](#)
- [Attraction](#)
- [Online Auction](#)
- [Streaming Audio & Online Music](#)
- [Aviation & Flying](#)
- [Babies & Toddler](#)
- [Beauty](#)
- [Blogging, RSS & Feeds](#)
- [Book Marketing](#)
- [Book Reviews](#)
- [Branding](#)
- [Breast Cancer](#)
- [Broadband Internet](#)
- [Muscle Building & Bodybuilding](#)
- [Careers, Jobs & Employment](#)
- [Casino & Gambling](#)
- [Coaching](#)
- [Coffee](#)
- [College & University](#)
- [Cooking Tips](#)
- [Copywriting](#)
- [Crafts & Hobbies](#)
- [Creativity](#)
- [Credit](#)
- [Cruising & Sailing](#)
- [Currency Trading](#)
- [Customer Service](#)
- [Data Recovery & Computer Backup](#)
- [Dating](#)
- [Debt Consolidation](#)
- [Debt Relief](#)
- [Depression](#)
- [Diabetes](#)
- [Divorce](#)
- [Domain Name](#)
- [E-Book](#)
- [E-commerce](#)
- [Elder Care](#)
- [Email Marketing](#)
- [Entrepreneur](#)
- [Ethics](#)
- [Exercise & Fitness](#)
- [Ezine Marketing](#)
- [Ezine Publishing](#)
- [Fashion & Style](#)
- [Fishing](#)
- [Fitness Equipment](#)
- [Forums](#)
- [Game](#)
- [Goal Setting](#)
- [Golf](#)
- [Dealing with Grief & Loss](#)
- [Hair Loss](#)
- [Finding Happiness](#)
- [Computer Hardware](#)
- [Holiday](#)
- [Home Improvement](#)
- [Home Security](#)
- [Humanities](#)
- [Humor & Entertainment](#)
- [Innovation](#)
- [Inspirational](#)
- [Insurance](#)
- [Interior Design & Decorating](#)
- [Internet Marketing](#)
- [Investing](#)
- [Landscaping & Gardening](#)
- [Language](#)
- [Leadership](#)
- [Leases & Leasing](#)
- [Loan](#)
- [Mesothelioma & Asbestos](#)
- [Cancer](#)
- [Business Management](#)
- [Marketing](#)
- [Marriage & Wedding](#)
- [Martial Arts](#)
- [Medicine](#)
- [Meditation](#)
- [Mobile & Cell Phone](#)
- [Mortgage Refinance](#)
- [Motivation](#)
- [Motorcycle](#)
- [Music & MP3](#)
- [Negotiation](#)
- [Network Marketing](#)
- [Networking](#)
- [Nutrition](#)
- [Get Organized - Organization](#)
- [Outdoors](#)
- [Parenting](#)
- [Personal Finance](#)
- [Personal Technology](#)
- [Pet](#)
- [Philosophy](#)
- [Photography](#)
- [Poetry](#)
- [Political](#)
- [Positive Attitude Tips](#)
- [Pay-Per-Click Advertising](#)
- [Public Relations](#)
- [Pregnancy](#)
- [Presentation](#)
- [Psychology](#)
- [Public Speaking](#)
- [Real Estate](#)
- [Recipes & Food and Drink](#)
- [Relationship](#)
- [Religion](#)
- [Sales](#)
- [Sales Management](#)
- [Sales Telemarketing](#)
- [Sales Training](#)
- [Satellite TV](#)
- [Science Articles](#)
- [Internet Security](#)
- [Search Engine Optimization \(SEO\)](#)
- [Sexuality](#)
- [Web Site Promotion](#)
- [Small Business](#)
- [Software](#)
- [Spam Blocking](#)
- [Spirituality](#)
- [Stocks & Mutual Fund](#)
- [Strategic Planning](#)
- [Stress Management](#)
- [Structured Settlements](#)
- [Success](#)
- [Nutritional Supplements](#)
- [Tax](#)
- [Team Building](#)
- [Time Management](#)
- [Top Quick Tips](#)
- [Traffic Building](#)
- [Vacation Rental](#)
- [Video Conferencing](#)
- [Video Streaming](#)
- [VOIP](#)
- [Wealth Building](#)
- [Web Design](#)
- [Web Development](#)
- [Web Hosting](#)
- [Weight Loss](#)
- [Wine & Spirits](#)
- [Writing](#)
- [Article Writing](#)
- [Yoga](#)

## The Discrete Laplace (“Z”) Transform

**Transform Definition; Properties** Linear *recursion equations*, sometimes called *difference equations*, take the form

$$a_{k+m} + p_1 a_{k+m-1} + p_2 a_{k+m-2} + \cdots + p_m a_k = b_k, \quad k = 0, 1, 2, \dots,$$

where the  $p_k, k = 1, 2, \dots, m$  are known coefficients and  $\{b_k \mid k = 0, 1, 2, \dots\}$  is a known sequence. In most cases we will take these to be real but that is not an essential restriction. Just as the Laplace transform facilitates the solution of linear ordinary differential equations with constant coefficients, a discrete version of the transform, frequently called the “Z” transform, assists in solving these linear recursion equations as well as some other equations in discrete convolution form. Many of the formulas and relationships will be similar to those applying to the Laplace transform but there are significant differences; in particular the necessity to deal with discrete indices leads to some minor complications. There are various ways in which the transform can be defined; we will use the following.

**Definition 1** Let  $\{a_k \mid k = 0, 1, 2, \dots\}$  be a sequence of real or complex numbers satisfying a condition  $|a_k| \leq M \gamma^k, k = 0, 1, 2, \dots$ , where  $M$  and  $\gamma$  are positive real numbers. The discrete Laplace transform (after this we will bow to convention and call it the Z transform) of the sequence  $\{a_k\}$  is the function  $\hat{a}(z) \equiv (\mathcal{Z}\{a_k\})(z)$  of the complex variable  $z$  defined by the series

$$(\mathcal{Z}\{a_k\})(z) = \sum_{k=0}^{\infty} a_k z^{-(k+1)}.$$

**Remarks** The growth condition on the sequence guarantees, applying the *ratio test* for series convergence, that the series converges for all  $z$  with

$|z| > \gamma$ , uniformly and absolutely for  $|z| \geq \gamma_1$  if  $\gamma_1 > \gamma$ . This convergence property implies that  $\hat{a}(z)$  is an *analytic* or *holomorphic* function of  $z$  for  $|z| > \gamma$ ; in particular, derivatives of  $\hat{a}(z)$  to any order can be computed by differentiating the series term by term.

The inverse transform,  $(\mathcal{Z}^{-1}(\hat{a}(z)))(k)$ , is obtained simply by expanding the function  $\hat{a}(z)$ , analytic in some region  $|z| > \gamma$ , in powers of  $\frac{1}{z}$  and then forming the sequence of coefficients of power of  $\frac{1}{z}$  thus obtained.

Let us list some sample transforms. For a real or complex number  $r$  the sequence  $\{a_k\}$  with  $a_k = r^k$  has the transform

$$\hat{a}(z) = \sum_{k=0}^{\infty} \frac{r^k}{z^{k+1}} = \frac{1}{z} \sum_{k=0}^{\infty} \frac{r^k}{z^k} = \frac{1}{z} \frac{1}{1 - \frac{r}{z}} = \frac{1}{z - r}, \quad |z| > r.$$

This formula is valid for both real and complex  $r$ , a fact we will make use of shortly. We should note in particular that, in contrast to the (continuous) Laplace transform, the Z-transform of the sequence with  $a_k = 1$  for all  $k$  is  $\frac{1}{z-1}$  while the transform of the sequence having  $a_0 = 1$ ,  $a_k = 0$ ,  $k > 0$  has the transform  $\frac{1}{z}$ .

For the study of oscillatory sequences it is important to have the transforms  $(\mathcal{Z}\{a^k \cos bk\})(z)$  and  $(\mathcal{Z}\{a^k \sin bk\})(z)$  for real numbers  $a$  and  $b$ . We have, of course

$$a^k \cos bk = \frac{1}{2} \left( (ae^{ib})^k + (ae^{-ib})^k \right).$$

Using our earlier formula for the cases  $r = ae^{ib}$  and  $r = ae^{-ib}$  we see that

$$(\mathcal{Z}\{a^k \cos bk\})(z) = \frac{1}{2} \left( \frac{1}{z - ae^{ib}} + \frac{1}{z - ae^{-ib}} \right) = \frac{z - a \cos b}{(z - a \cos b)^2 + a^2 \sin^2 b}.$$

A similar computation shows that

$$\left(\mathcal{Z}\{a^k \sin bk\}\right)(z) = \frac{a \sin b}{(z - a \cos b)^2 + a^2 \sin^2 b}.$$

We conclude with two simple examples; first we note that if  $a_k = k$  for all  $k$  then

$$\begin{aligned} \hat{a}(z) &= (\mathcal{Z}\{k\})(z) = \sum_{k=1}^{\infty} \frac{k}{z^{k+1}} = -\frac{d}{dz} \left( \sum_{k=1}^{\infty} \frac{1}{z^k} \right) \\ &= (\text{with } j = k - 1), = -\frac{d}{dz} \left( \sum_{j=0}^{\infty} \frac{1}{z^{j+1}} \right) = -\frac{d}{dz} \left( \frac{1}{z-1} \right) = \frac{1}{(z-1)^2}. \end{aligned}$$

Secondly, suppose  $a_k = \frac{1}{k!}$ ,  $k = 0, 1, 2, \dots$ . Then we have

$$\hat{a}(z) = \sum_{k=0}^{\infty} \frac{1}{k! z^{k+1}} = \frac{1}{z} \sum_{k=0}^{\infty} \frac{z^{-k}}{k!} = \frac{e^{-z}}{z}, \quad |z| > 0.$$

Now we will list some of the general properties of the transform and give brief verifications of those properties.

**Property I: Z-transform of  $\{r^{k+1} a_k\}$ ,  $r \neq 0$ .** Here we have

$$\left(\mathcal{Z}\{r^{k+1} a_k\}\right) = \sum_{k=0}^{\infty} a_k \left(\frac{r}{z}\right)^{k+1} = (\mathcal{Z}\{a_k\})\left(\frac{z}{r}\right) = \hat{a}\left(\frac{z}{r}\right).$$

**Property II: The Z-transform of  $\{a_{k+n}\}$ .** Here we have

$$\begin{aligned} (\mathcal{Z}\{a_{k+n}\})(z) &= \sum_{k=0}^{\infty} a_{k+n} z^{-(k+1)} = z^n \sum_{k=0}^{\infty} a_{k+n} z^{-(k+n+1)} \\ &= z^n \sum_{k=n}^{\infty} a_k z^{-(k+1)} = z^n \left( \hat{a}(z) - \sum_{k=0}^{n-1} a_k z^{-(k+1)} \right) = z^n \hat{a}(z) - \sum_{k=0}^{n-1} a_k z^{n-(k+1)}. \end{aligned}$$

**Property III: Z-transform of  $\{k(k-1)\cdots(k-n+1)a_k\}$ ,  $n$  (integer)  $> 0$ .** We have

$$\begin{aligned} (\mathcal{Z}\{k(k-1)\cdots(k-n+1)a_k\})(z) &= \sum_{k=0}^{\infty} k(k-1)\cdots(k-n+1)a_k z^{-(k+1)} = \\ &= \sum_{k=n}^{\infty} k(k-1)\cdots(k-n+1)a_k z^{-(k+1)} = \left(-\frac{d}{dz}\right)^n \left(\sum_{k=n}^{\infty} \frac{a_k}{n!} z^{-(k+1-n)}\right) \\ &= (-1)^n \frac{d^n}{dz^n} \left(\sum_{k=0}^{\infty} \frac{a_{k+n}}{n!} z^{-(k+1)}\right) = \frac{(-1)^n}{n!} \frac{d^n}{dz^n} (\mathcal{Z}\{a_{k+n}\})(z). \end{aligned}$$

Then using Property II we obtain

$$\begin{aligned} &(\mathcal{Z}\{k(k-1)\cdots(k-n+1)a_k\})(z) \\ &= \frac{(-1)^n}{n!} \frac{d^n}{dz^n} \left(z^n \hat{a}(z) - \sum_{k=0}^{n-1} a_k z^{n-(k+1)}\right) = \frac{(-1)^n}{n!} \frac{d^n}{dz^n} (z^n \hat{a}(z)). \end{aligned}$$

**Remarks** In particular, then

$$\begin{aligned} (\mathcal{Z}\{k(k-1)\cdots(k-n+1)r^k\})(z) &= \frac{(-1)^n}{n!} \frac{d^n}{dz^n} (z^n (\mathcal{Z}\{r^k\})(z)) \\ &= \frac{(-1)^n}{n!} \frac{d^n}{dz^n} \left(z^n \sum_{k=0}^{\infty} \frac{r^k}{z^{k+1}}\right) = \frac{(-1)^n}{n!} \frac{d^n}{dz^n} \left(\sum_{k=0}^{n-1} r^k z^{(n-k-1)} + \sum_{k=n}^{\infty} \frac{r^k}{z^{(k+1-n)}}\right) \\ &= r^n \frac{(-1)^n}{n!} \frac{d^n}{dz^n} \left(\sum_{k=n}^{\infty} \frac{r^{k-n}}{z^{(k+1-n)}}\right) = r^n \frac{(-1)^n}{n!} \frac{d^n}{dz^n} \left(\sum_{k=0}^{\infty} \frac{r^k}{z^{k+1}}\right) \\ &= r^n \frac{(-1)^n}{n!} \frac{d^n}{dz^n} \left(\frac{1}{z-r}\right) = \frac{r^n}{(z-r)^{n+1}}. \end{aligned}$$

As an important corollary, we see that the inverse transform of  $\frac{1}{(z-r)^{n+1}}$  is the sequence  $\left\{\frac{1}{r^n} k(k-1)\cdots(k-n+1)r^k\right\} = \{k(k-1)\cdots(k-n+1)r^{k-n}\}$ . For  $n = 1$  we see that the transform of  $\{k r^{k-1}\}$  is  $\frac{1}{(z-r)^2}$ . This agrees with our earlier example  $\{a_k\} = \{k\}$  for  $r = 1$ .

This result also allows us to compute

$$(\mathcal{Z} \{k^n a_k\})(z) = \frac{(-1)^n}{n!} \frac{d^n}{dz^n} (\mathcal{Z} \{a_{k+n}\})(z) - (\mathcal{Z} \{(k(k-1) \cdots (k-n+1) - k^n) a_k\})(z).$$

The right hand side involves only powers  $k^m$ ,  $m < n$  so we can proceed inductively. Using the formula repeatedly, when the right hand side eventually involves only  $k^0 = 1$ , everything has been expressed in terms of  $\hat{a}(z) = (\mathcal{Z} \{a_k\})(z)$ . Thus, for example,

$$(\mathcal{Z} \{k a_k\})(z) = -\frac{d}{dz} (z \hat{a}(z) - a_0) = -\frac{d}{dz} (z \hat{a}(z)).$$

With this in hand we can proceed to compute

$$\begin{aligned} (\mathcal{Z} \{k^2 a_k\})(z) &= \frac{1}{2} \frac{d^2}{dz^2} (z^2 \hat{a}(z) - a_0 z - a_1) - (\mathcal{Z} \{((k^2 - k) - k^2) a_k\})(z) \\ &= \frac{1}{2} \frac{d^2}{dz^2} (z^2 \hat{a}(z)) + (\mathcal{Z} \{k a_k\})(z) = \frac{1}{2} \frac{d^2}{dz^2} (z^2 \hat{a}(z)) - \frac{d}{dz} (z \hat{a}(z)) = z^2 \hat{a}''(z) + z \hat{a}'(z). \end{aligned}$$

For a positive integer  $n$  we define the (right)  $n$ -shift of the sequence  $\{a_k\}$  to be the sequence  $\{a_{n+,k}\}$ , where

$$a_{n+,k} = \begin{cases} 0, & 0 \leq k < n, \\ a_{k-n}, & k \geq n. \end{cases}$$

**Property IV: Z-transform of the n-Shift.** We compute

$$\begin{aligned} \hat{a}_{n+}(z) &= (\mathcal{Z} \{a_{n+,k}\})(z) = \sum_{k=n}^{\infty} a_{k-n} z^{-(k+1)} \\ &= z^{-n} \sum_{k=n}^{\infty} a_{k-n} z^{-(k-n+1)} = (\text{with } j = k-n) = z^{-n} \sum_{j=0}^{\infty} a_j z^{-(j+1)} = z^{-n} \hat{a}(z). \end{aligned}$$

**Definition 2** Let  $\{a_k \mid k = 0, 1, 2, \dots\}$ ,  $\{b_k \mid k = 0, 1, 2, \dots\}$  be two sequences, indexed as indicated. The convolution product of these sequences is the sequence  $\{c_k \mid k = 0, 1, 2, \dots\}$ , written  $\{c_k\} = \{a_k\} * \{b_k\}$ , where

$$c_k = \sum_{j=0}^k a_j b_{k-j}.$$

**Property V: Z-transform of a Convolution Product** On the basis of the corresponding Laplace transform result we should expect some sort of ordinary product of Z-transforms here, and we are not disappointed.

$$\begin{aligned} (\mathcal{Z} \{\{a_k\} * \{b_k\}\}) (z) &= \sum_{k=0}^{\infty} \left( \sum_{j=0}^k a_j b_{k-j} \right) z^{-(k+1)} \\ &= z \sum_{k=0}^{\infty} \left( \sum_{j=0}^k a_j b_{k-j} \right) z^{-(k-j+1)-(j+1)} = z \sum_{\ell=0}^{\infty} \sum_{j=0}^{\infty} a_j b_{\ell} z^{-(\ell+1)} z^{-(j+1)} \\ &= z \left( \sum_{j=0}^{\infty} a_j z^{-(j+1)} \right) \left( \sum_{\ell=0}^{\infty} b_{\ell} z^{-(\ell+1)} \right) = z \hat{a}(z) \hat{b}(z), \end{aligned}$$

where we have taken  $\ell = k - j$ . It should be noted that the sequence  $\{\delta_k\}$  defined by  $\delta_0 = 1$ ,  $\delta_k = 0$ ,  $k > 0$ , for which we have seen earlier that  $(\mathcal{Z} \{\delta_k\}) (z) = \frac{1}{z}$ , is the identity for this convolution product, confirmed by

$$(\mathcal{Z} \{\{\delta_k\} * \{a_k\}\}) (z) = z \frac{1}{z} \hat{a}(z) = \hat{a}(z).$$