

## ARTICLE 1

# THE PYTHAGOREAN NATURE OF SUPERSTRING AND BOSONIC STRING THEORIES

by

**Stephen M. Phillips**

Flat 7, 40 Norwich Avenue West. Bournemouth. BH2 6AW. ENGLAND.

**E-mail:** Stephen@smphillips.8m.com

**Website:** <http://smphillips.8m.com>

### ABSTRACT

*The Pythagorean doctrine of a four-fold hierarchy or pattern in natural phenomena is generalised to the formulation of a 'Tetrad Principle' governing fundamental subatomic particle structures and processes. This principle is shown to prescribe the group-theoretical parameters of  $E_8 \times E_8$ , the anomaly-free, superstring gauge symmetry group, as well as  $E_8$  and its exceptional subgroups  $E_7$ ,  $E_6$  and  $F_4$ . The tetractys — the Pythagorean geometrical symbol of whole systems — is related to the space-times of superstrings and bosonic strings. As further illustration of this powerful principle, the dimensionality of bosonic strings and group-theoretical parameters of  $E_8$  are shown to be embodied in the geometry of the first four Platonic solids, believed by the ancient Greeks to be the shapes of the particles of the four elements Earth, Water, Air and Fire.*

## 1. PYTHAGOREAN MATHEMATICAL PRINCIPLES

Pythagoras founded\* a school of philosophy in Croton in southern Italy that was renowned throughout the ancient Mediterranean world. As much a religious brotherhood as a scholastic academy teaching music, astronomy, ethics, arithmetic and geometry, its students were taught mathematics not — as it was considered by Plato — as a preparation for an otherworldly contemplation of divine principles but in order to contemplate the divine immanent in nature. The mathematical doctrines of Pythagoras cannot be properly understood without recognising that the modern dichotomy of science and religion did not exist for the Pythagoreans, who believed that

---

\* Pythagoras' early biographers provide an unreliable, inconsistent chronology. But, as they agree that he left his home Samos for Italy during the rule of its dictator Polycrates (528–522BC) and was deported from Egypt after its invasion by Cambyses in 525 BC, he must have started his school at Croton between 525 BC and 522 BC.



## Pythagoras

*(from **The Secret Teachings of All Ages**, Manley P. Hall (The Philosophical Research Society, Inc., Los Angeles, California, U.S.A., 1988).*

Hovering like a halo above the sage's head, the tetractys is depicted by Hall as a triangular array of ten 'yods' (the comma-shaped yod is the tenth letter of the Hebrew alphabet). The author's researches indicate that it was Pythagoras' greatest discovery, because it turns objects with 'sacred geometry' into numbers of cosmic significance and relevance to modern theoretical physics.

man can realise his divine nature by knowing the universal principle which governs the cosmos (a word coined by Pythagoras himself, meaning “world-order,” a world ordered in a state of mathematical harmony). This principle is Number, which is “the principle, the source and the root of all things” (1). For the Pythagoreans, the spiritual and scientific dimensions of number were complementary and could not be separated.

Pythagoras was not only the first to call himself a philosopher but also a priest-initiate of a mystery religion influenced heavily by Orphism, which taught that the essence of the gods is defined by number. Numbers, indeed, expressed the essence of all created things. According to the Pythagorean Philolaus: “All things which can be known have numbers, for it is not possible that without number anything can either be conceived or known” (2). The Pythagoreans were the first to assert that natural phenomena conformed to mathematical principles and so could be understood by means of mathematics. In this sense, they may be considered the first physicists. But their doctrine gradually became distorted into the proposition that not only does number express the essence of things but also that, ultimately, all things are numbers. Unconvinced by the peculiar emphasis Pythagoreans gave to numbers because he was not privy to the secrets of their teachings, Aristotle said of them: “These thinkers seem to consider that number is the principle both as matter for things and as constituting their attributes and permanent state” (3).

The Pythagoreans thought that numbers had metaphysical characters, which expressed the nature of the gods. The number one (the Monad) represented the principle of unity — the undifferentiated source of all created things. The Pythagoreans did not even regard it as a number because for them it was the ultimate principle underlying *all* numbers. The number 2 (Dyad) represented duality — the beginning of multiplicity, but not yet the possibility of *logos*, the principle relating one thing to another. The number 3 (Triad) was called “harmony” because it created a relation or *harmonia* (“joining together”) between the polar extremes of the undifferentiated Monad and the unlimited differentiation of Dyad.

Pythagoras was the first to use geometrical diagrams as models of cosmic wholeness and the celestial order. Numbers themselves were represented by geometrical shapes: triangles, squares, pentagons, etc. For example, a ‘triangular number’ is any number that is equal to the number of dots forming a triangular array (*fig. 1*) and a ‘square number’ is one that can be represented by a square array of dots. The ancient Greeks generalised such ‘figurative numbers’ by considering nests of *n* regular polygons nested inside one another so that they share two adjacent sides (*fig. 2*). Dots denoting the number 1 are spaced at regular intervals along the edges of the polygons, the

edge of each polygon having one more dot than the edge of its smaller predecessor. The total number  $P_n^N$  of dots in a set of  $n$  nested regular polygons with  $N$  sides is called a “polygonal number.” The number 1 is the first polygonal number, i.e.,  $P_1^N = 1$ . The second polygonal number, which is simply the number of corners of an  $N$ -sided, regular polygons, is  $P_2^N = N$ , the third is  $P_3^N$ , etc.  $P_n^N$  is given by:

$$P_n^N = \frac{1}{2}n[(N-2)n - (N-4)]$$

Table I lists for future reference formulae expressing the first ten types of polygonal numbers:

**TABLE I**

3	$P_n^3$	$\equiv$	$T_n$	$=$	$\frac{1}{2}n(n+1)$
4	$P_n^4$	$\equiv$	$S_n$	$=$	$\frac{1}{2}n(2n-0)$
5	$P_n^5$	$\equiv$	$P_n$	$=$	$\frac{1}{2}n(3n-1)$
6	$P_n^6$	$\equiv$	$H_n$	$=$	$\frac{1}{2}n(4n-2)$
7	$P_n^7$	$\equiv$	$h_n$	$=$	$\frac{1}{2}n(5n-3)$
8	$P_n^8$	$\equiv$	$O_n$	$=$	$\frac{1}{2}n(6n-4)$
9	$P_n^9$	$\equiv$	$N_n$	$=$	$\frac{1}{2}n(7n-5)$
10	$P_n^{10}$	$\equiv$	$D_n$	$=$	$\frac{1}{2}n(8n-6)$
11	$P_n^{11}$	$\equiv$	$E_n$	$=$	$\frac{1}{2}n(9n-7)$
12	$P_n^{12}$	$\equiv$	$d_n$	$=$	$\frac{1}{2}n(10n-8)$

The best-known polygonal number is the famous Pythagorean Triangle or “tetractys” which, as the 4th triangular number, is an equilateral triangular array of ten dots (*fig. 3a*). We shall call these dots “yods” after the dot-shaped, tenth letter yod of the Hebrew alphabet. The yod (•) at the centre of the tetractys in Figure 3b is the centre of a hexagon whose corners are the six other (•) yods. These seven yods will be called “hexagonal yods.” The four rows of yods forming the tetractys represent the first four integers 1, 2, 3 & 4. The tetractys denotes the number 10, the Decad, which for the Pythagoreans was the perfect number, symbolising wholeness and unity.

The importance of the tetractys to them is illustrated by their oath of fellowship:

“I swear by the discoverer\* of the Tetractys,  
Which is the spring of all our wisdom,  
The perennial fount and root of Nature (4).”

Why was this? Surely not merely because the tetractys was a representation of the perfect Decad?! Scholars know that it came to signify for the Pythagoreans an all-embracing paradigm for whole systems. They believed that a four-fold pattern permeated the natural world, examples of which are the four seasons, the point, line, surface and solid and the four elements Earth, Water, Air and

---

\* A reference to Pythagoras.

Fire. However, this alone does not explain why they valued the tetractys so much. This article will reveal deeper meanings of the Pythagorean doctrine concerning the tetractys, which link it to current research into the theories of superstrings and bosonic strings. It will explain why the Pythagoreans called the Tetrad, or number 4, “the greatest miracle.” For, indeed, this is what it is, because it prescribes the mathematical description of the subatomic world.

The mathematical counterpart of the Pythagorean metaphysical doctrine of the Tetrad will be called the “Tetrad Principle.” This states:

#### **TETRAD PRINCIPLE**

Integers of significance to the physics of fundamental processes are always either:

- 1) the 4th member of a class of numbers (sometimes the  $(4^2 = 16)$ th member of a class);
- 2) the sum of the first 4 members of a class;
- 3) the sum of 4 consecutive members of a class, starting with the 4th;
- 4) a property of either the 4th member or the first 4 members of a class of mathematical objects, or of the square (symbol of the Tetrad) or square array of integers or mathematical objects, or of a tetractys array or geometrical pattern of integers with orthogonal symmetry.

The most obvious example from superstring theory of this principle is its prediction that space-time has 10 dimensions, where 10 is the 4th triangular number:

$$10 = 1 + 2 + 3 + 4.$$

Many more will be encountered later. No claim is made for the converse of this principal, e.g., the 4th (or 16th) member or the first 4 members of any class of mathematical objects *always* quantify a parameter governing fundamental processes. The Tetrad Principle is a necessary, but not sufficient, condition for a number to be of significance to the subatomic world. This means that a number which is predicted by a theory as having fundamental significance in the subatomic world and which is consistent with the Tetrad Principle is not necessarily an actual parameter of the physics of this world. The fact that examples to be discussed in Section 2 can be found which show how this principle prescribes parameters of the theories of superstrings and bosonic strings does not in itself indicate that these string theories are true. Taken individually, such examples merely demonstrate that they satisfy a necessary criterion for being valid. What, however, turns this criterion into a potent principle is the large degree to which these two theories support it. As Section 2 reveals, their degree of consistency with the Tetrad Principle so exceeds what chance would lead one to expect that such detailed conformity cannot plausibly be discounted as purely

coincidental. Instead, it is indicative of a powerful, hitherto unrecognised principle at work prescribing the mathematics of fundamental phenomena — one which the Pythagoreans appear to have intuited in their emphasis on the importance of the number 4 to the study of nature.

The tetractys is but one member of an infinite series of tetractyses in which the  $n$ th member  $T_n$  is generated by replacing each yod in the  $(n-1)$ th member by a tetractys, two adjacent yods being substituted by two tetractyses sharing a corner (*fig. 4*). The Pythagorean Monad — the geometrical point — is the first member  $T_0$  of this series (the 0th-order tetractys), the Pythagorean Triangle (1st-order tetractys) is the second member  $T_1$ , the 2nd-order tetractys  $T_2$  is the third, and so on. The Tetrad Principle prescribes properties of higher order tetractyses as well as  $T_1$  because they, too, are paradigms of *whole* systems, albeit more differentiated. Because of its importance to our discussion in Section 3, we illustrate below how the Tetrad Principle prescribes properties of  $T_2$ :

- 1) number of yods =  $85 = 4^0 + 4^1 + 4^2 + 4^3$ ;
- 2) number of yods surrounding its centre =  $84 = 1^2 + 3^2 + 5^2 + 7^2$ ;
- 3) number of corners (○) of 1st-order tetractyses =  $15 = 4$ th Mersenne number = 4th triangular number after 1;
- 4) number of sides of 1st-order tetractyses =  $30 = 1^2 + 2^2 + 3^2 + 4^2$ ;
- 5) number of hexagonal yods (●) =  $70 = 4$ th, 4-dimensional, tetrahedral number after 1.

## 2. TETRAD PRINCIPLE IN STRING THEORIES.

In this section we shall illustrate the powerful role of the Pythagorean Tetrad Principle in prescribing the mathematical character of superstring and bosonic string theories by making explicit the arithmetic and geometric connections between the tetractys, the number 4 (as well as the integers 1, 2, 3 & 4) and group-theoretical parameters of the superstring gauge symmetry groups  $E_8 \times E_8$ ,  $E_8$  and its exceptional subgroups. Examples of how the Tetrad Principle defines parameters of these two string theories are listed below:

- 1) Dimensionality of superstring space-time =  $10 = 1 + 2 + 3 + 4$ , whilst large-scale space-time is 4-dimensional. As the 4th triangular number, 10 is symbolised by the Pythagorean tetractys (*fig. 5*). But this representation of the perfect Decad central to the number philosophy of Pythagoras is not merely a way of expressing the integers 1, 2, 3 & 4, as scholars have traditionally believed. It is the paradigm for superstring space-time itself, as its following physical interpretation demonstrates: the three yods at the corners of the tetractys not only define the *shape* of the simplest geometrical figure — the triangle — but also symbolise the dimensions of large-scale space in which the fundamental particles — superstrings — move. The 6 hexagonal yods at the corners of the hexagon symbolise the 6 higher, compactified

dimensions predicted by superstring theory, whilst the yod at the centre of the tetractys denotes the dimension of time. Just as the 9 yods on the *boundary* of the tetractys delineate its *shape*, so they denote the 9 *form-creating* spatial dimensions of superstrings. The differentiation:

$$10 = 1 + 3 + 6$$

between uncompactified and compactified dimensions of the 10-dimensional space-time predicted by superstring theory thus finds its geometrical counterpart in the tetractys. A modern-day Pythagorean would account for this analogy by declaring that the identity of number and form implies that the dimensionality of space-time — the precursor of form — must conform to the 10-fold nature of Unity, the Monad which, being the source of number, is also the origin of material form.

- 2) According to the Pythagoreans, the integers 1, 2, 3 & 4 symbolised by the four rows of yods in the tetractys define, respectively, the dimensionless *point*, the 1-dimensional line with its 2 endpoints, the 2-dimensional triangle with its 3 corners (hence, in general, *surface*) and the 3-dimensional tetrahedron with its 4 corners (hence, in general, *volume*) (*fig. 6*). The 4 stages of generation from a mathematical point of the simplest polyhedron are an illustration of the Pythagorean doctrine of a 4-fold sequence in the generation of form. They comprise 26 points, lines, triangles and tetrahedra. In other words, 26 geometrical elements are required to create the simplest solid in 4 steps. Compare this with the fact that the critical dimension of space-time for free bosonic strings to have no negative-probability ghost states (5) and for the theory to be Lorentz invariant (6) is 26. This is not a coincidence but an example of the Tetrad Principle generating identical numbers in contexts that, although ostensibly unrelated, are analogous in the sense that both the tetrahedron and bosonic string are *basic forms*, the former in the large-scale world and the latter in the subatomic world.

More generally, 26 is the number of combinations of 10 different objects selected from the 4 rows of a tetractys without mixing between rows (*fig. 7*). As  $2^n - 1$  is the total number of different combinations of  $n$  objects and  $M_n = 2^n - 1$  is, by definition, the  $n$ th Mersenne number, 26 is the sum of the first 4 Mersenne numbers 1, 3, 7 and 15, indicating how the Tetrad Principle determines the dimensionality of space-time predicted by bosonic string theory.

26 can be represented as a tetractys array of the first 4 powers of 2:

$$\begin{array}{rcl}
 2^0 & = & 1 \\
 2^0 \ 2^1 & = & 3 \\
 2^0 \ 2^1 \ 2^2 & = & 7 \\
 2^0 \ 2^1 \ 2^2 \ 2^3 & = & 15 \\
 \mathbf{Total} & = & \underline{26}
 \end{array}$$







and

$$50 = \begin{array}{cccc} & & 4^2 & \\ & & 3^2 & 3^2 \\ & 2^2 & 2^2 & 2^2 \\ 1^2 & 1^2 & 1^2 & 1^2 \end{array}$$


26 has the following representation in terms of 1, 2, 3 & 4:

$$26 = \frac{\begin{array}{cccc} & & 1^4 & \\ & & 2^4 & 2^4 \\ & 3^4 & 3^4 & 3^4 \\ 4^4 & 4^4 & 4^4 & 4^4 \end{array}}{\begin{array}{cccc} & & 4^2 & \\ & & 3^2 & 3^2 \\ & 2^2 & 2^2 & 2^2 \\ 1^2 & 1^2 & 1^2 & 1^2 \end{array}}$$

- 4) Number of dimensions of macroscopic space-time = 4, the 4th positive integer;  
 number of dimensions of superstring space-time = 10 = 4th triangular number;  
 number of bosonic string dimensions whose compactification generates superstrings = 16 = 4th square number;  
 number of compactified bosonic string dimensions = 22 = 4th pentagonal number = sum of 1, 2, 3 & 4 raised, respectively, to powers 4, 3, 2 & 1:

$$22 = \begin{array}{ccc} 1^4 & & 2^3 \\ & \square & \\ 4^1 & & 3^2 \end{array}$$


As the geometrical symbol of the Tetrad, a square divided into 4 tetractyses generates the number of spatial dimensions of bosonic strings and differentiates between superstring and purely bosonic string dimensions:



where 16 (4th square number) is the number of purely bosonic string dimensions whose compactification generates superstrings with 9 remaining spatial dimensions (9 = 4th odd integer after 1). The central yod (●) symbolises the longitudinal dimension of a string, the surrounding 24 (= 1×2×3×4 = 4!) yods represent the 24 transverse dimensions of a bosonic string and the surrounding 8 yods (●) denote the 8 transverse, purely superstring dimensions (8 = 4th even integer). 25 is the arithmetic mean of the cubes of the first 4 integers:

$$25 = \frac{1^3 + 2^3 + 3^3 + 4^3}{4}$$


- 6) The rank 8 of the unified gauge symmetry group  $E_8$  is the 4th even number. The rank 16 of  $E_8 \times E_8$  is the 4th square number.
- 7) A tetractys-divided square expresses the dimension 248 of  $E_8$  in terms of 1, 2, 3 & 4:



8) Using the identity:


$$6200 = 248 \times 25 = 2^2 + 3^2 + 4^2 + \dots + 26^2,$$

where the first term,  $2^2 = 4$ , is the Tetrad and the last term is the square of the sum of the first 4 Mersenne numbers, the square displays the following remarkable property of the number 248:




Starting with the Tetrad  $2^2 = 4$  at the centre of the square and assigning the 24 (= 4!) squares  $3^2, 4^2, \dots, 26^2$  to the surrounding 24 yods of the 4 tetractyses, with squares of even integers inside the square and squares of odd integers on its boundary, the sum of these 25 squares is that resulting from assigning the number 248 to each yod in the square.

- 9) Starting with the 4th triangular number  $T_4 = 10$ , the sum of the first  $(4 + 4 = 8)$  polygonal numbers of the 4th order is 248:



The sum:



of the first 4 polygonal numbers represented by regular polygons with odd numbers of corners is the number of non-zero roots of  $E_8$  of length squared 2 of the kind:

$$\pm u_i \pm u_j \dots \dots \dots i, j = 1, 2, \dots, 8$$

where  $u_i$  are 8 orthonormal unit vectors. The Tetrad also expresses this number as

$$112 = \begin{matrix} 7 & 7 & 7 & 7 \\ 7 & 7 & 7 & 7 \\ 7 & 7 & 7 & 7 \\ 7 & 7 & 7 & 7 \end{matrix}$$


where 7 is both the 4th odd number and the 4th prime number. 112 is the 7th *heptagonal* number (note that the heptagon is 7-sided). The Tetrad also defines the number (128) of non-zero roots of  $E_8$  of the kind:

$$\frac{1}{2}(\pm u_1 \pm u_2 \pm \dots \pm u_8) \dots \dots \dots (\text{even \# of + signs})$$

because  $128 = 2^7 = 4^{7/2} = (4^{\text{4th prime number}})^{1/2}$ . The total number of non-zero roots of  $E_8$  is

$$240 = \begin{matrix} 4! \\ 4! & 4! \\ 4! & 4! & 4! \\ 4! & 4! & 4! & 4! \end{matrix}$$

This number has also the representation:



It contains 36 even integers ending in the 4th square number, where 36 is the sum of the first 4 even integers and the first 4 odd integers (also  $4 \times 4$ th odd integer after 1). The sum of the shaded triangular array of 15 integers is 112, and the sum of the remaining 21 integers is 128 ( $15 = 8$ th odd integer, where  $8 = 4$ th even integer, and  $21 = 10$ th odd integer after 1, where  $10 = 4$ th triangular number). The sum of the 15 integers inside the boundary of the array of 36 integers is 100, the  $(1 + 2 + 3 + 4 = 10)$ th square number, and the sum of the 21 integers on the boundary is

$$140 = 1^2 + 2^2 + 3^2 + 4^2 + 5^2 + 6^2 + 7^2,$$

namely, the 7th square pyramidal number ( $7 = 4$ th prime/odd number). The Tetrad thus differentiates between the two types of non-zero roots of  $E_8$ . It also defines the 8 zero roots of  $E_8$  because 8 is the 4th even integer.

Since  $24 = 5^2 - 1 = 3 + 5 + 7 + 9$ ,

$$240 = \begin{array}{cccc} 24 & 3 & 5 & 7 & 9 \\ 24 & 3 & 5 & 7 & 9 \\ 24 & 3 & 5 & 7 & 9 \\ 24 & 3 & 5 & 7 & 9 \end{array} = \begin{array}{cccc} 3 & 3 & 5 & 7 & 9 \\ 3 & 3 & 5 & 7 & 9 \\ 3 & 3 & 5 & 7 & 9 \\ 3 & 3 & 5 & 7 & 9 \end{array} + \begin{array}{cccc} 5 & 5 & 7 & 9 \\ 5 & 5 & 7 & 9 \\ 5 & 5 & 7 & 9 \\ 5 & 5 & 7 & 9 \end{array} + \begin{array}{cccc} 7 & 7 & 9 \\ 7 & 7 & 9 \\ 7 & 7 & 9 \end{array} + \begin{array}{cccc} 9 & 9 \\ 9 & 9 \end{array}$$

i.e., 240 is the sum of

$$40 = \begin{array}{cccc} 4 & & & \\ 4 & 4 & & \\ 4 & 4 & 4 & \\ 4 & 4 & 4 & 4 \end{array} = \begin{array}{|c|c|} \hline 4 & 8 \\ \hline \square & \\ \hline 16 & 12 \\ \hline \end{array}$$

odd integers arranged as 4 tetractys arrays of the first 4 odd integers after 1.  $E_8 \times E_8$  has 480 non-zero roots. Since  $480 = 16 \times 30 = 4^2 \times (1^2 + 2^2 + 3^2 + 4^2)$

$$= \begin{array}{ccc} & 4^2 & 8^2 \\ & \square & \\ & 16^2 & 12^2 \end{array}$$

this group parameter is the sum of 4 square numbers spaced 4 units apart, starting with the 4th square. The number of zero roots of  $E_8 \times E_8$  is 16, the 4th square number. These examples illustrate how the Tetrad Principle defines group theoretical parameters of the unified superstring gauge symmetry group  $E_8 \times E_8$ .

10) Defining the two possible tetractys arrays of the nth powers of 1, 2, 3 & 4:

$$t_n \equiv \begin{array}{cccc} & 4^n & & \\ & 3^n & 3^n & \\ & 2^n & 2^n & 2^n \\ 1^n & 1^n & 1^n & 1^n \end{array}, \quad T_n \equiv \begin{array}{cccc} & & 1^n & \\ & & 2^n & 2^n \\ & 3^n & 3^n & 3^n \\ 4^n & 4^n & 4^n & 4^n \end{array} \quad (n = 0, 1, 2, 3, \dots \text{ etc.})$$

then, as  $T_0 = t_0 = 10$  and  $T_n \neq t_n$  for  $n = 1, 2, 3, 4$ , there are 9 different numbers generated by the values  $n = 0, 1, 2, 3, 4$  ( $9 = 4\text{th odd integer after } 1$ ). Remarkably, their sum is

$$t_0 \text{ (or } T_0) + \sum_{n=1}^4 (t_n + T_n) = 2480 = \begin{array}{cccc} & & & 248 \\ & & 248 & 248 \\ & 248 & 248 & 248 \\ 248 & 248 & 248 & 248 \end{array}$$

2480 is the number of space-time components of the 248 ten-dimensional gauge fields of  $E_8$ . The Tetrad and the tetractys thus define this physical parameter of superstring theory. The sum above may be written:

$$2480 = 248 \begin{array}{c} \bullet \\ \bullet \bullet \\ \bullet \bullet \bullet \\ \bullet \bullet \bullet \bullet \end{array} = t_0 + (t_1 + t_2) + (t_3 + t_4 + T_1 + T_2 + T_3 + T_4) \\ = 10 + 70 + 2400 \\ = 1 \begin{array}{c} \bullet \\ \bullet \bullet \\ \bullet \bullet \bullet \\ \bullet \bullet \bullet \bullet \end{array} + 7 \begin{array}{c} \bullet \\ \bullet \bullet \\ \bullet \bullet \bullet \\ \bullet \bullet \bullet \bullet \end{array} + 240 \begin{array}{c} \bullet \\ \bullet \bullet \\ \bullet \bullet \bullet \\ \bullet \bullet \bullet \bullet \end{array}$$

The nine different tetractys arrays of powers of 0, 1, 2, 3 & 4 not only sum to 2480 but also

differentiate between the (1+7) zero roots of  $E_8$  and its 240 non-zero roots!

11) Using the identity

$$1240 = 1^2 + 2^2 + 3^2 + 4^2 + \dots + 15^2,$$

where

$$15 = \begin{array}{c} 2^0 \\ \square \\ 2^3 \end{array} \begin{array}{c} 2^1 \\ \\ 2^2 \end{array} = \binom{4}{1} + \binom{4}{2} + \binom{4}{3} + \binom{4}{4} = 2^4 - 1$$

is the 4th Mersenne number, the Maltese Cross array of integers 1–15 shown in Figure 8 sums to 4960. This is the number of the components of the 496 10-dimensional gauge fields of  $E_8 \times E_8$ . The representation is made up of 480 integers, where 480 is the number of non-zero roots of  $E_8 \times E_8$ , of which

$$168 = \begin{array}{cccc} 3 & \text{---} & 5 & \text{---} & 7 & \text{---} & 9 \\ | & & & & & & | \\ 25 & & & & & & 11 \\ | & & & & & & | \\ 23 & & & & & & 13 \\ | & & & & & & | \\ 21 & \text{---} & 19 & \text{---} & 17 & \text{---} & 15 \end{array} = \begin{array}{c} 5 \text{---} 7 \\ \triangle \\ 25 \text{---} 23 \triangle \\ 3 \\ 21 \text{---} 9 \triangle \\ 15 \\ \triangle \\ 19 \text{---} 5 \end{array}$$


integers form the boundary of the Maltese Cross. The 240 integers comprising a pair of arms of the cross sum to 2480, the number of space-time components of the 248 gauge fields of  $E_8$ . Of these integers,

$$84 = \begin{array}{c} 1^2 \quad 3^2 \\ \square \\ 7^2 \quad 5^2 \end{array}$$

integers form the boundary of a pair of arms. This ancient religious emblem, whose four arms symbolise the Tetrad, thus defines the number of space-time components of all the gauge fields mediating the  $E_8$ -invariant superstring force.

12) According to Aristotle, the Pythagoreans gained mathematical insights through their use of the gnomon, or carpenter's square (8). For example, by sandwiching gnomons inside one another

with marked out points, they found that this generates a square array of points whose number is the sum of the (odd) numbers of points in successive gnomons, i.e.,



This made them realise that the square of any integer  $n$  is the sum of the first  $n$  odd integers. In particular, 4 gnomons generates the 4th square 16 as a  $4 \times 4$  square array of points whose number is the sum of the first 4 odd integers — the numbers of points in successive gnomons:

$$16 = 4^2 = 1 + 3 + 5 + 7.$$

We pointed out in Section 1 that

$$84 = 1^2 + 3^2 + 5^2 + 7^2$$

is the number of yods surrounding the centre of a 2nd-order tetractys. The sum of these 4 squares assigned to points along 4 successive gnomons is

$$\begin{array}{cccc}
 1^2 & 3^2 & 5^2 & 7^2 \\
 3^2 \text{ --- } 3^2 & & 5^2 & 7^2 \\
 5^2 \text{ --- } 5^2 \text{ --- } 5^2 & & & 7^2 \\
 7^2 \text{ --- } 7^2 \text{ --- } 7^2 \text{ --- } 7^2 & & & \\
 \end{array}
 =
 \begin{array}{cc}
 1^3 & 3^3 \\
 \square & \\
 7^3 & 5^3
 \end{array}$$

The sum of the cubes of the first 4 odd integers is the crucial dimension of the non-abelian gauge symmetry group governing superstring interactions that Michael Green and Gary Schwarz found to be free of quantum anomalies (9). This illustrates *par excellence* the prescriptive power of the Tetrad Principle and substantiates the title: “Holding the Key of Nature” that the Pythagoreans assigned to the number 4 (10).

Just as 4 gnomons generate the dimension 496 of  $E_8 \times E_8$  from the squares of the first 4 odd integers, so 10 (= 1 + 2 + 3 + 4) gnomons generate the dimension 133 of  $E_7$ , the largest



exceptional subgroup of  $E_8$ , from the first 10 odd integers:

$$1330 = \begin{array}{|c|c|c|c|c|c|c|c|c|c|c|} \hline 1 & 3 & 5 & 7 & 9 & 11 & 13 & 15 & 17 & 19 & \\ \hline 3 & 3 & 5 & 7 & 9 & 11 & 13 & 15 & 17 & 19 & \\ \hline 5 & 5 & 5 & 7 & 9 & 11 & 13 & 15 & 17 & 19 & \\ \hline 7 & 7 & 7 & 7 & 9 & 11 & 13 & 15 & 17 & 19 & \\ \hline 9 & 9 & 9 & 9 & 9 & 11 & 13 & 15 & 17 & 19 & \\ \hline 11 & 11 & 11 & 11 & 11 & 11 & 13 & 15 & 17 & 19 & \\ \hline 13 & 13 & 13 & 13 & 13 & 13 & 13 & 15 & 17 & 19 & \\ \hline 15 & 15 & 15 & 15 & 15 & 15 & 15 & 15 & 17 & 19 & \\ \hline 17 & 17 & 17 & 17 & 17 & 17 & 17 & 17 & 17 & 19 & \\ \hline 19 & 19 & 19 & 19 & 19 & 19 & 19 & 19 & 19 & 19 & \\ \hline \end{array} = \begin{array}{ccc} & 1^2 & 133 \\ & 3^2 & 5^2 & 133 & 133 \\ & 7^2 & 9^2 & 11^2 & 133 & 133 & 133 \\ & 13^2 & 15^2 & 17^2 & 19^2 & 133 & 133 & 133 & 133 \end{array}$$

100 ( $= 1^3 + 2^3 + 3^3 + 4^3$ ) odd integers make up the 10 gnomons. 1330 is also the sum of the 10th set of the first 7 types of polygonal numbers ( $7 = 4$ th prime/odd number):

$$T_{10} + S_{10} + P_{10} + H_{10} + h_{10} + O_{10} + N_{10} = 1330.$$

- 13)** The hexagon is the 4th regular polygon. If the first 16 ( $= 4^2$ ) hexagonal numbers are assigned to successive dots in a  $4 \times 4$  square array of dots, the last and largest hexagonal number is

$$H_{16} = 496,$$

which is the dimension of  $E_8 \times E_8$ . Using the identity

$$H_n = 4T_{n-1} + n$$

(Appendix B), then

$$H_{16} = 4T_{15} + 16 = 480 + 16,$$

which compares with the fact that the 496 roots of  $E_8 \times E_8$  consist of 480 non-zero roots and 16 zero roots.

- 14)** The number of hexagonal yods in an  $n$ -sided regular polygon whose sectors are divided into three tetractyses is

$$H(n) = 13n$$

(Appendix C). A square ( $n = 4$ ) has  $13 \times 4 = 52$  hexagonal yods and a hexagon ( $n = 6$ ) has  $13 \times 6 = 78$  hexagonal yods (*fig. 9*). The *four-sided* square thus defines the dimension 52 of the *rank-4* exceptional group  $F_4$ , whilst the 4th regular polygon (the *six-sided* hexagon) defines the dimension 78 of the *rank-6* exceptional group  $E_6$ , both groups being subgroups of  $E_8$ .

The first 12 integers evenly spaced along the sides of a square, 4 integers to a side, sum to 78:

$$78 = \begin{array}{cccc} 1 & 2 & 3 & 4 \\ & 12 & & 5 \\ & 11 & & 6 \\ 10 & 9 & 8 & 7 \end{array}$$

15) A square whose sectors are turned into 2nd-order tetractyses has 288 yods surrounding its centre, where

$$\begin{aligned} 288 &= 1^1 + 2^2 + 3^3 + 4^4 \\ &= 1! \times 2! \times 3! \times 4! \\ &= \begin{array}{cccc} 3 & 5 & 7 & 9 \\ 11 & 13 & 15 & 17 \\ 19 & 21 & 23 & 25 \\ 27 & 29 & 31 & 33 \end{array} \quad (33 = 1! + 2! + 3! + 4!) \end{aligned}$$

showing how these integers 1, 2, 3 & 4 express this number. Of these yods,


$$40 = \begin{array}{cccc} & & 4 & \\ & & 4 & 4 \\ 4 & 4 & 4 & \\ & 4 & 4 & 4 & 4 \end{array} = \begin{array}{ccc} & 4 & 8 \\ & \square & \\ 16 & & 12 \end{array}$$

are corners of 1st-order tetractyses, leaving 248 hexagonal yods (shown by • yods in Figure 10). The square — the geometrical symbol of the Pythagorean Tetrad — thus generates the dimension of  $E_8$  as well as its rank-4 exceptional subgroup  $F_4$ . Indeed, the latter number is also present in this representation as the number of hexagonal yods (●) in tetractyses at the corners of the 2nd-order tetractyses that do not also belong to adjacent tetractyses.


Appendix D shows in general that an n-sided regular polygon divided into 2nd-order tetractyses has  $72n$  yods surrounding its centre ( $72 = 36$ th even integer, where 36 is sum of the first 4 even integers and the first 4 odd integers). Of these,  $10n$  yods are corners of 1st-order tetractyses, leaving  $62n$  hexagonal yods. The number of yods surrounding the centre of an octagon  $= 72 \times 8 = 576 = (4!)^2$

$$\begin{array}{cccc}
 36 & 36 & 36 & 36 \\
 = & 36 & 36 & 36 \\
 & 36 & 36 & 36 \\
 & 36 & 36 & 36
 \end{array}$$

where



Of these,  $(10 \times 8 = 80)$  yods are corners, where



leaving  $(576 - 80 = 496)$  hexagonal yods (notice that *both* 36 and 80 can be represented by octagonal arrays of integers, the former consisting of the first 8 integers and the latter consisting of the first 8 odd integers after 1). The octagon thus defines the dimension 496 of  $E_8 \times E_8$ , the direct product nature of the unified gauge symmetry group of superstrings reflecting the fact that an octagon is generated from two identical squares by rotating one relative to the other through an angle of  $45^\circ$ .

### 16) 496 AS A PERFECT NUMBER

The ancient Greeks classified numbers not only as even or odd, prime or composite, but also as excessive, defective or perfect. In excessive (or superabundant) numbers the sum of the divisors is larger than the number. In defective (or deficient) numbers, the sum is smaller than the number. Perfect numbers are equal to the sum of their divisors. The last of the 36 propositions in Book IX of Euclid's *Geometry* asserts that, if  $(2^n - 1)$  is prime, then  $2^{n-1}(2^n - 1)$

is a perfect number. This means that all perfect numbers of this form are even. In a work published posthumously in 1849, the mathematician Léonard Euler proved the converse of this proposition that all even perfect numbers are of the form given by Euclid. If the  $n$ th Mersenne number  $M_n = 2^n - 1$  is prime, then  $2^{n-1} M_n$  is perfect ( $M_1 = 1$  is not regarded as a prime number). The first four perfect numbers:

$n$	$M_n$	$2^{n-1}M_n$
2	3	6
3	7	28
5	31	496
7	127	9128

were known to the ancient Greeks, the neo-Pythagorean Nichomachus being known to have spent considerable time hunting for 496 and 8128.\* 496 is therefore the *third* perfect number.

The first Mersenne number  $M_1 = 1$  does not define 1 as a perfect number because of the convention that 1 is not regarded as a prime number. It is amusing that 496 would be the *fourth* perfect number if this convention were not adopted, in agreement with the Tetrad Principle that the Pythagorean Tetrad defines members of classes of numbers or mathematical objects which have significance to the physics of nature. However, this principle is still upheld because 496 is defined by  $n = 5$ , i.e., the *fourth* of the integers after 1, which the Pythagoreans regarded not as a number but as the source of all numbers.

As the sum of its factors, 496 is

$$496 = 1 + 2 + 4 + 8 + 16 + 31 + 62 + 124 + 248.$$

Using the theorem (12) that the product of the factors, including itself, of the perfect number  $P=2^{n-1}M_n$  is  $P^n$ , we see that, of all perfect numbers, 496 ( $n = 5$ ) is uniquely connected to the Tetrad, 4, through its remarkable property:

$$496^4 = (1+2+4+8+16+31+62+124+248)^4 = 1 \times 2 \times 4 \times 8 \times 16 \times 31 \times 62 \times 124 \times 248.$$

Also, since every perfect number except 6 is (13) a partial sum of the series:

$$1^3 + 3^3 + 5^3 + 7^3 + \dots,$$

then 496 ( $= 1^3 + 3^3 + 5^3 + 7^3$ ) is defined by the Tetrad because it is the sum of the first 4 terms in this series.

---

\* Pythagoras' biographer Iamblichus may have known the fifth perfect number 33550336, although he does not give it. See reference 11, footnote, p. 74.

The ancient religious symbol of the pentagram provides a representation of the dimensions of  $E_8$  and  $E_8 \times E_8$  (fig. 11). Notice in (b) that the first number is  $2^4 = 4^2$  and that the last number is  $2^8 = 4^4$ . The square also provides a representation of the  $E_8$  group parameter 240:

$$240 = \begin{array}{ccc} & 2^4 & 2^5 \\ & \square & \\ 2^7 & & 2^6 \end{array}$$

This again illustrates the Tetrad Principle because 240 is the sum of *four* successive powers of 2, starting with  $2^4 = 4^2$ , the *fourth* square number. Notice that  $2^4 + 2^5 + 2^6 = 112$ , and that  $2^7 = 128$ , the numbers of the two different types of non-zero roots of  $E_8$ .

- 17)** A pentagram array of the cubes of the integers 1, 2, 3 & 4 represents the number 496 (fig. 12). Notice that the representation contains 16 ( $= 4^2$ ) cubes.
- 18)** A pentagon divided into tetractyses contains 31 yods, where 31 is the 4th Mersenne number above 1 (fig. 13). 496 is the 31st triangular number:

$$496 = 1 + 2 + 3 + 4 + \dots + 31.$$

If we assign the 15 even integers 2, 4, ... 30 to the 15 yods on the boundary of the pentagon and the 16 odd integers 1, 3, 5, ... 31 to the 16 internal yods, the sum of these 31 integers is 496, the sum of the interior integers is 256 ( $= 4^4$ ) and the sum of the integers on the boundary is 240 ( $= (1 + 2 + 3 + 4)4!$ ) (fig. 14). Since  $496 = 31 \times 16 = 31 \times 4^2$ , assigning the 4th square number to each of the 31 yods in the pentagon generates the number 496 (fig. 15). The sum of the 15 squares on the boundary is 240, the same as the sum of the 15 internal squares surrounding the central integer  $4^2 = 16$ . So, allocating the 4th square number to each of the 31 yods of a tetractys-divided pentagon not only generates the number of roots of  $E_8 \times E_8$  but also differentiates between the number (16) of its zero roots and the number ( $240 + 240 = 480$ ) of its non-zero roots. Alternatively, if the 4th square 16 is assigned to the centre of a tetractys-divided pentagon and the 15 successive even integers 18, 20, ... 46 are assigned to the 15 yods on its boundary, the sum of the ( $4^2 = 16$ ) even integers that start with 16 is 496 (fig. 16).

Since

$$240 = 5 \times 48 = 5(7^2 - 1) = 5(3 + 5 + 7 + 9 + 11 + 13),$$

this number is the sum of the 30 odd integers surrounding the central integer 1 in a five-pointed array of consecutive odd integers ( $30 = 4$ th square pyramidal number) (fig. 17). As the sum of the odd integers 3, 5, ... 13 in each point, the number 48 is the 7th highly composite number ( $7 = 4$ th prime/odd number). It is the *smallest* integer to have 10 factors, including



student of Lysis, one of the two Pythagoreans who escaped the persecution of the Pythagorean school at Croton in southern Italy, wrote that “there are *five* bodies in the sphere: fire, water, earth, air and the circle of the sphere which makes the fifth” (15). The ancients believed that the tetrahedron, cube, octahedron and icosahedron were the shapes of the atoms of, respectively, the elements Fire, Earth, Air and Water, whilst the cosmic sphere containing the stars was made out of the dodecahedron because the latter most resembled the perfect shape of the sphere.

**TABLE III**

Number of corners of triangles  $\equiv C = V + F$ .

Number of sides of triangles  $\equiv S = E + IF$ .

Number of triangles  $\equiv T = IF$ .

POLYHEDRON	C	S	T	C + S	C + S + T
Tetrahedron	8	18	12	26	38
Cube	14	36	24	50	74
Octahedron	14	36	24	50	74
Icosahedron	<u>32</u>	<u>90</u>	<u>60</u>	<u>122</u>	<u>182</u>
<b>SUBTOTAL =</b>	68	180	120	248	368
Dodecahedron	<u>32</u>	<u>90</u>	<u>60</u>	<u>122</u>	<u>182</u>
<b>TOTAL =</b>	<u>100</u>	<u>270</u>	<u>180</u>	<u>370</u>	<u>550</u>

Suppose that each triangular face of the tetrahedron, octahedron and icosahedron is divided into three triangular sectors, the square faces of the cube are divided into four triangles and the pentagonal faces of the dodecahedron are each divided into five triangular sectors (*fig. 19*). Table II shows the number of corners, edges and faces in each solid. Table III shows the numbers of corners, sides and triangles in their faces.

The five Platonic solids contain

$$100 = \begin{array}{c} 1^3 \qquad 2^3 \\ \square \\ 4^3 \qquad 3^3 \end{array} = \begin{array}{c} 10 \\ 10 \ 10 \\ 10 \ 10 \ 10 \\ 10 \ 10 \ 10 \ 10 \end{array} \quad (10 = 1 + 2 + 3 + 4)$$

corners of triangles and

$$550 = \begin{array}{c} 55 \\ 55 \ 55 \\ 55 \ 55 \ 55 \\ 55 \ 55 \ 55 \ 55 \end{array}$$

triangles and their corners and sides, where

$$55 = \begin{array}{cccc} & & & 1 \\ & & & 2 & 3 \\ & & 4 & 5 & 6 \\ & 7 & 8 & 9 & 10 \end{array}$$

is the 10th triangular number (10 = 4th triangular number). The Tetrad and Decad therefore define these geometrical parameters of the faces of the Platonic solids.

According to Table III, the tetrahedron — the simplest regular polyhedron — contains 26 corners and sides, of which 4 are polyhedral corners, 6 are polyhedral edges and 16 are corners and sides created by the division of its faces into triangles. Compare this with the requirement in bosonic string theory that the 26 dimensions of space-time consist of the 4 dimensions of Einstein's space-time, the 6 higher compactified dimensions of superstrings and the 16 higher purely bosonic string dimensions. We see that the faces of the tetrahedron embody numbers defining the dimensional bifurcation of the string. This is an example of how the Tetrad Principle defines a physical parameter of nature, for the tetrahedron has 4 corners and 4 faces. Table III shows that 248 points and lines are needed to construct out of 120 triangles (120 = sum of squares of the first 4 even integers) the 38 faces of the 4 Platonic solids symbolising Earth, Air, Fire and Water (38 = 19th even number, 19 = 10th odd integer, 10 = 4th triangular number). The number of gauge bosons mediating superstring forces is thus the *minimal* number of geometrical elements required to define the triangle-divided surfaces of the first 4 regular polyhedra. Notice that the number of their polyhedral corners is:

$$30 = \begin{array}{ccc} 1^2 & & 2^2 \\ & \square & \\ 4^2 & & 3^2 \end{array}$$

the number of polyhedral corners and edges delineating their faces is

$$90 = \begin{array}{cccc} & & & 9 \\ & & & 9 & 9 \\ & & 9 & 9 & 9 \\ & 9 & 9 & 9 & 9 \end{array}$$

where 9 is the 4th odd integer after 1, and that the number of their corners, edges and faces is

$$128 = 2^7 = (4^{\text{4th prime number}})^{1/2}.$$



Now consider each triangle in the faces of the Platonic solids to be a Pythagorean Triangle or tetractys, so that 4 yods lie along each polyhedral edge (*fig. 19*). Table IV shows the various yod populations of the regular polyhedra. The tetrahedron has 56 yods, where  $56 = 7 \times 8$  ( $7 = 4\text{th prime/odd integer}$ ,  $8 = 4\text{th even integer}$ ), of which 8 yods are corners of tetractyses, 16 yods lie on its edges ( $16 = 4\text{th square number}$ ) and 48 yods are hexagonal yods ( $48 = 7\text{th highly composite number}$ ,  $7 = 4\text{th prime/odd number}$ ). Once again, the Tetrad defines these properties.

**TABLE IV**

Number of yods on faces of polyhedron  $\equiv N = V + 2E + (3I + 1)F$ .

Number of corners of tetractyses  $\equiv C = V + F$ .

Number of hexagonal yods  $\equiv H = N - C = 2E + 3IF$ .

Number of yods on edges of polyhedron  $\equiv B = V + 2E$ .

POLYHEDRON	N	B	C	H	
Tetrahedron	56	16	8	48	}
Cube	110	32	14	96	
Octahedron	110	30	14	96	
Icosahedron	<u>272</u>	<u>72</u>	<u>32</u>	<u>240</u>	
<b>SUBTOTAL =</b>	548	150	68	480	
Dodecahedron	<u>272</u>	<u>80</u>	<u>32</u>	<u>240</u>	
<b>TOTAL =</b>	<u>820</u>	<u>230</u>	<u>100</u>	<u>720</u>	

The cube and octahedron each has 110 yods, where

$$110 = \begin{matrix} & & & 2 \\ & & & 4 & 6 \\ & & 8 & 10 & 12 \\ & 14 & 16 & 18 & 20 \end{matrix}$$

and the icosahedron and dodecahedron each has 272 yods, where

$$272 = \begin{matrix} & & & & 2 & 4 & 6 & 8 \\ & & & & 10 & 12 & 14 & 16 \\ & & & & 18 & 20 & 22 & 24 \\ & & & & 26 & 28 & 30 & 32 \end{matrix}$$

The first 4 Platonic solids have

$$548 = \begin{matrix} & & 137 & & 137 \\ & & \square & & \\ & 137 & & & 137 \end{matrix}$$

yods, where 137 (the average number of yods in the first 4 polyhedra) is the 33rd prime number ( $33 = 1! + 2! + 3! + 4!$ ). Of these,

$$68 = \begin{array}{ccc} 17 & & 17 \\ & \square & \\ 17 & & 17 \end{array}$$

yods are corners of tetractyses, where 17 (the average number of corners) is the 7th prime number ( $7 = 4\text{th prime/odd number}$ ), and

$$480 = \begin{array}{ccc} 2^5 & & 2^6 \\ & \square & \\ 2^8 & & 2^7 \end{array}$$

yods are hexagonal. As the 4th regular polyhedron — the icosahedron — has

$$240 = \begin{array}{ccc} 2^4 & & 2^5 \\ & \square & \\ 2^7 & & 2^6 \end{array}$$

such yods in its 60 tetractyses, we find that the first 4 regular polyhedra have 480 hexagonal yods in their 120 tetractyses ( $120 = 2^2 + 4^2 + 6^2 + 8^2$ ), the fourth one having 240 such yods. The superstring gauge group  $E_8 \times E_8$  has 480 non-zero roots and  $E_8$  has 240 such roots. A remarkable correspondence thus exists between these roots and the degrees of freedom symbolised by hexagonal yods generated by the construction of the faces of the first 4 Platonic solids from tetractyses.

**6. CONCLUSION**

The symbol of the Pythagorean paradigm of wholeness — the tetractys — has manifested in particle physics as the 10-dimensional space-time predicted by superstring theory. However, this representation of the Pythagorean Decad is but the most rudimentary example of a powerful Tetrad Principle governing the form of the mathematical description of subatomic reality. Many examples have been given in the context of superstring theory and bosonic string theory of how the number

4 plays a pivotal role in defining classes (and members of classes) mathematical objects that parameterise the physics of these fundamental (and as yet hypothetical) particles. Whilst coincidence *might* account for a few of these, the weight of evidence for the principle accumulated in this article renders such an explanation highly implausible. This is particularly so since the Tetrad Principle has been shown to define superstring and bosonic string parameters not only for a narrow range of numbers but also for mathematical objects that at first sight would seem most unlikely to have relevance to superstring theory, namely, the regular polyhedra, for the first four of which the dimension of  $E_8$  is embodied purely geometrically in their triangle-divided faces, whilst group parameters of  $E_8$  and  $E_8 \times E_8$  appear in the yod population of their tetractys-divided faces. Such evidence of beautiful mathematics points towards the existence of a conceptual scheme in which the Pythagorean paradigm of the tetractys has a central place. From the perspective of this more general theory, the theories of superstrings and bosonic strings would then be seen to be just examples of how the Tetrad Principle determines the mathematics of the microphysical version of this universal theory of whole systems. This true ‘Theory of Everything’ is the mystical Kabbalah. Its relevance to particle physics is explored comprehensively in my book *The Image of God in Matter*, to be published soon by Bharatiya Vidya Bhavan.

## REFERENCES

1. Theon of Smyrna, in *Mathematics Useful for Understanding Plato*, R. & D. Lawlor, tr. (Wizards Bookshelf, San Diego, 1979).
2. Stobaeus, *Eclog. Physic.*, i. 21, 7b.
3. Aristotle, *Metaphysics*, A5, 986a16.
4. Kenneth Sylvan Guthrie, *The Pythagorean Sourcebook and Library* (Phanes Press, Michigan, 1987), p. 28.
5. R.C. Brower, *Phys. Rev. D*6, 1655 (1972); P. Goddard & C.B. Thorn, *Phys. Lett.* 40B, 235 (1972).
6. P. Goddard, J. Goldstone, C. Nappi & C.B. Thorn, *Nucl. Phys.* B56, 109 (1973).
7. P.G. O. Freund, *Phys. Lett.* 151B, 387 (1985).
8. Aristotle, *Physics* 203 a 10.
9. M.B. Green & J.H. Schwarz, *Phys. Lett.* 149B, 117 (1984).
10. Kenneth Sylvan Guthrie, *The Pythagorean Sourcebook and Library* (Phanes Press, Michigan, 1987), p. 322.
11. Thomas Heath, *A History of Greek Mathematics* (Oxford, 1921), vol. 1, footnote, p. 74.

12. David Wells, *The Penguin Dictionary of Curious and Interesting Numbers* (Penguin Books, London, 1986), p. 108.
13. David Wells, *The Penguin Dictionary of Curious and Interesting Numbers* (Penguin Books, London, 1986), p. 108.
14. David Wells, *The Penguin Dictionary of Curious and Interesting Numbers* (Penguin Books, London, 1986), Table 8.
15. Iamblichus, *The Life of Pythagoras*, in *The Pythagorean Sourcebook and Library*, Kenneth Sylvan Guthrie (Phanes Press, Michigan, 1987), p. 174.

## APPENDIX A

### PROOF OF $P_n^N = \frac{1}{2}[(N-2)n - (N-4)]$

The representation of  $P_n^N$  consists of the superimposition of  $(n-1)$  regular polygons with 2,3,4, ... n dots along each of their  $N$  edges. The  $r$ th polygon has  $r$  dots per edge. The total number of dots in  $(n-1)$  separate polygons is

$$\sum_{r=1}^{n-1} N_r = \frac{1}{2}nN(n-1)$$

Of these, there are

$$2 + 3 + 4 + \dots + (n-1) = \frac{1}{2}n(n+1) - 1$$

dots along one set of edges and

$$1 + 2 + 3 + \dots + (n-1) = \frac{1}{2}n(n-1)$$

dots along the set of adjacent edges. The total number of shared dots when the polygons are superimposed is

$$\frac{1}{2}n(n+1) - 1 + \frac{1}{2}n(n-1) = n^2 - 1.$$

The total number of unshared yods is

$$\frac{1}{2}nN(n-1) - (n^2 - 1) = \frac{1}{2}n[(N-2)n - N] + 1.$$

Superimposed, the  $(n-1)$  polygons have  $n$  dots along one shared edge and  $(n-1)$  dots along the adjacent shared edge. Hence the total number of dots in the representation is

$$\begin{aligned} P_n^N &= (n-1) + n + \frac{1}{2}n[(N-2)n - N] + 1 \\ &= \frac{1}{2}n[(N-2)n - (N-4)] \end{aligned}$$

## APPENDIX B

The nth hexagonal number is

$$H_n = \frac{1}{2}n(4n-2) = 2n^2 - n.$$

The nth triangular number is

$$T_n = \frac{1}{2}n(n+1).$$

Therefore

$$T_{n-1} = \frac{1}{2}n(n-1).$$

$$4T_{n-1} = 2n(n-1) = 2n^2 - 2n = H_n - n.$$

Therefore,


$$H_n = 4T_{n-1} + n.$$

## APPENDIX C


When divided into 3 tetractyses, each sector of an n-sided regular polygon contains 19 yods, of which 15 are hexagonal (*fig. 20*). 2 hexagonal yods on each of 2 sides of the sector are shared with adjacent sectors. Each of the n sectors therefore contributes 13 hexagonal yods. Number of hexagonal yods in polygon  $\equiv H(n) = 13n$ .

## APPENDIX D


There are 85 yods in each sector of an n-sided regular polygon divided into n 2nd-order tetractyses. Of these, 13 yods on each of 2 sides are shared with adjacent sectors. Number of yods per sector surrounding centre of polygon =  $85 - 13 = 72$ . Number of yods surrounding centre of n-sided polygon =  $72n$ . Each sector has 15 corners of 1st-order tetractyses, of which 5 corners on each of 2 sides are shared with adjacent sectors. Number of tetractys corners per sector surrounding centre of polygon =  $15 - 5 = 10$ . Number of tetractys corners surrounding centre of n-sided polygon =  $10n$ .




**Figure 1**




**Figure 2**







**Figure 3**



**Figure 4**



**Figure 5**

	NUMBER OF:				
	POINTS	LINES	TRIANGLES	TETRAHEDRA	TOTAL
	1	0	0	0	1
	2	1	0	0	3
	3	3	1	0	7
	4	6	4	1	15
				TOTAL =	<u>26</u>

**Figure 6**

<b>n</b>		<b>Combinations</b>	<b>Number of combinations = <math>2^n - 1</math></b>
1	A	A	1
2	B C	B, C, BC	3
3	D E F	D, E, F, DE, DF, EF	7
4	G H I J	H, I, GH, GI, GJ, HI, HJ, IJ, GHI, GHJ, IJ, HIJ, GHIJ	<u>15</u>
			<b>TOTAL = <u>26</u></b>

Figure 7




Figure 8






Figure 9




Figure 10





Figure 11






Figure 12

31 =




Figure 13

496 =




Figure 14

496 =




Figure 15

496 =




Figure 16







Figure 17




**tetrahedron**




**octahedron**



**cube**



**icosahedron**



**dodecahedron**

**Figure 18**




Figure 19




Figure 20