

SP685



Landscaping
Guidelines to Protect
Your Home
from Wildfire

David Mercker Extension Specialist, Forestry, Wildlife & Fisheries Carol Reese, Ornamental Horticulture Specialist Plant Sciences Wayne K. Clatterbuck Associate Professor Forestry, Wildlife & Fisheries

As Tennessee's population continues to grow, more people are building homes in rural forested areas. Each year Tennessee experiences approximately 2,000 wild (forest) fires. With the influx of new homeowners in and around forest land, the chances of wildfires damaging home structures increase. Improper landscaping around homes increases the likelihood of fire damage, while also hindering the activities of firefighters.

### The Goal of Firewise

Firewise is a program administered by state forestry and fire agencies with a primary goal of protecting homes and homeowners from property damage associated with wildfires. Firewise educates homeowners and communities about landscaping techniques that will increase the defensible space (or buffer zone) around homes. Defensible space essentially "breaks the chain" of combustible fuel between homes and natural vegetation; slowing or eliminating the fire spread, and allowing firefighters a place to operate.

Developing defensible space around a house or dwelling requires that these objectives be met:

- Create a non-flammable initial barrier zone adjacent to the house;
- 2. Establish less flammable vegetation beyond the nonflammable zone; and
- 3. Increase moisture within the protection zones.



An example of Firewise recommended landscaping with non-flammable vegetation near the home.

Photo Credit: Robin Bible

## **Creating a Non-flammable Barrier Zone**

As ground fires approach a house, flames and embers make contact, causing the structure to catch fire. For best defense, the first 5 feet adjacent to a house should not contain any flammable material. This includes grass/plants/shrubs/trees, as well as decaying material such as leaves, mulch, bark and even firewood. Ideally, the non-flammable barrier zone should be sidewalks, stepping stones, stone walls, and/or rock or gravel. Elimination of flammable material in this zone protects a house from ground flames. However, the zone will not protect buildings from overhead flames or embers originating from taller vegetation, such as trees. A different strategy is needed beyond the non-flammable zone.

## **Beyond the Non-flammable Zone**

To minimize the likelihood of flames or embers either jumping toward or falling onto a house, vegetation should resemble a "stair-stepping" pattern as it proceeds outward from a house (Figures 1 and 2). Within the first "step" (a region from 5–15 feet from the house) should be low-stature landscaping, including raised flower beds, water or rock gardens, stone walkways or patios. This region will continue to break the fuel chain, while still providing visual enjoyment.

In the second "step" ground cover, shrubs and small trees can be established approximately 15 to 30 feet from the house. Vegetation in this region should be of high moisture-holding capacity, with low sap or resin content, and resistant to ignition. Also, vegetation should not be continuous, rather altering in arrangement and separated by non-flammable gaps of stone or other non-flammable material. A list of recommended ground covers, shrubs and trees for use in the second "step" is found in Tables 1, 2 and 3.

The final "step" occurs 30 feet and beyond from the house. Here larger-growing trees can be established and/or maintained. Species of conifers such as pine and fir are not recommended because of the high flammability of needles and bark. Instead, deciduous species such as oaks, poplar, maple, etc. are recommended. The ground directly under and around larger trees should be well-maintained, kept free of brush, debris and flammable dead material. Table 4 gives suggestions for larger trees more suitable for the Firewise defensible space.

### **Increasing Moisture in Defensible Space**

Plants that are firm or turgid due to water uptake are slower to ignite. Homeowners are wise to keep exterior plants healthy by watering frequently, particularly during dry periods when the likelihood of wildfire increases. This is true of grasses, ground covers, shrubs and trees. Even mulch should be kept moist during dry periods. Use just




Figure 1. Side View of Firewise Landscaping




Figure 2. Top View of Firewise Landscaping

enough mulch to keep the weeds suppressed and the soil damp. Excessively deep mulch can cause fire to smolder and complicate suppression efforts. Taller trees in the outer region of the stair-stepped vegetation can provide shade to the remainder of the yard, thereby conserving some moisture around the house.

**Table 1. Ground Covers for Firewise Homes** 

Scientific Name	Common Name	Comments	
Ajuga reptans	Ajuga, Bugleweed	Not drought-tolerant. Prefers light shade	
Euonymus fortunei	Wintergreen euonymus	Many forms exist, some vines. Best planted in sun. Prone to insect problems	
Hypericum calycinum	St. Johnswort	Used in erosion control. Poisonous	
Liriope muscari	Bigblue liriope	Semi-tolerant of drought	
Liriope spicata	Liriope	Excellent for erosion control, drought and salt- tolerant. Grows under shallow-rooted trees	
Ophiopogon japonicum	Monkeygrass	Good for erosion control, drought-tolerant. Best in warmer regions of Tennessee	
Opuntia spp.	Prickly pear	Native to arid regions, but very climate-adaptable. Has spiny stems	
Pachysandra terminalis	Pachysandra	Not tolerant to foot traffic or full sun conditions	
Rhus aromatica	Fragrant sumac	Good for erosion control, tolerates drought	
Sarcococca hookerana var. humilis	Sweetbox	Tolerates air pollution	
Sedum spp.	Sedum	Drought-tolerant & maintenance-free	
Vinca major	Bigleaf periwinkle	Good for erosion control, tolerates drought	
Vinca minor	Periwinkle; Vinca	Good for erosion control, finer texture than V. major. Prefers a shaded location	



Plants that retain their leaves all year such as rhododendron (as shown in this photo), laurel, holly, juniper and hemlock generally have highly flammable leaves and should not be planted near structures.

# **Additional Considerations for Firewise Homes**

Homeowners should consider these additional factors when establishing a Firewise landscape:

- 1. The foundations and support structures for patios should be of concrete, stone or rock;
- 2. Keep tree branches pruned well away from the ground level;
- 3. Rake leaves and other debris away from structures (often):
- 4. Do not allow grasses to reach more than 8 inches in height, even along the perimeter of the property;
- 5. Stack firewood at least 30 feet from the house;
- 6. Use nonflammable roofing materials, enclosing decks, sofits and overhangs, and removing debris from roofs and gutters;
- 7. Store flammable liquids outside the house and at least 30 feet away from structures;
- 8. Be careful with fire, and notify the local fire department immediately in the event of fire.

3

**Table 2. Deciduous Shrubs for Firewise Homes** 

Scientific Name	<b>Common Name</b>	Comments
Callicarpa americana	Beautyberry	Prune out rank growth. Showy fruit. Best
		in warm climates; use introduced species
		in cold climates
Calycanthus floridus	Sweetshrub; Carolina allspice	Aromatic flowers and stems
Chaenomeles speciosa	Japanese flowering quince	Well-adapted to many conditions. Has
		spines and is susceptible to leaf diseases
Clethra alnifolia	Summersweet clethra	Well-suited for use in wet soils
Forsythia x intermedia	Border forsythia	Tolerant of urban conditions, pH adaptable.
Hamamelis vernalis	Vernal witchhazel	Tolerates poorly drained soils
Hamamelis virginiana	Common witchhazel	Very adaptable to climatic conditions
Hibiscus syriacus	Rose-of-Sharon	Well-adapted to many conditions
Hydrangea arborescens	Smooth hydrangea	Suckers freely from roots, will cover large
		areas if not maintained. Needs good
		drainage
Hydrangea macrophylla	Bigleaf hydrangea	Plant parts are poisonous. Prefers shade
		and good drainage
Hydrangea paniculata	P.G. hydrangea, panicle hydrangea	Plant parts are poisonous. Prefers sun and
		good drainage
Hydrangea quercifolia	Oakleaf hydrangea	Plant parts are poisonous. Tolerates shade.
		Needs good drainage
Hypericum prolificum	St. Johnswort	Excellent plant for dry, heavy soils
Ilex verticillata	Winterberry holly	Tolerates wet soils
Itea virginica	Virginia sweetspire	Tolerates wet soils. Sun or shade
Jasminum nudiflorum	Winter jasmine	Drought-tolerant, used in erosion control.
		Requires good drainage
Lagerstroemia indica	Crapemyrtle	Tolerant of drought and urban conditions.
		Select cultivars are more cold-tolerant
Philadelphus coronarius	Sweet mockorange	Adapts to almost any soil condition
Physocarpus opulifolius	Nine-bark	Drought-resistant, pH adaptable. Sun or
		partial shade
Rhus copallina	Shining sumac	Useful for dry, rocky sites
Rhus glabra	Smooth sumac	Tolerates drought and poor soil conditions
Spirea prunifolia	Bridalwreath spirea	Heavy pruning will destroy this shrub's
		natural arching habit
Spirea thumbergii	Thunberg spirea	Durable, tolerant of a wide range of
~		conditions
Spirea x bumalda	Bumald spirea	Needs well-drained soil
Vaccinium ashei	Rabbiteye blueberry	Sun or shade. Needs acid, well-drained soil.
Viburnum carlesi	Koreanspice viburnum	Early, fragrant flowers
Viburnum dentatum	Arrowwood viburnum	Tolerates high pH, heavy soils and cold tem-
		peratures

**Table 3. Small Deciduous Trees for Firewise Homes** 

Scientific Name	Common Name	Comments
Acer palmatum	Japanese Maple	Cultivars may be upright or
		weeping
Aesculus parviflora	Bottlebrush buckeye	Sun or shade
Aesculus pavia	Red buckeye	Attracts hummingbirds
Amelanchier arborea	Downy serviceberry	Attracts birds
Asimina triloba	Pawpaw	Host plant for zebra swallowtail,
		Tennessee's state butterfly
Cercis canadensis	Eastern redbud	Tolerates wide range of conditions
Chionanthus retusus	Chinese fringetree	Tolerant of wide range of soils
Chionanthus virginicus	American fringetree	Tolerant of wide range of soils
Cornus florida	Dogwood (species)	Select disease-resistant cultivars.
		Needs good drainage
Cornus kousa	Kousa dogwood	Blooms later than native. Disease-
		resistant
Cornus mas	Cornelian cherry	Blooms in late winter
Amelanchier arborea	Downy serviceberry	Attracts birds
Crataegus spp.	Hawthorn (species)	Select for disease resistance
Koelreuteria paniculata	Golden raintree	Reseeds vigorously
Malus spp.	Flowering crabapple	Select disease-resistant cultivars
Viburnum prunifolium	Blackhaw viburnum	Good for birds

## **Summary**

Even though most landowners prefer to have their home within the forest to benefit from the wooded, pastoral setting and shade from trees, there is a substantial risk from wild-fire and hazard trees. The altered environment (both above and belowground) of trees near home building sites often causes mature trees to decline. These trees usually do not recover and become maintenance problems as they slowly decline. Leaving defensible space with large trees more than 30 feet from the house will decrease the probability of wildfire susceptibility and reduce maintenance of the landscape near the house.

Through proper planning and implementation, homeowners can lessen the likelihood of wildfires damaging their home, while still enjoying living in forested areas. The techniques addressed here are simple yet effective ways of protecting dwellings from fire. For more information on Firewise, see the following Web site: <a href="https://www.state.tn.us/agriculture/forestry">www.state.tn.us/agriculture/forestry</a>.

#### References

Barkley, Y., C. Schnepf, and J. Cohen. 2005. Protecting and Landscaping Homes in the Wildland/Urban Interface. Station Bulletin No. 67. Moscow, ID: University of Idaho Extension.

Dennis, F.C. 1999. Fire-Resistant Landscaping. Pub. No. 6.303. Fort Collins. CO: Colorado State University Cooperative Extension.

Dennis, F. C. 1999. FireWise Plant Materials. Pub. No. 6.305. Fort Collins. CO: Colorado State University Cooperative Extension.

Tennessee Department of Agriculture, Forestry Division. 2005. Firewise Landscaping. Nashville, TN.

Virginia Firewise Landscaping Task Force. 1998. Virginia Firescapes: Firewise Landscaping for Woodland Homes. Pub. No. 430-300. Blacksburg, VA: Virginia Cooperative Extension.

**Table 4. Taller Deciduous Trees for Firewise Homes** 

Scientific Name	<b>Common Name</b>	Comments
Acer spp.	Maple (species)	Select superior forms
Betula nigra	River birch	Prefers rich, moist sites
Carya spp.	Hickory species	Nuts may be litter problem
Catalpa bignomioides	Southern catalpa	Pods and caterpillars may create litter
		problem. Tolerates wide range of soils
Celtis laevigata	Sugarberry	Attracts birds
Celtis occidentalis	Hackberry	Wide range of soils. Enjoyed by birds
Cladrastis lutea	American Yellowwood	Fragrant bloom
Diospyros virginiana	Common Persimmon	Wide range of growing conditions. Fruit may
		be messy
Fraxinus spp.	Ash (species)	Fast-growing tolerant of wide range of soils
Ginkgo biloba	Gingko	Select male cultivars to avoid smelly fruit
Gymnocladus dioicus	Kentucky coffeetree	Drought-tolerant. Picturesque. Fruitless forms available
Liriodendron tulipifera	Yellow-poplar, Tuliptree	Fast-growing. May defoliate prematurely in dry summers
Magnolia spp.	Magnolia	Many species. Tolerant of a wide range of growing conditions
Nyssa sylvatica	Black gum	Tolerant of wide range of soils
Ostrya virginiana	Hornbeam	Sun or shade. Slow-growing.
Oxydendrum arboreum	Sourwood	Requires good drainage, prefers acid soil
Quercus spp.	Oak (species)	Good for wildlife
Sassafras albidum	Sassafras	May sucker and colonize. Great fall color
Salix spp.	Willow (species)	Select for superior forms. Prefers moist site
Ulmus parvifolia	Lacebark elm	Resistant to disease. Select superior forms
Fire-resistant but not highl	y received for landscape use	
Acer negundo	Boxelder	Reseeds vigorously
Juglans nigra	Black walnut	Nuts are litter problem. Allelopathic
Liquidambar styraciflua	Sweetgum	Prickly fruiting balls objectionable in the landscape
Prunus serotina	Black Cherry	Reseeds vigorously, disease-prone
Ulmus spp.	Elm (species)	Native species susceptible to disease

# SP685-13.5M-10/06 R12-4910-065-011-07 07-0075

Programs in agriculture and natural resources, 4-H youth development, family and consumer sciences, and resource development.

University of Tennessee Institute of Agriculture, U.S. Department of Agriculture and county governments cooperating.

UT Extension provides equal opportunities in programs and employment.

Printing for this publication was funded by the USDA Forest Service through a grant with the Tennessee Department of Agriculture, Division of Forestry. The Trees for Tennessee Landscapes series is sponsored by the Tennessee Urban Forestry Council.







